## **Safety Data Sheet**

# Protein quality control samples in milk

# powder

Version: V2.0.0.1

Report No.: BMS-36-MSDS-US Creation Date: 2025/10/22

Revision Date: -

\*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)



# 1 Identification

#### | Product identifier

·	
Product Name	Protein quality control samples in milk powder
Cat No.	BMS-36
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

### Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

### Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

### | Emergency phone number

Emergency	phone number	010-58103678
-----------	--------------	--------------

## 2 Hazard(s) identification

### Hazard classification according to 29 CFR 1910.1200

According to OSHA HCS-2024, not classified as a hazardous chemical.

#### Label elements

Hazard pictograms	Not applicable
Signal word	Not applicable

#### | Hazard statements

Hazard statements	Not applicable

### | Precautionary statements

Prevention

Prevention | Not applicable

Response

Response Not applicable

Storage

Storage Not applicable

Disposal

Disposal Not applicable

### Other hazards

Not applicable.

## | Hazard description

Physical and chemical hazards

No information available

#### Health hazards

Inhaled	Inhalation of the product may produce adverse health effects or irritation of the
	respiratory tract following discomfort.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may
	produce systemic injury with harmful effects.
Eye	This product may cause temporary discomfort following direct contact with the eye.

Environmental hazards

Please refer to 12th chapter of SDS.

# 3 Composition/information on ingredients

### Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Protein/Peptide Sequence	1541011-97-5	-	33.44
skim milk powder	Commercial secrets	919-443-4	66.56

## 4 First-aid measures

#### Description of first aid measures

Description of mot ala mous	
General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

Version: V2.0.0.1 Revision Date: -

Inhalation Move victim into fresh air. If breathing is difficult, give oxygen. Do not use more mouth resuscitation if victim ingested or inhaled the substance. If not breathing give attricial respiration and consult a physician immediately.  Protecting of first-aiders Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.  Most important symptomas/effects, acute and delayed  1	Protein quality control samples in	milk powder	Version: V2.0.0.1 Revision Date: -
Most important symptoms/effects, acute and delayed	Inhalation	mouth resuscitation if vic	tim ingested or inhaled the substance. If not breathing,
Substance accumulation, in the human body, may occur and may cause some concern following repeated long-term occupational exposure.	Protecting of first-aiders	•	
Indication of any immediate medical attention and special treatment needed  Treat symptomatically. Symptoms may be delayed.  Fire-fighting measures  Extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media  Free is no restriction on the type of extinguisher which may be used.  There is no restriction on the type of extinguisher which may be used.  Development of hazardous combustion gases or vapor possible in the event of fire.  May expansion or decompose explosively when heated or involved in fire.  Special protective equipment and precautions for fire-fighters  As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. Fight fire from a safe distance, with adequate cover.  Prevent fire extinguishing water from contaminating surface water or the ground water system.  Accidental release measures  Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spiti/leak. Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place. Keep leaks in a ventilated place. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont		precautions to protect the	emselves and prevent spread of contamination.
Indication of any immediate medical attention and special treatment needed  1 Treat symptomatically. 2 Symptoms may be delayed.  5 Fire-fighting measures  Extinguishing media  Suitable extinguishing media  Unsuitable extinguishing media  Specific hazards arising from the substance or mixture  1 Development of hazardous combustion gases or vapor possible in the event of fire.  2 May expansion or decompose explosively when heated or involved in fire.  Special protective equipment and precautions for fire-fighters  1 As in any fire, wear self-contained breathing apparatus ( MSHA/NIOSH approved or equivalent) and full protective gear.  2 Fight fire from a safe distance, with adequate cover.  3 Prevent fire extinguishing water from contaminating surface water or the ground water system.  6 Accidental release measures  Personal precautions, protective equipment and emergency procedures  1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  3 Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  1 Prevent further leakage or spillage if safe to do so.  2 Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  1 Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  3 Isolation of contaminated areas and restrictions on access.  4 It is recommended that emergency personnel wear dust masks.  5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the contribute of container and move the contribute of the contribute of the contrib	Most important symptoms/e	ffects, acute and delay	yed
Treat symptomatically.  Symptoms may be delayed.  Fire-fighting measures  Extinguishing media  Unsuitable extinguishing media  Specific hazards arising from the substance or mixture  1 Development of hazardous combustion gases or vapor possible in the event of fire.  May expansion or decompose explosively when heated or involved in fire.  Special protective equipment and precautions for fire-fighters  1 As in any fire, wear self-contained breathing apparatus ( MSHA/NIOSH approved or equivalent) and full protective gear.  2 Fight fire from a safe distance, with adequate cover.  3 Prevent fire extinguishing water from contaminating surface water or the ground water system.  6 Accidental release measures  Personal precautions, protective equipment and emergency procedures  1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  3 Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  1 Prevent further leakage or spillage if safe to do so.  2 Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  1 Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  3 Isolation of contaminated areas and restrictions on access.  4 It is recommended that emergency personnel wear dust masks.  5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the contribute of the		•	cur and may cause some concern following repeated or
Fire-fighting measures  Extinguishing media  Suitable extinguishing media  Unsuitable extinguishing media  Unsuitable extinguishing media  Unsuitable extinguishing media  Unsuitable extinguishing media  Specific hazards arising from the substance or mixture  1 Development of hazardous combustion gases or vapor possible in the event of fire.  2 May expansion or decompose explosively when heated or involved in fire.  Special protective equipment and precautions for fire-fighters  1 As in any fire, wear self-contained breathing apparatus ( MSHA/NIOSH approved or equivalent) and full protective gear.  2 Fight fire from a safe distance, with adequate cover.  3 Prevent fire extinguishing water from contaminating surface water or the ground water system.  6 Accidental release measures  Personal precautions, protective equipment and emergency procedures  1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  Use personal precautions  1 Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  1 Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  3 Isolation of contaminated areas and restrictions on access.  4 It is recommended that emergency personnel wear dust masks.  5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont	Indication of any immediate	medical attention and	special treatment needed
Extinguishing media  Suitable extinguishing media  Use extinguishing media   Use extinguishing media suitable for surrounding area.  Unsuitable extinguishing media   Use extinguishing media suitable for surrounding area.  There is no restriction on the type of extinguisher which may be used.  Specific hazards arising from the substance or mixture  Development of hazardous combustion gases or vapor possible in the event of fire.  May expansion or decompose explosively when heated or involved in fire.  Special protective equipment and precautions for fire-fighters  As in any fire, wear self-contained breathing apparatus ( MSHA/NIOSH approved or equivalent) and full protective gear.  Fight fire from a safe distance, with adequate cover.  Prevent fire extinguishing water from contaminating surface water or the ground water system.  Accidental release measures  Personal precautions, protective equipment and emergency procedures  Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont	1 Treat symptomatically.		
Extinguishing media  Suitable extinguishing media  Unsuitable extinguishing media  Unsuitable extinguishing media  Specific hazards arising from the substance or mixture  Development of hazardous combustion gases or vapor possible in the event of fire.  May expansion or decompose explosively when heated or involved in fire.  Special protective equipment and precautions for fire-fighters  As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.  Fight fire from a safe distance, with adequate cover.  Prevent fire extinguishing water from contaminating surface water or the ground water system.  Accidental release measures  Personal precautions, protective equipment and emergency procedures  Insure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container.	2 Symptoms may be delayed.		
Suitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the substance or mixture  1 Development of hazardous combustion gases or vapor possible in the event of fire. 2 May expansion or decompose explosively when heated or involved in fire.  Special protective equipment and precautions for fire-fighters  1 As in any fire, wear self-contained breathing apparatus ( MSHA/NIOSH approved or equivalent) and full protective gear.  2 Fight fire from a safe distance, with adequate cover.  3 Prevent fire extinguishing water from contaminating surface water or the ground water system.  6 Accidental release measures  Personal precautions, protective equipment and emergency procedures  1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  3 Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  1 Prevent further leakage or spillage if safe to do so.  2 Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  1 Cut off the source of the leak as much as possible.  2 Keep leaks in a ventilated place.  3 Isolation of contaminated areas and restrictions on access.  4 It is recommended that emergency personnel wear dust masks.  5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont	Fire-fighting measure	es	
Unsuitable extinguishing media  Specific hazards arising from the substance or mixture  Development of hazardous combustion gases or vapor possible in the event of fire.  May expansion or decompose explosively when heated or involved in fire.  Special protective equipment and precautions for fire-fighters  As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.  Fight fire from a safe distance, with adequate cover.  Prevent fire extinguishing water from contaminating surface water or the ground water system.  Accidental release measures  Personal precautions, protective equipment and emergency procedures  Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  Evacuate personal to safe areas. Keep people away from and upwind of spill/leak.  Use personal precautions  Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container and move	Extinguishing media		
Specific hazards arising from the substance or mixture  1 Development of hazardous combustion gases or vapor possible in the event of fire.  2 May expansion or decompose explosively when heated or involved in fire.  Special protective equipment and precautions for fire-fighters  1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.  2 Fight fire from a safe distance, with adequate cover.  3 Prevent fire extinguishing water from contaminating surface water or the ground water system.  6 Accidental release measures  Personal precautions, protective equipment and emergency procedures  1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  3 Use personal protective equipment, do not breathe dust/furne.  Environmental precautions  1 Prevent further leakage or spillage if safe to do so.  2 Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  1 Cut off the source of the leak as much as possible.  2 Keep leaks in a ventilated place.  3 Isolation of contaminated areas and restrictions on access.  4 It is recommended that emergency personnel wear dust masks.  5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe	Suitable extinguishing media	Use extinguishing media	suitable for surrounding area.
Development of hazardous combustion gases or vapor possible in the event of fire.  May expansion or decompose explosively when heated or involved in fire.  Special protective equipment and precautions for fire-fighters  As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.  Fight fire from a safe distance, with adequate cover.  Prevent fire extinguishing water from contaminating surface water or the ground water system.  Accidental release measures  Personal precautions, protective equipment and emergency procedures  Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container.		There is no restriction on	the type of extinguisher which may be used.
May expansion or decompose explosively when heated or involved in fire.  Special protective equipment and precautions for fire-fighters  As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.  Fight fire from a safe distance, with adequate cover.  Prevent fire extinguishing water from contaminating surface water or the ground water system.  Accidental release measures  Personal precautions, protective equipment and emergency procedures  Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container.	Specific hazards arising fr	om the substance or n	nixture
Special protective equipment and precautions for fire-fighters  1	1 Development of hazardous	combustion gases or vapo	r possible in the event of fire.
As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.  Fight fire from a safe distance, with adequate cover.  Prevent fire extinguishing water from contaminating surface water or the ground water system.  Accidental release measures  Personal precautions, protective equipment and emergency procedures  Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container.	2 May expansion or decompo	se explosively when heate	ed or involved in fire.
protective gear.  Fight fire from a safe distance, with adequate cover.  Prevent fire extinguishing water from contaminating surface water or the ground water system.  Accidental release measures  Personal precautions, protective equipment and emergency procedures  Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container.	Special protective equipme	nt and precautions for	fire-fighters
Prevent fire extinguishing water from contaminating surface water or the ground water system.  Accidental release measures  Personal precautions, protective equipment and emergency procedures  Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  Use personal protective equipment,do not breathe dust/fume.  Environmental precautions  Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the contents.	·	tained breathing apparatus	s (MSHA/NIOSH approved or equivalent) and full
Accidental release measures  Personal precautions, protective equipment and emergency procedures  Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the contents.		ce, with adequate cover.	
Personal precautions, protective equipment and emergency procedures  1	3 Prevent fire extinguishing w	ater from contaminating s	urface water or the ground water system.
Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.  Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  Use personal protective equipment,do not breathe dust/fume.  Environmental precautions  Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the contents.	6 Accidental release m	easures	
discharges.  Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.  Use personal protective equipment, do not breathe dust/fume.  Environmental precautions  Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container.	Personal precautions, prote	ctive equipment and e	mergency procedures
Environmental precautions  Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont	· ·	. Remove all sources of ig	gnition. Take precautionary measures against static
Environmental precautions  1    Prevent further leakage or spillage if safe to do so.  2    Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  1    Cut off the source of the leak as much as possible.  2    Keep leaks in a ventilated place.  3    Isolation of contaminated areas and restrictions on access.  4    It is recommended that emergency personnel wear dust masks.  5    Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont		areas. Keep people away	from and upwind of spill/leak.
Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container.	3 Use personal protective equ	ipment,do not breathe dus	st/fume.
Prevent further leakage or spillage if safe to do so.  Discharge into the environment must be avoided.  Methods and materials for containment and cleaning up  Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont	Environmental precautions		
Methods and materials for containment and cleaning up  1    Cut off the source of the leak as much as possible.  2    Keep leaks in a ventilated place.  3    Isolation of contaminated areas and restrictions on access.  4    It is recommended that emergency personnel wear dust masks.  5    Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container.	Prevent further leakage or s	pillage if safe to do so.	
Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont	2 Discharge into the environm	ent must be avoided.	
Cut off the source of the leak as much as possible.  Keep leaks in a ventilated place.  Isolation of contaminated areas and restrictions on access.  It is recommended that emergency personnel wear dust masks.  Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont	Methods and materials for c	ontainment and cleani	ing up
<ul> <li>Isolation of contaminated areas and restrictions on access.</li> <li>It is recommended that emergency personnel wear dust masks.</li> <li>Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont</li> </ul>			
<ul> <li>It is recommended that emergency personnel wear dust masks.</li> <li>Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont</li> </ul>		·	
5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the cont	3 Isolation of contaminated ar	eas and restrictions on ac	cess.
	4 It is recommended that eme	rgency personnel wear du	ust masks.
away from the leak.	5 Collect the spill with a clean away from the leak.	shovel and place it in a cl	ean, dry, loosely closed container and move the container

Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

Version: V2.0.0.1 Revision Date: -

7 Handling and storage

### Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

### Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.
- 8 Exposure controls/personal protection

#### | Control parameters

Occupational exposure limit values

No relevant regulations	Occupational Exposure limit
	values

#### | Engineering controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

## | Personal protection equipment

General requirement	No special requirements, please see the description below.
Eye protection	In general situation, eye protection is not needed. In the production process, when contacting with vapour or dust, tightly fitting safety goggles.
Hand protection	In general situation, hand protection is not needed.
Respiratory protection	In general situation, respiratory protection is not needed. If exposure limits are exceeded or if irritation or other symptoms are experienced, wear dust proof mask or gas defence mask.
Skin and body protection	In general situation, skin and body protection are not needed.

## 9 Physical and chemical properties and safety characteristics

#### Physical and chemical properties

Appearance (physical state,	pale yellow to cream-white powder
color, etc.)	
Odor	No information available
Odor threshold	No information available
рН	No information available
Melting point/freezing	No information available

point(°C)	
Initial boiling point and boiling range(°C)	No information available
Flash point(Closed cup,°C)	Not applicable
Evaporation rate	Not applicable
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	Not applicable
Vapor density(Air = 1)	Not applicable
Relative density(Water=1)	No information available
Solubility	No information available
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Kinematic viscosity	Not applicable

Version: V2.0.0.1 Revision Date: -

# 10 Stability and reactivity

## | Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	No information available.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	No information available.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

# 11 Toxicological information

## Acute toxicity

Acute toxicity No information available

## | Carcinogenicity

Component	List of carcinogens by	Report on Carcinogens	<b>OSHA Carcinogen List</b>	
	the IARC Monographs	by NTP		
Protein/Peptide Sequence	Not Listed	Not Listed	Not Listed	
skim milk powder	Not Listed	Not Listed	Not Listed	

## Others

Protein quality control samples in milk powder					
Skin corrosion/irritation	Based on available data, the classification criteria are not met				
Serious eye damage/irritation	Based on available data, the classification criteria are not met				
Skin sensitization	Based on available data, the classification criteria are not met				

Protein quality control samples in	milk powder	Version: V2.0.0.1 Revision Date: -
Respiratory sensitization	Based on available data,	the classification criteria are not met
Reproductive toxicity	Based on available data,	the classification criteria are not met
STOT-repeated exposure	Based on available data,	the classification criteria are not met
Aspiration hazard	Based on available data,	the classification criteria are not met
Germ cell mutagenicity	Based on available data,	the classification criteria are not met
12 Ecological information	on	
Acute aquatic toxicity		
Acute aquatic toxicity	No information available	
Chronic aquatic toxicity		
Chronic aquatic toxicity	No information available	
Persistence and degradabili	ity	
Persistence and degradability	No information available	
Bioaccumulative potential		
Bioaccumulative potential	No information available	
Mobility in soil		
Mobility in soil	No information available	
Disposal consideration	ons	
Disposal considerations		
Waste chemicals	· '	fer to the relevant national and local laws and regulation.
Contaminated packaging	Recommend the use of in	ent chemical hazard when empty. Keep away from hot
gondanii atou paonagii g	· '	Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste ch	emicals and contaminated packaging.
14 Transport information	<u>1</u>	
Label and Mark		
Transporting Label	Not applicable	
IMDG-CODE		
IMDG-CODE	NOT REGULATED FOR	TRANSPORT OF DANGEROUS GOODS
	1	
IATA-DGR	NOT PEGULATED FOR	TRANSPORT OF DANGEROUS GOODS
	NOT REGULATED TOR	TRANSPORT OF DANGEROUS GOODS
UN-ADR	I	
UN-ADR		TRANSPORT OF DANGEROUS GOODS
Transport in bulk according		
◆Transport in bulk according	to Annex II of MARPOL	and the IBC code

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

Not Available

Transport in bulk in accordance with the IGC Code

Not Available

### Others

**Precautions for transport** 

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

Version: V2.0.0.1 Revision Date: -

## 15 Regulatory information

### International chemical inventory

Component	A	В	С	D	Е	F	G	Н	I	J	K	L	M
Protein/Peptide Sequence	×	×	×	×	×	×	×	×	×	×	×	×	×
skim milk powder	×	×	×	×	×	×	×	×	×	×	×	×	×

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- 【G】 Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

### List of Chemical Substances under International Conventions

Component	Α	В	С
Protein/Peptide Sequence	×	×	×
skim milk powder	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

#### US chemical inventory

Component	A	В	С	D	E	F	G	Н
Protein/Peptide Sequence	×	×	×	×	×	×	×	×
skim milk powder	×	×	×	×	×	×	×	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List

- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

#### Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

# 16 Other information

#### Information on revision

Creation Date	2025/10/22
Revision Date	-
Reason for revision	-

Version: V2.0.0.1 Revision Date: -

#### Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

### Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC <sub>50</sub>	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD <sub>50</sub>	Lethal Dose 50%	NTP	National Toxicology Program
EC <sub>50</sub>	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
$EC_X$	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor	HCS	Hazard Communication Standard

#### Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.