Safety Data Sheet

Uranium standard solution

Version: V2.0.0.1

Report No.: BWJ4001-2016-MSDS-US

Creation Date: 2025/09/10 Revision Date: 2025/09/19



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1 Identification

| Product identifier

Product Name	Uranium standard solution
Cat No.	BWJ4001-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc	
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang	
	City, Henan Province, China	
Post code	465350	
Telephone number	010-58103678	
Fax number	010-84840368	
E-mail address	info@weiyel.com	

| Emergency phone number

	040 50400050
Emergency phone number	010-58103678

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Carcinogenicity	Category 1
Specific target organ toxicity -	Category 1
single exposure	
Specific target organ toxicity -	Category 1
repeated exposure	

Label elements

Hazard pictograms



Oraniam standard solution	Version . V2.0.0.1 Revision Date . 2023/03/13
Signal word	Danger
Hazard statements	
H350	May cause cancer
H370	Causes damage to organs(kidneys)
H372	Causes damage to organs through prolonged or repeated exposure(kidneys)
Precautionary statements	
Prevention	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe gas/mist/vapour/spray.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
◆ Response	
P321	Specific treatment (see related instructions on the label).
◆ Storage	
P405	Store locked up.
◆ Disposal	·
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	
	Not applicable.
Harand da aquinti an	
Hazard description	
 Physical and chemical haz 	
	No information available
Health hazards	
Inhaled	Inhalation of the product may produce adverse health effects or irritation of the
Ingostion	respiratory tract following discomfort. Accidental ingestion of the product may be harmful to the health of the individual.
Ingestion Skin Contact	
Skill Colliact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, ma produce systemic injury with harmful effects.
Eye	This product may cause temporary discomfort following direct contact with the
Environmental hazards	eye.
	Please refer to 12th chapter of SDS.
3 Composition/informa	
Substance/mixture	Mindre
	Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Uranium	7440-61-1	231-170-6	0.1
Nitric acid	7697-37-2	231-714-2	2
Water	7732-18-5	231-791-2	97.9

4 First-aid measures

Description of first aid measures

•	
General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and physician if feel uncomfortable.	
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms/effects, acute and delayed

1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.
- 5 Fire-fighting measures

| Extinguishing media

·		
Suitable extinguishing media	Small fire: CO ₂ , dry chemical, dry sand, alcohol-resistant foam; Large fire: wate spray, fog or alcohol-resistant foam; Fire involving tanks, rail tank cars or highwa	
	tanks: Fight fire from maximum distance or use unmanned master stream devices	
	or monitor nozzles. Cool containers with flooding quantities of water until well	
	after fire is out. Do not get water inside containers.	
Unsuitable extinguishing media	Large fire: avoid aiming straight or solid streams directly onto the product.	

Specific hazards arising from the substance or mixture

Fire may produce irritating, poisonous or corrosive gases.
 Development of hazardous combustion gases or vapor possible in the event of fire.
 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.

3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire.
- 2 Do not touch or walk through spilled material.
- 3 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- 4 Use personal protective equipment, do not breathe gas/mist/vapour/spray.
- 5 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 6 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- 1 Do not touch or cross spills.
- It is recommended that emergency personnel wear a self-contained breathing apparatus with positive pressure and wear anti-corrosion clothing.
- 3 Transfer to a tank truck or special collector with a corrosion-resistant pump.
- 4 Do not touch broken containers and spills before putting on appropriate protective clothing.
- 5 Cut off the source of the leak as much as possible.
- 6 Keep leaks in a ventilated place.
- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 8 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
 - Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.

7 Handling and storage

Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

Control parameters

◆ Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Uranium	Australia	-	0.2	-	0.6
	Canada - Ontario	-	0.2	-	0.6
	New Zealand	-	0.2	-	-
	USA - ACGIH	-	0.2	-	0.6
	USA - NIOSH	-	0.2	-	0.6
	USA - OSHA	-	0.25	-	-
Nitric acid	Australia	2	5.2	4	10
	Canada - Ontario	2	-	4	-
	European Union	-	-	1	2.6
	New Zealand	2	5.2	4	10
	USA - ACGIH	2	-	4	-
	USA - NIOSH	2	5	4	10

| Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement	
Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear appropriate chemical protective gloves.
Respiratory protection	Must wear appropriate personal respiratory protective equipment.
Skin and body protection	Must wear appropriate chemical protective clothing and chemical resistant shoes.

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

<u> </u>	
Appearance (physical state,	colorless liquid
color, etc.)	
Odor	No special odor (Uranium)
Odor threshold	No information available (Uranium)
рН	< 7 (Acidic) (Uranium)
Melting point/freezing point(°C)	No information available (Uranium)
Initial boiling point and boiling	>35 (Uranium)
range(°C)	

Flash point(Closed cup,°C)	No information available (Uranium)
Evaporation rate	No information available (Uranium)
Flammability	No information available (Uranium)
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available (Uranium); Lower limit: No information available (Uranium)
Vapor pressure	No information available (Uranium)
Vapor density(Air = 1)	No information available (Uranium)
Relative density(Water=1)	No information available (Uranium)
Solubility	No information available (Uranium)
n-octanol/water partition	No information available (Uranium)
coefficient	
Auto-ignition temperature(°C)	No information available (Uranium)
Decomposition temperature(°C)	No information available (Uranium)
Kinematic viscosity	No information available (Uranium)

10 Stability and reactivity

| Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological information

Acute toxicity

Acute toxicity	No information available
----------------	--------------------------

Carcinogenicity

Component	List of carcinogens by	Report on Carcinogens	OSHA Carcinogen List
	the IARC Monographs	by NTP	
Uranium	Not Listed	Not Listed	Not Listed
Nitric acid	Not Listed	Not Listed	Not Listed
Water	Not Listed	Not Listed	Not Listed

Others

Uranium standard solution	
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met

Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Causes damage to organs(kidneys)(Category 1)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure(kidneys)(Category 1)
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met

12 Ecological information

| Acute aquatic toxicity

Acute aquatic toxicity | No information available

Chronic aquatic toxicity

Chronic aquatic toxicity No information available

Persistence and degradability

Persistence and degradability No information available

| Bioaccumulative potential

Bioaccumulative potential No information available

Mobility in soil

Mobility in soil No information available

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and
	regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label



| IMDG-CODE

UN number	2031
UN proper shipping name	NITRIC ACID other than red fuming, with less than 65% nitric acid
Transport hazard class	8
Transport subsidiary hazard	None
class	
Packing group	п
Marine pollutant (Yes or no)	No

IATA-DGR

UN number	2031
UN proper shipping name	NITRIC ACID other than red fuming, with less than 65% nitric acid
Transport hazard class	8
Transport subsidiary hazard	None
class	
Packing group	П

UN-ADR

UN number	2031
UN proper shipping name	NITRIC ACID other than red fuming, with less than 65% nitric acid
Transport hazard class	8
Transport subsidiary hazard	6.1
class	
Packing group	п

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport	Transport vehicles should be equipped with the appropriate variety and quantity
	of fire equipment and emergency equipment leakage during transport. Before
	transport, should be preceded by checking whether container integrity, sealing.
	The transport unit must be placarded and marked in accordance with relevant
	transporting requirements.

15 Regulatory information

International chemical inventory

Component	Α	В	С	D	E	F	G	Н	I	J	K	L	М
Uranium	×	√	√	√	√	√	√	√	√	√	√	√	√
Nitric acid	√	V	√	√	√	√	√	√	√	√	√	√	√
Water	√	√	√	√	√	√	√	√	√	√	√	√	√

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances (EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZIoC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)

- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Uranium	×	×	×
Nitric acid	×	×	×
Water	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Uranium	×	×	×	√	√	√	√	×
Nitric acid	×	√	√	√	√	√	√	×
Water	×	×	×	×	×	×	×	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/09/10
Revision Date	2025/09/19
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS Chemical Abstracts Service

PC-	-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC	-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MA	С	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DN	EL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PΝ	EC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NO	EC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC:	50	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD:	50	Lethal Dose 50%	NTP	National Toxicology Program
EC:	50	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC:	X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pov	V	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
ВС	F	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED		Endocrine disruptor	HCS	Hazard Communication Standard

Version: V2.0.0.1 Revision Date: 2025/09/19

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.