Safety Data Sheet

Ethylenediaminetetraacetic acid

Version: V2.0.0.1

Report No.: BWJ5560-2016-MSDS-US

Creation Date: 2025/10/09

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1 Ider	ntification
--------	-------------

| Product identifier

Product Name	Ethylenediaminetetraacetic acid
Cat No.	BWJ5560-2016
CAS No.	60-00-4
EC No.	200-449-4
Molecular Formula	C10H16N2O8

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang
	City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

Emergency	nhone	number	010-58103678
Emerdency	pnone	number	∥ U IU-⊃ŏ IU3b/ŏ

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Acute Toxicity - Oral	Category 2
Serious eye damage/irritation	Category 2

Label elements

Hazard pictograms	<u>Labororomonto</u>	
	Hazard pictograms	
Signal word Danger	Signal word	Danger

| Hazard statements

H319 Causes serious eye irritation	

Version: V2.0.0.1 Revision Date: -

| Precautionary statements

Prevention

P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P321	Specific treatment (see related instructions on the label).
P330	Rinse mouth.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

P405	Store locke	ed up.
------	-------------	--------

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

K 1		91 1 1
INO	information	avallable

Health hazards

Inhaled	Cough.	
Ingestion	Abdominal pain. Diarrhoea.	
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.	
Eye	Redness. Pain.	
A Farman and I have a de		

Environmental hazards

Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Substance/mixture

Substance

Component	CAS No.	EC No.	Concentration (wt, %)
Edetic acid	60-00-4	200-449-4	99.0

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse with plenty of water (remove contact lenses if easily possible).
Skin contact	Rinse skin with plenty of water or shower.
Ingestion	Rinse mouth. Give one or two glasses of water to drink.
Inhalation	Fresh air, rest.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Version: V2.0.0.1 Revision Date: -

Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

5 Fire-fighting measures

| Extinguishing media

Suitable extinguishing media	Small fire: dry chemical, CO ₂ or water spray; Large fire: dry chemical, CO ₂ ,
	alcohol-resistant foam or water spray; Fire involving tanks, rail tank cars or
	highway tanks: Fight fire from maximum distance or use unmanned master
	stream devices or monitor nozzles. Cool containers with flooding quantities of
	water until well after fire is out. Do not get water inside containers.
Unsuitable extinguishing media	No information available.

Specific hazards arising from the substance or mixture

- 1 May emit poisonous fumes on fire.
- 2 Development of hazardous combustion gases or vapor possible in the event of fire.
- 3 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire.
- 2 Do not touch or walk through spilled material.
- 3 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- 4 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 5 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 6 Use personal protective equipment, do not breathe dust/fume.

| Environmental precautions

Ethy	nylenediaminetetraacetic acid	Version: V2.0.0.1 Revision Date: -		
1	Prevent further leakage or spillage if safe	to do so.		
2	Discharge into the environment must be avoided.			
Me	ethods and materials for containment	and cleaning up		
1	Isolation of contaminated areas and restri	ctions on access.		
2	It is recommended that emergency person	nnel wear dust masks and wear anti-virus suits.		
3	Do not touch broken containers and spills	before putting on appropriate protective clothing.		
4	Cover the spill with a plastic sheet to redu	ce scattering.		
5	Cut off the source of the leak as much as	possible.		
6	Keep leaks in a ventilated place.			
7	It is recommended that emergency person	nnel wear dust masks.		
8	Collect the spill with a clean shovel and p away from the leak.	ace it in a clean, dry, loosely closed container and move the container		
9	Adhered or collected material should be pregulations.	promptly disposed of, in accordance with appropriate laws and		
7	Handling and storage			
•	recautions for safe handling			
1	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	place.		
2				
3	,			
4	Keep away from heat/sparks/open flames/ hot surfaces.			
Co	onditions for safe storage, including a	ny incompatibilities		
1	Keep containers tightly closed.			
2	Keep containers in a dry, cool and well-ve	ntilated place.		
3	Keep away from heat/sparks/open flames/hot surfaces.			
8	8 Exposure controls/personal protection			
Coi	ontrol parameters			
0	Occupational Exposure limit values	regulations		
Eng	ngineering controls			
1	Ensure adequate ventilation, especially in	confined areas.		
2	Ensure that eyewash stations and safety	showers are close to the workstation location.		

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement	
Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear appropriate chemical protective gloves.

Respiratory protection	Must wear appropriate personal dust proof gas mask.
Skin and body protection	Must wear appropriate chemical protective clothing and chemical resistant shoes.

Version: V2.0.0.1 Revision Date: -

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

The state of the s			
Appearance (physical state, color, etc.)	White to near white, crystallization		
Odor	No information available		
Odor threshold	No information available		
рН	2.5 (23°C, 10g/L, Slurry, Calculated)		
Melting point/freezing point(°C)	220~245 (Decompose)		
Initial boiling point and boiling range(°C)	No information available		
Flash point(Closed cup,°C)	> 100		
Evaporation rate	Not applicable		
Flammability	No information available		
Upper/lower explosive limits[%(v/v)]	Upper limit : No information available ; Lower limit : No information available		
Vapor pressure	2E-12hPa (25°C)		
Vapor density(Air = 1)	Not applicable		
Relative density(Water=1)	0.86		
Solubility	0.5 g/L (20°C)		
n-octanol/water partition coefficient	-5.01~-3.34 (calculated)		
Auto-ignition temperature(°C)	> 200		
Decomposition temperature(°C)	240~272		
Kinematic viscosity	Not applicable		

10 Stability and reactivity

| Stability and reactivity

•	
Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous	No information available.
reactions	
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	No information available.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Edetic acid	30mg/kg(Mouse)	No information available	No information available

| Carcinogenicity

Component	List of carcinogens by	Report on Carcinogens	OSHA Carcinogen List
	the IARC Monographs	by NTP	
Edetic acid	Not Listed	Not Listed	Not Listed

Version: V2.0.0.1 Revision Date: -

Others

Edetic acid(Component)					
Skin corrosion/irritation	Based on available data, the classification criteria are not met				
Serious eye damage/irritation	Causes serious eye irritation(Category 2)				
Skin sensitization	Based on available data, the classification criteria are not met				
Respiratory sensitization	Based on available data, the classification criteria are not met				
Reproductive toxicity	Based on available data, the classification criteria are not met				
STOT-repeated exposure	Based on available data, the classification criteria are not met				
Aspiration hazard	Based on available data, the classification criteria are not met				
Germ cell mutagenicity	Based on available data, the classification criteria are not met				

12 Ecological information

Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Edetic acid	LC ₅₀ : 74mg/L (96h)(Fish)	EC ₅₀ : 57mg/L (48h)(Crustaceans)	ErC ₅₀ : 6.0mg/L (72h)(Algae)

| Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Edetic acid	NOEC : ≥35.1mg/L(Fish)	NOEC : 5.5mg/L(Crustaceans)	NOEC: 0.32mg/L(Algae)

| Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)				
Edetic acid	Low	Low				

| Bioaccumulative potential

Component	Bioaccumulative potential	Comments
Edetic acid	Low	BCF=123

| Mobility in soil

Component	log Koc	Remark
Edetic acid	2.49	25 $^{\circ}\!$

13 Disposal considerations

| Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and
	regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot
	and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

Version: V2.0.0.1 Revision Date: -

14 Transport information

Label and Mark

Transporting Label



| IMDG-CODE

UN number	2811
UN proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	п
Marine pollutant (Yes or no)	No

IATA-DGR

UN number	2811
UN proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	п

UN-ADR

UN number	2811
UN proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	п

Transport in bulk according to IMO instruments

◆Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Transit should be anti-exposure, rain, high temperature. Strictly prohibited shipping or transportation with acids, alkalis, oxidants, food and food additives etc. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

Version: V2.0.0.1 Revision Date: -

15 Regulatory information

International chemical inventory

Component	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Edetic acid	V	\checkmark	√	√		√							

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances (PICCS)
- 【G】 Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Edetic acid	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Edetic acid	×	×	√	√	√	√	√	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/10/09
Revision Date	-
Reason for revision	-

Version: V2.0.0.1 Revision Date: -

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine dis ruptor	HCS	Hazard Communication Standard

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.