## **Safety Data Sheet**

# Paraquat dichloride

Version: V2.0.0.1

Report No.: BWN0002-2016-MSDS-US

Creation Date: 2025/09/11 Revision Date: 2025/09/18



### \*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1 Identification

### | Product identifier

Product Name	Paraquat dichloride
Cat No.	BWN0002-2016
CAS No.	1910-42-5
EC No.	217-615-7
Molecular Formula	C12H14Cl2N2

### Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

### Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

### | Emergency phone number

Emergency phone number	010-58103678
Linergency priorite number	010-30103070

2 Hazard(s) identification

### Hazard classification according to 29 CFR 1910.1200

Acute Toxicity - Oral	Category 3
Acute Toxicity - Dermal	Category 3
Skin Corrosion/Irritation	Category 2
Serious eye damage/irritation	Category 1
Acute Toxicity - Inhalation	Category 1
Specific target organ toxicity - single exposure	Category 1
Specific target organ toxicity - repeated exposure	Category 1

#### Label elements

### Hazard pictograms







Signal word

**Danger** 

### Hazard statements

H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H330	Fatal if inhaled
H370	Causes damage to organs(lungs, kidneys, liver)
H372	Causes damage to organs through prolonged or repeated exposure(lungs)

## | Precautionary statements

### Prevention

P260	Do not breathe dust/fume.			
P264	Wash hands and other parts of the body (if related) thoroughly after handling.			
P270	Do not eat, drink or smoke when using this product.			
P271	Use only outdoors or with adequate ventilation.			
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.			
P284	In case of inadequate ventilation wear respiratory protection.			
A Decrease				

#### Response

•			
P320	Specific treatment is urgent (see related instructions on the label).		
P321	Specific treatment (see related instructions on the label).		
P330	Rinse mouth.		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		

### Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

### Disposal

·	
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

### Other hazards

Not applicable.

## | Hazard description

Physical and chemical hazards

No information available

→ Health hazards			
Inhaled	Cough. Sore throat. Laboured breathing. Headache. Nosebleeds.		
Ingestion	Sore throat. Abdominal pain. Nausea. Vomiting. Diarrhoea.		
Skin Contact	MAY BE ABSORBED! Redness.		
Eye	Redness. Pain.		
♦ Environmental hazards			
	Please refer to 12th chapter of SDS.		

Version: V2.0.0.1 Revision Date: 2025/09/18

# Composition/information on ingredients

### Substance/mixture

Substance

Component	CAS No.	EC No.	Concentration (wt, %)
Paraquat-dichloride	1910-42-5	217-615-7	98.3

# 4 First-aid measures

### Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
Skin contact	Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention.
Ingestion	Rinse mouth. Give plenty of water to drink, or bentonite clay in water, orgive a slurry of activated charcoal in water to drink. Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Refer for medical attention.
Inhalation	Fresh air, rest. Half-upright position. Refer for medical attention.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

## Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

### Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.2 Symptoms may be delayed.
- 5 Fire-fighting measures

### | Extinguishing media

Suitable extinguishing media	Small fire: dry chemical, CO <sub>2</sub> or water spray; Large fire: dry chemical, CO <sub>2</sub> , alcohol-resistant foam or water spray; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Do not get water inside containers.
Unsuitable extinguishing media	No information available.

Paraquat dichloride Version: V2.0.0.1 Revision Date: 2025/09/18

### Specific hazards arising from the substance or mixture

- 1 May emit poisonous fumes on fire.
- 2 Development of hazardous combustion gases or vapor possible in the event of fire.
- 3 May expansion or decompose explosively when heated or involved in fire.

### Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- 1 Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire.
- 2 Do not touch or walk through spilled material.
- 3 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- 4 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 5 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 6 Use personal protective equipment, do not breathe dust/fume.

### **Environmental precautions**

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

- 1 Isolation of contaminated areas and restrictions on access.
- 2 It is recommended that emergency personnel wear dust masks and wear anti-virus suits.
- 3 Do not touch broken containers and spills before putting on appropriate protective clothing.
- 4 Cover the spill with a plastic sheet to reduce scattering.
- 5 Cut off the source of the leak as much as possible.
- 6 Keep leaks in a ventilated place.
- 7 It is recommended that emergency personnel wear dust masks.
- 8 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container away from the leak.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

# 7 Handling and storage

### Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Paraquat dichloride Version: V2.0.0.1 Revision Date: 2025/09/18

### Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.

# 8 Exposure controls/personal protection

## **Control parameters**

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Paraquat-dichloride	USA - NIOSH	-	0.1	-	-
	USA - OSHA	-	0.5	-	-
	Austria	-	0.1(inhalable aerosol)	-	0.1(inhalable aerosol)
	Denmark	-	0.1	-	0.2
	Finland	-	0.1	-	0.3
	Germany (AGS)	-	0.1	-	0.1

### | Engineering controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

### | Personal protection equipment

General requirement			
Eye protection	Must wear appropriate anti-corrosion goggles.		
Hand protection	Must wear acid and alkali resistant chemical protective gloves.		
Respiratory protection	Must wear appropriate personal dust proof gas mask.		
Skin and body protection	Must wear acid and alkali resistant chemical protective clothing.		

# Physical and chemical properties and safety characteristics

#### Physical and chemical properties

Ti Tiyotodi dila onomiodi propo	i ilyoloal alla ollolliaal proportios		
Appearance (physical state,	White to yellow crystalline solid		
color, etc.)			
Odor	No information available		
Odor threshold	No information available		
рН	>=11.5 (Strong base)		
Melting point/freezing point(°C)	175~180		
Initial boiling point and boiling	300		
range(°C)			

Flash point(Closed cup,°C)	Not applicable
Evaporation rate	Not applicable
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	<1.0E-4Pa
Vapor density(Air = 1)	Not applicable
Relative density(Water=1)	1.24
Solubility	620g/L
n-octanol/water partition coefficient	-4.5
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	300 ( Calculated )
Kinematic viscosity	Not applicable

# 10 Stability and reactivity

## | Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous	No information available.
reactions	
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	No information available.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

# 11 Toxicological information

# Acute toxicity

Component	LD <sub>50</sub> (oral)	LD <sub>50</sub> (dermal)	LC <sub>50</sub> (inhalation,4h)
Paraquat-dichloride	150mg/kg(Rat)	325mg/kg(Rabbit)	No information available

## Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Paraquat-dichloride	Not Listed	Not Listed	Not Listed

## Others

Paraquat-dichloride(Component)		
Skin corrosion/irritation Causes skin irritation(Category 2)		
Serious eye damage/irritation Causes serious eye damage(Category 1)		
Skin sensitization	Based on available data, the classification criteria are not met	
Respiratory sensitization	Based on available data, the classification criteria are not met	
Reproductive toxicity	Based on available data, the classification criteria are not met	

STOT-single exposure	Causes damage to organs(lungs, kidneys, liver)(Category 1)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure(lungs)(Category 1)
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met

# 12 Ecological information

### | Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Paraquat-dichloride	LC <sub>50</sub> : 6.48mg/L	EC <sub>50</sub> : 6.1mg/L	ErC <sub>50</sub> : 0.06mg/L
	(96h)(Fish)	(48h)(Crustaceans)	(96h)(Algae)

## | Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
			plants
Paraquat-dichloride	NOEC: 0.13mg/L(Fish)	No information available	No information available

### | Persistence and degradability

Persistence and degradability No information available

### Bioaccumulative potential

Bioaccumulative potential No information available

## | Mobility in soil

Component	log Koc	Remark
Paraquat-dichloride	5.608	

# 13 Disposal considerations

### Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and
	regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot
	and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

# 14 Transport information

#### Label and Mark

Transporting Label



### IMDG-CODE

UN number 2811

UN proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class Packing group	ш
Marine pollutant ( Yes or no )	No No
marine pondiant ( 163 of 110 )	

#### IATA-DGR

UN number	2811
UN proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	ш

### UN-ADR

UN number	2811
UN proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	ш

### Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

#### Others

Precautions for transport

Transit should be anti-exposure, rain, high temperature. Strictly prohibited shipping or transportation with acids, alkalis, oxidants, food and food additives etc. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with

relevant transporting requirements.

# 15 Regulatory information

### International chemical inventory

Component	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Paraquat-dichloride	<b>√</b>	<b>√</b>	×	×	<b>√</b>	<b>√</b>	<b>√</b>	×	√	×	V	<b>√</b>	

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)

- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZIoC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- (G) Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

### List of Chemical Substances under International Conventions

Component	Α	В	С
Paraquat-dichloride	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

### US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Paraquat-dichloride	×	√	×	√	√	√	√	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

#### Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

# 16 Other information

### Information on revision

<u> </u>	
Creation Date	2025/09/11
Revision Date	2025/09/18
Reason for revision	-

### Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- $[8] \qquad \text{Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/}.$

#### Abbreviations and acronyms

Version: V2.0.0.1 Revision Date: 2025/09/18

#### Disclaimer

Endocrine disruptor

ED

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Hazard Communication Standard

HCS