Safety Data Sheet

Lidane

Version: V2.0.0.1

Report No.: BWN0092-2016-MSDS-US

Creation Date: 2025/10/11

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1	Identification
	Tuerillicalion

| Product identifier

Product Name	Lidane	
Cat No.	BWN0092-2016	
CAS No.	58-89-9	
EC No.	200-401-2	
Molecular Formula	C6H6Cl6	

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang
	City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

Emergency phone number	010-58103678

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Acute Toxicity - Oral	Category 3
Acute Toxicity - Dermal	Category 4
Acute Toxicity - Inhalation	Category 4
Reproductive Toxicity - effects	Additional
on or via lactation	
Specific target organ toxicity -	Category 2
repeated exposure	

| Label elements

Hazard pictograms

Signal word

Danger

| Hazard statements

H301	Toxic if swallowed
H312	Harmful in contact with skin
H332	Harmful if inhaled
H362	May cause harm to breast-fed children
H373	May cause damage to organs through prolonged or repeated exposure

| Precautionary statements

Prevention

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume.
P263	Avoid contact during pregnancy and while nursing.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or with adequate ventilation.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
♠ Response	

Response

P321	Specific treatment (see related instructions on the label).
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P362+P364	Take off contaminated clothing and wash it before reuse.

Storage

P405 Store locked up

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

•	
	No information available
Health hazards	
Inhaled	Cough. Sore throat. Further see Ingestion.
Ingestion	Nausea. Vomiting. Diarrhoea. Headache. Dizziness. TremorConvulsions.
Skin Contact	MAY BE ABSORBED!

Eye	Redness.
 Environmental hazards 	
	Please refer to 12th chapter of SDS.

Composition/information on ingredients

Substance/mixture

Substance

Component	CAS No.	EC No.	Concentration (wt, %)
Lindane	58-89-9	200-401-2	99.8

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
Skin contact	Wear protective gloves when administering first aid. Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention.
Ingestion	Rinse mouth. Give a slurry of activated charcoal in water to drink, but NOT if convulsions occur. Refer immediately for medical attention.
Inhalation	Fresh air, rest. Refer for medical attention.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.
- 5 Fire-fighting measures

| Extinguishing media

Suitable extinguishing media	Small fire: dry chemical, CO ₂ or water spray; Large fire: water spray, fog or regular foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Do not get water inside containers.
Unsuitable extinguishing media	Large fire: avoid aiming straight or solid streams directly onto the product.

Specific hazards arising from the substance or mixture

- 1 May emit poisonous fumes on fire.
- 2 Development of hazardous combustion gases or vapor possible in the event of fire.

Lidane Version : V2.0.0.1 Revision Date : -

3 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire.
- 2 Do not touch or walk through spilled material.
- 3 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- 4 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 5 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 6 Use personal protective equipment, do not breathe dust/fume.

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- 1 Isolation of contaminated areas and restrictions on access.
- 2 It is recommended that emergency personnel wear dust masks and wear anti-virus suits.
- 3 Do not touch broken containers and spills before putting on appropriate protective clothing.
- 4 Cover the spill with a plastic sheet to reduce scattering.
- 5 Cut off the source of the leak as much as possible.
- 6 Keep leaks in a ventilated place.
- 7 It is recommended that emergency personnel wear dust masks.
- 8 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container away from the leak.
- 9 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

7 Handling and storage

Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.

Lidane Version: V2.0.0.1 Revision Date: -



| Control parameters

◆Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		gion Limit value - Eight hours Limit value -		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³		
Lindane	Permissible exposure standards for workers in the workplace	-	-	-	-		
	Australia	0.008	0.1	-	-		
	Canada - Ontario	-	0.5	-	-		
	New Zealand	-	0.1	-	-		
	USA - ACGIH	-	0.5	-	-		
	USA - NIOSH	-	0.5	-	-		

| Engineering controls

1	Ensure adequate ventilation, especially in confined areas.	
2	Ensure that eyewash stations and safety showers are close to the workstation location.	
3	Use explosion-proof electrical/ventilating/lighting/equipment.	
4	Set up emergency exit and necessary risk-elimination area.	

| Personal protection equipment

•	•		
	General requ	irement	
	Eye pro	otection	Must wear appropriate safety goggles.
	Hand pro	otection	Must wear appropriate chemical protective gloves.
	Respiratory pro	otection	Must wear appropriate personal respiratory protective equipment.
Sk	in and body pro	otection	Must wear appropriate chemical protective clothing and chemical resistant shoes.

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

White crystal or powder
No information available
No information available
No information available
113
323
Not applicable
Not applicable

Flammability	No information available	
Upper/lower explosive limits[%(v/v)]	Upper limit : No information available ; Lower limit : No information available	
Vapor pressure	ure 1.2E-3Pa (20°C)	
Vapor density(Air = 1)	9.9	
Relative density(Water=1)	1.9	
Solubility	Insoluble in water	
n-octanol/water partition coefficient	3.61~3.72	
Auto-ignition temperature(°C)	No information available	
Decomposition temperature(°C)	323.4	
Kinematic viscosity	Not applicable	

10 Stability and reactivity

| Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous	No information available.
reactions	
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	No information available.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Lindane	88mg/kg(Rat)	50mg/kg(Rabbit)	No information available

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Lindane	Category 1	Category R	Not Listed

Others

Lindane(Component)						
Skin corrosion/irritation	Based on available data, the classification criteria are not met					
Serious eye damage/irritation	Based on available data, the classification criteria are not met					
Skin sensitization	Based on available data, the classification criteria are not met					
Respiratory sensitization	Based on available data, the classification criteria are not met					
Reproductive toxicity	May cause harm to breast-fed children(Additional)					
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure(Category 2)					
Aspiration hazard	Based on available data, the classification criteria are not met					

Germ cell mutagenicity

Based on available data, the classification criteria are not met

12 Ecological information

Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
Lindane	LC ₅₀ : 0.0714mg/L	EC ₅₀ : 0.58mg/L	ErC ₅₀ : 1.62mg/L
	(96h)(Fish)	(48h)(Crustaceans)	(96h)(Algae)

| Chronic aquatic toxicity

Chronic aquatic toxicity

No information available

| Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
Lindane	High(Half-life = 240.21 days)	Low(Half-life = 3.85 days)

Bioaccumulative potential

Component	Bioaccumulative potential	Comments
Lindane	Medium	BCF=1400

| Mobility in soil

Component	log Koc	Remark
Lindane	3.529	

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.			
Contaminated packaging	1			
	and ignition source of fire. Return to supplier for recycling if possible.			
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.			

14 Transport information

Label and Mark

Transporting Label



IMDG-CODE

UN number	2588
UN proper shipping name	PESTICIDE, SOLID, TOXIC, N.O.S.
Transport hazard class	6.1

Transport subsidiary hazard	None
class	
Packing group	ш
Marine pollutant (Yes or no)	No

IATA-DGR

UN number	2588
UN proper shipping name	PESTICIDE, SOLID, TOXIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	ш

UN-ADR

UN number	2588
UN proper shipping name	PESTICIDE, SOLID, TOXIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	ш

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Transit should be anti-exposure, rain, high temperature. Strictly prohibited shipping or transportation with acids, alkalis, oxidants, food and food additives etc. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

15 Regulatory information

International chemical inventory

Component	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Lindane	V	V	√	√	×	√	√	×	√	×	√		√

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZIoC)

Lidane Version: V2.0.0.1 Revision Date: -

- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- (G) Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	A	В	С
Lindane	×	V	V

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Lindane	√	√	√	√	√	√	√	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/10/11
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- $[7] \qquad \text{U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.} \\$
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
DC CTEL	Charttarm avecauralimit	OFCD	Organization for Foonamic Co. one

PC-STEL Short term exposure limit OECD Organization for Economic Co-operation and Development

PC-TWA Time Weighted Average IMDG- International Maritime Dangerous Goods CODE

		CODE	
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	RespiratoryProtective Equipment
ED	Endocrine disruptor	HCS	Hazard Communication Standard

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.