Safety Data Sheet

Chloroparaffin C10-C13(55.5%CI) in cyclohexane

Version: V2.0.0.1

Report No.: BWQ0367-2016-MSDS-US

Creation Date: 2025/10/25

Revision Date: -

*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)



1 Identification

| Product identifier

Product Name	Chloroparaffin C10-C13(55.5%Cl) in cyclohexane	
Cat No.	BWQ0367-2016	
CAS No.	Not applicable	
EC No.	Not applicable	
Molecular Formula	Not applicable	

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.	
Uses advised against	Please consult manufacturer.	

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number


Emergency phone number	010-58103678

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Flammable liquids	Category 2
Aspiration hazard	Category 1
Skin Corrosion/Irritation	Category 2
Specific target organ toxicity - single exposure; narcotic	Category 3
effects	

Label elements



Hazard statements

H225	Highly flammable liquid and vapour	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H336	May cause drowsiness or dizziness	

| Precautionary statements

Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing gas/mist/vapour/spray.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P271	Use only outdoors or with adequate ventilation.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P321	Specific treatment (see related instructions on the label).	
P331	Do NOT induce vomiting.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P370+P378 Small fire: dry chemical, CO ₂ or alcohol-resistant foam; Large fire: alcohol-resistant foam; Fire involving tanks, rail tank cars or highway fire from maximum distance or use unmanned master stream device nozzles. Cool containers with flooding quantities of water until well as		
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].	

Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

Highly flammable liquids, its vapor and air mixture can form explosive mixture.

Version: V2.0.0.1 Revision Date: -

Health hazards

Inhaled	Cough. Dizziness. Drowsiness. Headache. Nausea.	
Ingestion	Abdominal pain. Nausea. Vomiting. (Further see Inhalation).	
Skin Contact	Redness. Dry skin.	
Eye	Redness.	

Environmental hazards

Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Cyclohexane	110-82-7	203-806-2	99.99
Alkanes, C10-13, chloro	85535-84-8	287-476-5	0.01

First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse with plenty of water (remove contact lenses if easily possible).
Skin contact	Remove contaminated clothes. Rinse and then wash skin with water and soap.
Ingestion	Rinse mouth. Do NOT induce vomiting. Refer for medical attention.
Inhalation	Fresh air, rest.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Fire-fighting measures

Extinguishing media

Suitable extinguishing media | Small fire: dry chemical, CO₂ or alcohol-resistant foam; Large fire:

Chlo	roparaffin C10-C13(55.5%Cl) in	cyclohexane	Version: V2.0.0.1 Revision Date:
Jnsu	itable extinguishing media	fire from maximum dis nozzles. Cool contain	; Fire involving tanks, rail tank cars or highway tanks: Fight tance or use unmanned master stream devices or monitor ers with flooding quantities of water until well after fire is out then fighting fire may be inefficient.
	pecific hazards arising fro		
1	Will form explosive mixtures		IIIIXUI 6
2	·		pressure relief valves thereby increasing fire intensity and/
3	Vapours may travel to source	of ignition and flash ba	nck.
4	Liquid and vapour are flamm	able.	
5	Development of hazardous of	ombustion gases or vap	or possible in the event of fire.
6	May expansion or decompos	e explosively when hea	ted or involved in fire.
Sne	cial protective equipmen	t and precautions fo	r fire-fighters
1		<u> </u>	us (MSHA/NIOSH approved or equivalent) and full
•	protective gear.	amou broating apparat	as (Merinanice), appreciation of equivalently and fair
2	Fight fire from a safe distanc	e, with adequate cover.	
3	Prevent fire extinguishing wa	ter from contaminating	surface water or the ground water system.
	Accidental release me		emeraency procedures
1	Avoid breathing vapours and		
2	Beware of vapours accumula		<u> </u>
3	Vapours can accumulate in le		
4	Emergency personnel wear panti-static clothing. Wear che	·	ontained breathing apparatus. Wear protective and ves.
5	Use personal protective equi	pment,do not breathe g	as/mist/vapour/spray.
6	Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.		
7	Evacuate personnel to safe a	areas. Keep people awa	y from and upwind of spill/leak.
Enν	rironmental precautions		
1	Prevent further leakage or sp	pillage if safe to do so.	
2	Discharge into the environment must be avoided.		
Me	thods and materials for co	ntainment and clea	ning up
1	It is recommended that emer wear anti-static clothing.	gency personnel wear	positive pressure self-contained breathing apparatus and
2	In case of small amount of sp	oillage, use clean non s	parking tools to collect absorption materials.
3		pray mist can reduce ev	am or dig a hole to collect the spillage. Use foam cover to aporation, but can not reduce the flammability of the
4	Collect absorbent material us	sing a clean, non-sparki	ng tool.
5	Cover with anti-solvent foam	to reduce evaporation.	
6	spreading or contact with rain	٦.	ustible material followed with plastic sheet to minimize
7	I 147 (Albana Harris albana marak marak.	so the flammability of apilla is confined appear

Water spray reduces evaporation but does not reduce the flammability of spills in confined spaces.

8	Cut off the source of the leak as much as possible.
9	Keep leaks in a ventilated place.
10	Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
11	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
12	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.
13	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Version: V2.0.0.1 Revision Date: -

7 Handling and storage

| Precautions for safe handling

1	Avoid inhalation of vapors.
2	Use only non-sparking tools.
3	To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
4	Use explosion proof equipment.
5	Handling is performed in a well ventilated place.
6	Wear suitable protective equipment.
7	Avoid contact with skin and eyes.
8	Keep away from heat/sparks/open flames/ hot surfaces.

| Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

| Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Cyclohexane	Japan - JSOH(2024–202 5)	150	520	-	-
	Permissible exposure standards for workers in the workplace	300	1030	375	1030
	Australia	100	350	300	1050
	Canada - Ontario	100	-	-	-
	European Union	200	700	-	-
	New Zealand	100	350	300	1050

| Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

Version: V2.0.0.1 Revision Date: -

| Personal protection equipment

General requirement			
Eye protection	Must wear appropriate safety goggles.		
Hand protection	Must wear anti static chemical protective gloves.		
Respiratory protection	Must wear appropriate personal respiratory protective equipment.		
Skin and body protection	Must wear anti static chemical protective clothing and anti static shoes.		

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

Appearance (physical state,	Colorless oily liquid
color, etc.)	
Odor	No information available
Odor threshold	No information available
рН	No information available
Melting point/freezing point(°C)	7 (Cyclohexane)
Initial boiling point and boiling	81 (Cyclohexane)
range(°C)	
Flash point(Closed cup,°C)	-18 (Cyclohexane)
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit: 8.4 (Cyclohexane); Lower limit: 1.3 (Cyclohexane)
Vapor pressure	10.3kPa (20°C,Cyclohexane)
Vapor density(Air = 1)	2.9 (Cyclohexane)
Relative density(Water=1)	0.8 (Cyclohexane)
Solubility	52mg/L (23.5 °C,Cyclohexane)
n-octanol/water partition	3.4 (Cyclohexane)
coefficient	
Auto-ignition temperature(°C)	260 (Cyclohexane)
Decomposition temperature(°C)	No information available
Kinematic viscosity	1.26x10-6 mm²/s (26°C,Cyclohexane)

10 Stability and reactivity

Stability and reactivity

otability and reactivity		
Reactivity	Contact with incompatible substances can cause decomposition or other	
	chemical reactions.	
Chemical stability	Stable under proper operation and storage conditions.	

Possibility of hazardous	In contact with an open flame may cause a fire or explosion.		
reactions			
Conditions to avoid	Incompatible materials, heat, flame and spark.		
Incompatible materials	Oxidantss and halogen.		
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products		
products	should not be produced.		

Version: V2.0.0.1 Revision Date: -

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Cyclohexane 12705mg/kg(Rat)		No information available	No information available

| Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Cyclohexane	Not Listed	Not Listed	Not Listed
Alkanes, C10-13, chloro	Not Listed	Not Listed	Not Listed

Others

Chloroparaffin C10-C13(55.5%Cl) in cyclohexane				
Skin corrosion/irritation	Causes skin irritation(Category 2)			
Serious eye damage/irritation	Based on available data, the classification criteria are not met			
Skin sensitization	Based on available data, the classification criteria are not met			
Respiratory sensitization	Based on available data, the classification criteria are not met			
Reproductive toxicity	Based on available data, the classification criteria are not met			
STOT-single exposure	May cause drowsiness or dizziness(Category 3)			
STOT-repeated exposure	Based on available data, the classification criteria are not met			
Aspiration hazard	May be fatal if swallowed and enters airways(Category 1)			
Germ cell mutagenicity	Based on available data, the classification criteria are not met			

12 Ecological information

Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Alkanes, C10-13, chloro	LC ₅₀ : > 5000mg/L	EC ₅₀ : 0.53mg/L	ErC ₅₀ : 0.043~0.056mg/L
	(96h)(Fish)	(48h)(Crustaceans)	(96h)(Algae)
Cyclohexane	LC ₅₀ : 4.35mg/L	No information available	No information available
	(96h)(Fish)		

| Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Alkanes, C10-13, chloro	NOEC: < 0.04mg/L(Fish)	No information available	No information available

Persistence and degradability

Persistence and degradability No information available

| Bioaccumulative potential

Bioaccumulative potential No information available

| Mobility in soil

Component	log Koc	Remark			
Cyclohexane	2.89	20 ℃			

Version: V2.0.0.1 Revision Date: -

13 Disposal considerations

| Disposal considerations

Disposal recommendations	and ignition source of fire. Return to supplier for recycling if possible. Refer to section waste chemicals and contaminated packaging.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot
	regulation. Recommend the use of incineration disposal.
Waste chemicals	Before disposal should refer to the relevant national and local laws and

14 Transport information

Label and Mark

Transporting Label



IMDG-CODE

UN number	1145
UN proper shipping name	CYCLOHEXANE
Transport hazard class	3
Transport subsidiary hazard	None
class	
Packing group	п
Marine pollutant (Yes or no)	No

IATA-DGR

UN number	1145
UN proper shipping name	CYCLOHEXANE
Transport hazard class	3
Transport subsidiary hazard	None
class	
Packing group	п

UN-ADR

UN number	1145
UN proper shipping name	CYCLOHEXANE

Transport hazard class	3
Transport subsidiary hazard	None
class	
Packing group	п

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Shipment of the goods vehicle exhaust pipe must be equipped with fire retardant devices, prohibit using mechanical equipment and tools of which easy to produce sparks. Transit should be anti-exposure, anti-rain, anti-high temperature. Transportation used tank (tank) cars should be grounded chain, tank can be installed to reduce the partition hole static electricity shocks. Strictly prohibited shipping or transportation with oxidants, acids, food and food additives etc. When bulk transport, Prohibit the use of cement or wooden boats. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

Version: V2.0.0.1 Revision Date: -

15 Regulatory information

International chemical inventory

Component	A	В	С	D	E	F	G	Н	ı	J	K	L	М
Cyclohexane	√	√	√	√	√	√	√	√	√	√	√	√ /	
Alkanes, C10-13, chloro	√	√	×	√	×	√	√	√	√	×	√	√	√

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances (EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Cyclohexane	×	×	×

Alkanes, C10-13, chloro × √

Version: V2.0.0.1 Revision Date: -

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Cyclohexane	×	×	√	√	√	√	√	×
Alkanes, C10-13, chloro	×	×	×	×	×	×	×	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/10/25
Revision Date	-
Reason for revision	-

Reference

 $C \wedge S$

[1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.

LINI

- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

Chamical Abstracts Sanica

CAS	Chemical Abstracts Service	UN	The United Nations
PC-ST	EL Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TV	/A Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC_{50}	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD_{50}	Lethal Dose 50%	NTP	National Toxicology Program
EC_{50}	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P_{OW}	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction

The United Nations

BCF	Bioconcentration factor	RPE	RespiratoryProtective Equipment
ED	Endocrine dis ruptor	HCS	Hazard Communication Standard

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Version: V2.0.0.1 Revision Date: -