

Safety Data Sheet

23 Mix SVOCs in toluene

Version : V2.0.0.1

Report No. : BWQ8846-2016-MSDS-US

Creation Date : 2025/09/22

Revision Date : -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1 Identification

Product identifier

Product Name	23 Mix SVOCs in toluene
Cat No.	BWQ8846-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

Emergency phone number

Emergency phone number	010-58103678
------------------------	--------------

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Flammable liquids	Category 2
Acute Toxicity - Oral	Category 4
Aspiration hazard	Category 1
Skin Corrosion/Irritation	Category 2
Specific target organ toxicity - single exposure; narcotic effects	Category 3
Reproductive toxicity	Category 2
Specific target organ toxicity - repeated exposure	Category 2

Label elements

Hazard pictograms	  
Signal word	Danger

Hazard statements

H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility. Suspected of damaging the unborn child
H373	May cause damage to organs through prolonged or repeated exposure (liver, kidneys, thyroid, nasal cavity, nervous system, blood system, blood)

Precautionary statements

◆ Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe gas/mist/vapour/spray.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or with adequate ventilation.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

◆ Response

P321	Specific treatment (see related instructions on the label).
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	Small fire: dry chemical, CO ₂ or water spray; Large fire: water spray, fog or regular foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Do not get water inside containers.

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
-----------------------	--

◆ Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

◆ Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
-------------	---

Other hazards

	Not applicable.
--	-----------------

Hazard description

◆ Physical and chemical hazards

	Highly flammable liquids, its vapor and air mixture can form explosive mixture.
--	---

◆ Health hazards

Inhaled	Cough. Sore throat. Dizziness. Drowsiness. Headache. Nausea. Unconsciousness.
Ingestion	Burning sensation. Abdominal pain. (Further see Inhalation).
Skin Contact	Dry skin. Redness.
Eye	Redness. Pain.

◆ Environmental hazards

	Please refer to 12th chapter of SDS.
--	--------------------------------------

3 Composition/information on ingredients

Substance/mixture

	Mixture
--	---------

Component	CAS No.	EC No.	Concentration (wt, %)
Aniline	62-53-3	200-539-3	0.06
Nitrobenzene	98-95-3	202-716-0	0.06
1,3,5-trichlorobenzene	108-70-3	203-608-6	0.06
2,4-dichlorophenol	120-83-2	204-429-6	0.06
1,2,4-trichlorobenzene	120-82-1	204-428-0	0.06
1,2,3-trichlorobenzene	87-61-6	201-757-1	0.06
1-chloro-3-nitrobenzene	121-73-3	204-496-1	0.06
1-chloro-4-nitrobenzene	100-00-5	202-809-6	0.06
1-chloro-2-nitrobenzene	88-73-3	201-854-9	0.06
1,2,4,5-tetrachlorobenzene	95-94-3	202-466-2	0.06
1,2,3,5-tetrachlorobenzene	634-90-2	211-217-7	0.06
2,4,6-trichlorophenol	88-06-2	201-795-9	0.06

1,2,3,4-tetrachlorobenzene	634-66-2	211-214-0	0.06
1,4-dinitrobenzene	100-25-4	202-833-7	0.06
1,3-dinitrobenzene	99-65-0	202-776-8	0.06
1,2-dinitrobenzene	528-29-0	208-431-8	0.06
2,4-dinitrotoluene	121-14-2	204-450-0	0.06
1-chloro-2,4-dinitrobenzene	97-00-7	202-551-4	0.06
Hexachlorobenzene	118-74-1	204-273-9	0.06
Pentachlorophenol	87-86-5	201-778-6	0.06
Dibutyl phthalate	84-74-2	201-557-4	0.06
Bis(2-ethylhexyl) phthalate	117-81-7	204-211-0	0.06
Benzo[def]chrysene	50-32-8	200-028-5	0.06
Toluene	108-88-3	203-625-9	98.62

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
Skin contact	Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention.
Ingestion	Rinse mouth. Do NOT induce vomiting. Refer for medical attention.
Inhalation	Fresh air, rest. Refer for medical attention.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms/effects, acute and delayed

1	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.
----------	--

Indication of any immediate medical attention and special treatment needed

1	Treat symptomatically.
2	Symptoms may be delayed.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Small fire: dry chemical, CO ₂ or water spray; Large fire: water spray, fog or regular foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Do not get water inside containers.
Unsuitable extinguishing media	Large fire: avoid aiming straight or solid streams directly onto the product.

Specific hazards arising from the substance or mixture

1	May emit poisonous fumes on fire.
2	Development of hazardous combustion gases or vapor possible in the event of fire.
3	May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

1	As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
2	Fight fire from a safe distance, with adequate cover.
3	Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

1	Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire.
2	Do not touch or walk through spilled material.
3	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
4	Use personal protective equipment, do not breathe gas/mist/vapour/spray.
5	Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
6	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

1	Prevent further leakage or spillage if safe to do so.
2	Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

1	Do not touch or cross spills.
2	Cover with anti-solvent foam to reduce evaporation.
3	It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus and wear anti-virus suits.
4	Spray water disperses the vapor and dilutes the liquid spill.
5	Do not touch broken containers and spills before putting on appropriate protective clothing.
6	Cut off the source of the leak as much as possible.
7	Keep leaks in a ventilated place.
8	Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
9	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
10	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.

7 Handling and storage

Precautions for safe handling

1	Handling is performed in a well ventilated place.
2	Wear suitable protective equipment.
3	Avoid contact with skin and eyes.
4	Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.

8 Exposure controls/personal protection

Control parameters

◆ Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
Aniline	Australia	2	7.6	-	-
	Canada - Ontario	2	-	-	-
	European Union	2	7.74	5	19.35
	New Zealand	1	4	2	8
	USA - ACGIH	2	-	-	-
	USA - OSHA	5	19	-	-
Nitrobenzene	Australia	1	5	-	-
	Canada - Ontario	1	-	-	-
	European Union	0.2	1	-	-
	New Zealand	0.1	0.5	-	-
	USA - ACGIH	1	-	-	-
	USA - NIOSH	1	5	-	-
1,3,5-trichlorobenzene	Denmark	5	37	10	74
	Finland	5	38	10	75
	Germany (DFG)	0.5	0.38	1	0.76
	Poland	-	15	-	30
1,2,4-trichlorobenzene	Australia	-	-	5	37
	European Union	2	15.1	5	37.8
	New Zealand	-	-	5	37
	USA - NIOSH	-	-	5	40
	Austria	2	15.1	5	37.8
	Belgium	2	15.1	5	37.8
1,2,3-trichlorobenzene	Canada - Ontario	-	-	5	-
	Denmark	5	37	10	76
	Finland	5	38	10	75
	Germany (DFG)	0.5	0.38	1	0.76
	Poland	-	15	-	30
1-chloro-4-nitrobenzene	Australia	0.1	0.64	-	-

	Canada - Ontario	0.1	-	-	-
	New Zealand	0.1	0.64	-	-
	USA - ACGIH	0.1	-	-	-
	USA - OSHA	-	1	-	-
	Austria	0.075	0.5	0.3	2
2,4,6-trichlorophenol	Denmark	-	0.5	-	1
	Sweden	-	0.5	-	1.5
1,4-dinitrobenzene	Australia	0.15	1	-	-
	Canada - Ontario	0.15	-	-	-
	New Zealand	0.15	1	-	-
	USA - ACGIH	0.15(inhalable fraction and vapor)	-	-	-
	USA - NIOSH	-	1	-	-
	Belgium	0.15	1	-	-
1,3-dinitrobenzene	Australia	0.15	1	-	-
	Canada - Ontario	0.15	-	-	-
	New Zealand	0.15	1	-	-
	USA - ACGIH	0.15(inhalable fraction and vapor)	-	-	-
	USA - NIOSH	-	1	-	-
	USA - OSHA	-	1	-	-
1,2-dinitrobenzene	Australia	0.15	1	-	-
	Canada - Ontario	0.15	-	-	-
	New Zealand	0.15	1	-	-
	USA - ACGIH	0.15(inhalable fraction and vapor)	-	-	-
	USA - NIOSH	-	1	-	-
	USA - OSHA	-	1	-	-
2,4-dinitrotoluene	Denmark	-	0.15	-	0.3
	Finland	-	0.2	-	-
	Latvia	-	1	-	-
	Norway	-	0.15	-	-
	Singapore	-	0.15	-	-
	Spain	-	0.15	-	-
1-chloro-2,4-dinitrobenzene	Latvia	-	0.05	-	-
	Romania	-	-	-	1
Hexachlorobenzene	Canada - Ontario	-	0.002	-	-
	USA - ACGIH	-	0.002	-	-

	Belgium	-	0.002	-	-
	Canada - Québec	-	0.025	-	-
	Denmark	-	0.025	-	0.05
	Finland	-	0.002	-	-
Pentachlorophenol	Australia	-	0.5	-	-
	Canada - Ontario	-	0.5	-	1
	New Zealand	-	0.5	-	-
	USA - ACGIH	-	0.5(inhalable fraction and vapor)	-	1(inhalable fraction and vapor)
	USA - NIOSH	-	0.5	-	-
	USA - OSHA	-	0.5	-	-
Dibutyl phthalate	Australia	-	5	-	-
	Canada - Ontario	-	5	-	-
	New Zealand	0.05	0.58	-	-
	USA - ACGIH	-	5	-	-
	USA - NIOSH	-	5	-	-
	USA - OSHA	-	5	-	-
Bis(2-ethylhexyl) phthalate	Australia	-	5	-	10
	Canada - Ontario	-	3	-	5
	New Zealand	-	5	-	10
	USA - ACGIH	-	0.1	-	-
	USA - NIOSH	-	5	-	10
	USA - OSHA	-	5	-	-
Benzo[def]chrysene	USA - OSHA	-	0.2	-	-
	Austria	-	0.002	-	0.008
	Canada - Québec	-	0.005	-	-
	Finland	-	0.01	-	-
	Germany (AGS)	-	0.0007	-	0.0056
	Hungary	-	0.002	-	-
Toluene	Australia	50	191	150	574
	Canada - Ontario	20	-	-	-
	European Union	50	192	100	384
	New Zealand	20	75	100	377
	USA - ACGIH	20	-	-	-
	USA - NIOSH	100	375	150	560

Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.

3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

Personal protection equipment

General requirement	    
Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear anti static chemical protective gloves.
Respiratory protection	Must wear appropriate personal respiratory protective equipment.
Skin and body protection	Must wear anti static chemical protective clothing and anti static shoes.

9 Physical and chemical properties and safety characteristics

Physical and chemical properties

Appearance (physical state, color, etc.)	colorless liquid
Odor	No information available
Odor threshold	No information available
pH	No information available
Melting point/freezing point(°C)	-95 (Toluene)
Initial boiling point and boiling range(°C)	111 (Toluene)
Flash point(Closed cup,°C)	4 (Toluene)
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive limits[% (v/v)]	Upper limit : 7.1 (Toluene); Lower limit : 1.1 (Toluene)
Vapor pressure	3.8kPa (25°C,Toluene)
Vapor density(Air = 1)	3.1 (Toluene)
Relative density(Water=1)	0.87 (Toluene)
Solubility	Insoluble in water (Toluene)
n-octanol/water partition coefficient	2.69 (Toluene)
Auto-ignition temperature(°C)	480 (Toluene)
Decomposition temperature(°C)	No information available
Kinematic viscosity	No information available

10 Stability and reactivity

Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	In contact with oxidants, anhydrides, metals, metal oxides / KMnO ₄ metal salts, nitro-compounds may cause a fire or explosion. In contact with ammonia, strong inorganic alkalis, active metals, alkali carbonates, metal oxides or metal

	alkaloxides may result in an explosion. In contact with halides may cause an active reaction.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Oxidants, halogen, anhydrides, acids, metals, metal oxides, potassium permanganate, nitro-compounds and metal salts. Ammonia, strong inorganic alkalis, active metal, alkali metal carbonates, metal oxides, metal alkaloxides, and nitric acid. Halides, oxidants and halogen.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
1,3,5-trichlorobenzene	800mg/kg(Rat)	No information available	No information available
1,2,3,5-tetrachlorobenzene	1727mg/kg(Rat)	No information available	No information available
1,3-dinitrobenzene	59.5mg/kg(Rat)	1900mg/kg(Rabbit)	No information available
Dibutyl phthalate	7499mg/kg(Rat)	> 20900mg/kg(Rabbit)	No information available
Aniline	250mg/kg(Rat)	837mg/kg(Rabbit)	No information available
1-chloro-2-nitrobenzene	268mg/kg(Rat)	400mg/kg(Rabbit)	No information available
Nitrobenzene	349mg/kg(Rat)	760mg/kg(Rabbit)	556ppmV(Rat)
1-chloro-2,4-dinitrobenzene	640mg/kg(Rat)	130mg/kg(Rabbit)	No information available
1,2,4,5-tetrachlorobenzene	1500mg/kg(Rat)	No information available	No information available
2,4,6-trichlorophenol	820mg/kg(Rat)	No information available	No information available
1,2,3-trichlorobenzene	1830mg/kg(Rat)	No information available	No information available
1-chloro-4-nitrobenzene	420mg/kg(Rat)	3040mg/kg(Rabbit)	No information available
Bis(2-ethylhexyl) phthalate	30000mg/kg(Rat)	25000mg/kg(Rabbit)	No information available
1-chloro-3-nitrobenzene	420mg/kg(Rat)	890mg/kg(Rat)	3.2mg/L(Rat)
1,2,4-trichlorobenzene	756mg/kg(Rat)	6139mg/kg(Rat)	No information available
Hexachlorobenzene	10000mg/kg(Rat)	10000mg/kg(Rat)	No information available
Toluene	636mg/kg(Rat)	12200mg/kg(Rabbit)	49mg/L(Rat)
2,4-dinitrotoluene	268mg/kg(Rat)	No information available	No information available
2,4-dichlorophenol	47mg/kg(Rat)	No information available	No information available
Pentachlorophenol	80mg/kg(Rat)	80mg/kg(Rat)	No information available
1,2,3,4-tetrachlorobenzene	1167mg/kg(Rat)	No information available	No information available

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Aniline	Category 2A(Remark 1)	Not Listed	Not Listed

Nitrobenzene	Category 2B	Category R	Not Listed
1,3,5-trichlorobenzene	Not Listed	Not Listed	Not Listed
2,4-dichlorophenol	Not Listed	Not Listed	Not Listed
1,2,4-trichlorobenzene	Not Listed	Not Listed	Not Listed
1,2,3-trichlorobenzene	Not Listed	Not Listed	Not Listed
1-chloro-3-nitrobenzene	Category 2B(Remark 2)	Not Listed	Not Listed
1-chloro-4-nitrobenzene	Category 2B	Not Listed	Not Listed
1-chloro-2-nitrobenzene	Category 2B	Not Listed	Not Listed
1,2,4,5-tetrachlorobenzene	Not Listed	Not Listed	Not Listed
1,2,3,5-tetrachlorobenzene	Not Listed	Not Listed	Not Listed
2,4,6-trichlorophenol	Category 2B	Category R	Not Listed
1,2,3,4-tetrachlorobenzene	Not Listed	Not Listed	Not Listed
1,4-dinitrobenzene	Not Listed	Not Listed	Not Listed
1,3-dinitrobenzene	Not Listed	Not Listed	Not Listed
1,2-dinitrobenzene	Not Listed	Not Listed	Not Listed
2,4-dinitrotoluene	Category 2B	Not Listed	Not Listed
1-chloro-2,4-dinitrobenzene	Not Listed	Not Listed	Not Listed
Hexachlorobenzene	Category 2B	Category R	Not Listed
Pentachlorophenol	Category 1	Category R	Not Listed
Dibutyl phthalate	Not Listed	Not Listed	Not Listed
Bis(2-ethylhexyl) phthalate	Category 2B	Category R	Not Listed
Benzo[def]chrysene	Category 1(Remark 3)	Category R	Not Listed
Toluene	Category 3	Not Listed	Not Listed

Remark 1: see also Aniline hydrochloride; Remark 2: see 2-Chloronitrobenzene; Remark 3: Overall evaluation upgraded to Group 1 based on mechanistic and other relevant data

Others

23 Mix SVOCs in toluene	
Skin corrosion/irritation	Causes skin irritation(Category 2)
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility. Suspected of damaging the unborn child(Category 2)
STOT-single exposure	May cause drowsiness or dizziness(Category 3)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure(liver, kidneys, thyroid, nasal cavity, nervous system, blood system, blood)(Category 2)
Aspiration hazard	May be fatal if swallowed and enters airways(Category 1)
Germ cell mutagenicity	Based on available data, the classification criteria are not met

12 Ecological information

| Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
1,3,5-trichlorobenzene	LC ₅₀ : 3.2mg/L (96h)(Fish)	EC ₅₀ : 2.9mg/L (48h)(Crustaceans)	ErC ₅₀ : >4.8mg/L (72h)(Algae)
1,2,3,5-tetrachlorobenzene	LC ₅₀ : 5.05mg/L (96h)(Fish)	No information available	ErC ₅₀ : 17.4mg/L (96h)(Algae)
Dibutyl phthalate	LC ₅₀ : 1.51mg/L (96h)(Fish)	EC ₅₀ : 2.99mg/L (48h)(Crustaceans)	ErC ₅₀ : 0.4mg/L (96h)(Algae)
1,3-dinitrobenzene	LC ₅₀ : 12mg/L (96h)(Fish)	EC ₅₀ : 35mg/L (48h)(Crustaceans)	ErC ₅₀ : 0.39mg/L (72h)(Algae)
Aniline	LC ₅₀ : 27mg/L (96h)(Fish)	EC ₅₀ : 0.32mg/L (48h)(Crustaceans)	ErC ₅₀ : 20mg/L (96h)(Algae)
1-chloro-2-nitrobenzene	LC ₅₀ : 34.6mg/L (96h)(Fish)	EC ₅₀ : 3.2mg/L (48h)(Crustaceans)	ErC ₅₀ : 6.9mg/L (96h)(Algae)
Nitrobenzene	LC ₅₀ : 92mg/L (96h)(Fish)	EC ₅₀ : 35mg/L (48h)(Crustaceans)	ErC ₅₀ : 23.8mg/L (96h)(Algae)
1-chloro-2,4-dinitrobenzene	LC ₅₀ : 0.71mg/L (96h)(Fish)	EC ₅₀ : 0.66mg/L (48h)(Crustaceans)	ErC ₅₀ : 0.18mg/L (72h)(Algae)
1,2-dinitrobenzene	LC ₅₀ : 1.3mg/L (96h)(Fish)	EC ₅₀ : 3.0mg/L (48h)(Crustaceans)	ErC ₅₀ : 0.48mg/L (72h)(Algae)
Benzo[def]chrysene	No information available	EC ₅₀ : 0.0013mg/L (48h)(Crustaceans)	No information available
1,2,4,5-tetrachlorobenzene	LC ₅₀ : 2.12mg/L (96h)(Fish)	No information available	ErC ₅₀ : 49.8mg/L (96h)(Algae)
2,4,6-trichlorophenol	LC ₅₀ : 2.26mg/L (96h)(Fish)	EC ₅₀ : 3.67mg/L (48h)(Crustaceans)	ErC ₅₀ : 7.8mg/L (96h)(Algae)
1,2,3-trichlorobenzene	LC ₅₀ : 3.2mg/L (96h)(Fish)	EC ₅₀ : 0.46mg/L (48h)(Crustaceans)	ErC ₅₀ : 0.9mg/L (96h)(Algae)
1-chloro-4-nitrobenzene	LC ₅₀ : 14.4mg/L (96h)(Fish)	EC ₅₀ : 2.7mg/L (48h)(Crustaceans)	ErC ₅₀ : 4.9mg/L (96h)(Algae)
Bis(2-ethylhexyl) phthalate	LC ₅₀ : 75mg/L (96h)(Fish)	EC ₅₀ : >100mg/L (48h)(Crustaceans)	ErC ₅₀ : >100mg/L (72h)(Algae)
1-chloro-3-nitrobenzene	LC ₅₀ : 18.8mg/L (96h)(Fish)	EC ₅₀ : 15.1mg/L (48h)(Crustaceans)	ErC ₅₀ : 1.9mg/L (96h)(Algae)
1,2,4-trichlorobenzene	LC ₅₀ : 2.4mg/L (96h)(Fish)	EC ₅₀ : 2.05mg/L (48h)(Crustaceans)	ErC ₅₀ : 5.7mg/L (72h)(Algae)
Hexachlorobenzene	LC ₅₀ : 7.6mg/L (96h)(Fish)	No information available	No information available
Toluene	LC ₅₀ : 25mg/L (96h)(Fish)	EC ₅₀ : 4.1mg/L (48h)(Crustaceans)	ErC ₅₀ : 29mg/L (72h)(Algae)
2,4-dinitrotoluene	LC ₅₀ : 24.3mg/L (96h)(Fish)	EC ₅₀ : 30.6mg/L (48h)(Crustaceans)	ErC ₅₀ : 0.97mg/L (96h)(Algae)
2,4-dichlorophenol	LC ₅₀ : 3.4mg/L (96h)(Fish)	EC ₅₀ : 2.2mg/L (48h)(Crustaceans)	ErC ₅₀ : 4.8mg/L (72h)(Algae)
1,4-dinitrobenzene	LC ₅₀ : 0.48mg/L (96h)(Fish)	EC ₅₀ : 0.57mg/L (48h)(Crustaceans)	ErC ₅₀ : 0.15mg/L (72h)(Algae)
Pentachlorophenol	LC ₅₀ : 0.19mg/L (96h)(Fish)	EC ₅₀ : 0.11mg/L (48h)(Crustaceans)	ErC ₅₀ : 0.4mg/L (96h)(Algae)

1,2,3,4-tetrachlorobenzene	LC ₅₀ : 1.1mg/L (96h)(Fish)	EC ₅₀ : 0.13mg/L (48h)(Crustaceans)	No information available
-----------------------------------	--	--	--------------------------

Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
1,3,5-trichlorobenzene	No information available	NOEC : 0.32mg/L(Crustaceans)	NOEC : 0.59mg/L(Algae)
1,3-dinitrobenzene	No information available	No information available	NOEC : 0.063mg/L(Algae)
Dibutyl phthalate	NOEC : 1.1mg/L(Fish)	NOEC : 0.33mg/L(Crustaceans)	NOEC : 0.3mg/L(Algae)
Aniline	NOEC : 1.9mg/L(Fish)	NOEC : 0.0063mg/L(Crustaceans)	NOEC : 3.7mg/L(Algae)
1-chloro-2-nitrobenzene	NOEC : 0.534mg/L(Fish)	No information available	No information available
1-chloro-2,4-dinitrobenzene	NOEC : 0.05mg/L(Fish)	NOEC : 0.18mg/L(Crustaceans)	NOEC : 0.0060mg/L(Algae)
1,2-dinitrobenzene	No information available	No information available	NOEC : 0.021mg/L(Algae)
1,2,3-trichlorobenzene	NOEC : 0.32mg/L(Fish)	NOEC : 0.17mg/L(Crustaceans)	NOEC : 0.23mg/L(Algae)
Bis(2-ethylhexyl) phthalate	No information available	NOEC : 10mg/L(Crustaceans)	NOEC : 100mg/L(Algae)
1,2,4-trichlorobenzene	NOEC : 0.04mg/L(Fish)	NOEC : 0.10mg/L(Crustaceans)	NOEC : 2.2mg/L(Algae)
Toluene	No information available	NOEC : 1.2mg/L(Crustaceans)	NOEC : 9.1mg/L(Algae)
2,4-dichlorophenol	No information available	NOEC : 0.052mg/L(Crustaceans)	NOEC : 0.67mg/L(Algae)
1,4-dinitrobenzene	No information available	No information available	NOEC : 0.0038mg/L(Algae)
Pentachlorophenol	NOEC : 0.039mg/L(Fish)	NOEC : 0.046mg/L(Crustaceans)	NOEC : 0.10mg/L(Algae)

Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
1,3,5-trichlorobenzene	High	High
2,4-dichlorophenol	Media(Half-life = 70 days)	Low(Half-life = 8.83 days)
1,2,4-trichlorobenzene	High(Half-life = 360 days)	Low(Half-life = 53.5 days)
1,2,3-trichlorobenzene	High	High
1-chloro-3-nitrobenzene	High	High
1-chloro-4-nitrobenzene	High	High
1-chloro-2-nitrobenzene	High	High
1,2,4,5-tetrachlorobenzene	High(Half-life = 360 days)	High(Half-life = 317.96 days)
1,2,3,5-tetrachlorobenzene	High	High
2,4,6-trichlorophenol	High(Half-life = 1820.42 days)	Low(Half-life = 51.42 days)

1,2,3,4-tetrachlorobenzen e	High	High
1,4-dinitrobenzene	High	High
1,2-dinitrobenzene	High	High
2,4-dinitrotoluene	High(Half-life = 360 days)	Medium(Half-life = 118.33 days)
1-chloro-2,4-dinitrobenze ne	High	High
Hexachlorobenzene	High(Half-life = 4178 days)	High(Half-life = 1563.75 days)
Pentachlorophenol	High(Half-life = 1535 days)	Low(Half-life = 58 days)
Bis(2-ethylhexyl) phthalate	High(Half-life = 389 days)	Low(Half-life = 1.21 days)
Benzo[def]chrysene	High(Half-life = 1060 days)	Low(Half-life = 0.18 days)

Bioaccumulative potential

Component	Bioaccumulative potential	Comments
1,3,5-trichlorobenzene	Medium	Log Kow=4.19
2,4-dichlorophenol	Low	BCF=69
1,2,4-trichlorobenzene	High	BCF=4420
1,2,3-trichlorobenzene	Medium	Log Kow=4.05
1-chloro-3-nitrobenzene	Low	Log Kow=2.46
1-chloro-4-nitrobenzene	Low	BCF=20.9
1-chloro-2-nitrobenzene	Low	BCF=22.3
1,2,4,5-tetrachlorobenzen e	High	BCF=4830
1,2,3,5-tetrachlorobenzen e	High	Log Kow=4.56
2,4,6-trichlorophenol	High	BCF=12130
1,2,3,4-tetrachlorobenzen e	Medium	BCF=1710
1,4-dinitrobenzene	Low	Log Kow=1.46-1.49
1,2-dinitrobenzene	Low	Log Kow=1.69
2,4-dinitrotoluene	High	BCF=2507
1-chloro-2,4-dinitrobenze ne	Low	BCF=44
Hexachlorobenzene	High	BCF=575440
Pentachlorophenol	Low	BCF=198
Bis(2-ethylhexyl) phthalate	High	BCF=24500
Benzo[def]chrysene	High	Log Kow=6.04

Mobility in soil

Component	log Koc	Remark
-----------	---------	--------

Nitrobenzene	2.07	
1,3,5-trichlorobenzene	2.847	
2,4-dichlorophenol	2.856	
1,2,4-trichlorobenzene	2.856	
1,2,3-trichlorobenzene	2.87	
1-chloro-3-nitrobenzene	2.56	20 °C
1-chloro-4-nitrobenzene	2.490	
1-chloro-2-nitrobenzene	2.46	25 °C
1,2,4,5-tetrachlorobenzen e	3.074	
1,2,3,5-tetrachlorobenzen e	3.074	
2,4,6-trichlorophenol	3.074	
1,2,3,4-tetrachlorobenzen e	3.083	
1,4-dinitrobenzene	2.343	
1,2-dinitrobenzene	2.351	
2,4-dinitrotoluene	2.561	
1-chloro-2,4-dinitrobenze ne	2.561	
Hexachlorobenzene	3.529	
Pentachlorophenol	3.529	
Dibutyl phthalate	3.14	
Bis(2-ethylhexyl) phthalate	5.219	
Benzo[def]chrysene	5.896	
Toluene	2.31	20 °C

13 Disposal considerations

| Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

| Label and Mark

Transporting Label	
--------------------	---

IMDG-CODE

UN number	2729
UN proper shipping name	HEXACHLORO BENZENE
Transport hazard class	6.1
Transport subsidiary hazard class	None
Packing group	III
Marine pollutant (Yes or no)	No

IATA-DGR

UN number	2729
UN proper shipping name	HEXACHLORO BENZENE
Transport hazard class	6.1
Transport subsidiary hazard class	None
Packing group	III

UN-ADR

UN number	2729
UN proper shipping name	HEXACHLORO BENZENE
Transport hazard class	6.1
Transport subsidiary hazard class	None
Packing group	III

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

	Not Available
--	---------------

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

	Not Available
--	---------------

◆ Transport in bulk in accordance with the IGC Code

	Not Available
--	---------------

Others

Precautions for transport	Transit should be anti-exposure, rain, high temperature. Strictly prohibited shipping or transportation with acids, alkalis, oxidants, food and food additives etc. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.
---------------------------	---

15 Regulatory information**International chemical inventory**

Component	A	B	C	D	E	F	G	H	I	J	K	L	M
-----------	---	---	---	---	---	---	---	---	---	---	---	---	---

Aniline	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Nitrobenzene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1,3,5-trichlorobenzene	✓	✓	✓	✓	✓	✓	✗	✓	✓	✗	✓	✓	✓
2,4-dichlorophenol	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓
1,2,4-trichlorobenzene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1,2,3-trichlorobenzene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓
1-chloro-3-nitrobenzene	✓	✓	✓	✗	✓	✓	✗	✓	✓	✗	✓	✓	✓
1-chloro-4-nitrobenzene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓
1-chloro-2-nitrobenzene	✓	✓	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓
1,2,4,5-tetrachlorobenzene	✓	✓	✓	✓	✗	✗	✗	✗	✓	✗	✓	✓	✓
1,2,3,5-tetrachlorobenzene	✓	✓	✓	✗	✗	✗	✗	✓	✓	✗	✗	✓	✓
2,4,6-trichlorophenol	✓	✓	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓
1,2,3,4-tetrachlorobenzene	✓	✓	✓	✓	✗	✓	✗	✓	✓	✗	✗	✓	✓
1,4-dinitrobenzene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓
1,3-dinitrobenzene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓
1,2-dinitrobenzene	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✗	✓	✓
2,4-dinitrotoluene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓
1-chloro-2,4-dinitrobenzene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓
Hexachlorobenzene	✓	✓	✓	✓	✗	✓	✗	✓	✓	✓	✓	✓	✓
Pentachlorophenol	✓	✓	✓	✓	✗	✓	✓	✗	✓	✗	✓	✓	✓
Dibutyl phthalate	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bis(2-ethylhexyl) phthalate	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Benzo[def]chrysene	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓
Toluene	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

- 【A】 China Inventory of Existing Chemical Substances(IECSC)
 【B】 European Inventory of Existing Commercial Chemical Substances(EC inventory)
 【C】 United States Toxic Substances Control Act Inventory(TSCA)
 【D】 Canadian Domestic Substances List(DSL)
 【E】 New Zealand Inventory of Chemicals(NZIoC)
 【F】 Philippines Inventory of Chemicals and Chemical Substances(PICCS)
 【G】 Korea Existing Chemicals Inventory(KECL)
 【H】 Australian. Inventory of Industrial Chemical (AIICS)
 【I】 Japan Inventory of Existing & New Chemical Substances(ENCS)
 【J】 Thailand Existing Chemicals Inventory(TECI)
 【K】 Mexico National Inventory of Chemical Substances (INSQ)
 【L】 Russia Inventory of Existing Substances(DRAFT)
 【M】 Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	A	B	C
Aniline	✗	✗	✗

Nitrobenzene	×	×	×
1,3,5-trichlorobenzene	×	×	×
2,4-dichlorophenol	×	×	×
1,2,4-trichlorobenzene	×	×	×
1,2,3-trichlorobenzene	×	×	×
1-chloro-3-nitrobenzene	×	×	×
1-chloro-4-nitrobenzene	×	×	×
1-chloro-2-nitrobenzene	×	×	×
1,2,4,5-tetrachlorobenzen e	×	×	×
1,2,3,5-tetrachlorobenzen e	×	×	×
2,4,6-trichlorophenol	×	×	×
1,2,3,4-tetrachlorobenzen e	×	×	×
1,4-dinitrobenzene	×	×	×
1,3-dinitrobenzene	×	×	×
1,2-dinitrobenzene	×	×	×
2,4-dinitrotoluene	×	×	×
1-chloro-2,4-dinitrobenze ne	×	×	×
Hexachlorobenzene	×	✓	✓
Pentachlorophenol	×	✓	✓
Dibutyl phthalate	×	×	×
Bis(2-ethylhexyl) phthalate	×	×	×
Benzo[def]chrysene	×	×	×
Toluene	×	×	×

[A] The Montreal Protocol on Substances that Deplete the Ozone Layer

[B] Stockholm Convention on Persistent Organic Pollutants (POPs)

[C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	A	B	C	D	E	F	G	H
Aniline	✓	✓	✓	✓	✓	✓	✓	✓
Nitrobenzene	✓	✓	✓	✓	✓	✓	✓	✓
1,3,5-trichlorobenzene	×	×	×	×	×	×	×	×
2,4-dichlorophenol	×	×	✓	✓	✓	✓	✓	×
1,2,4-trichlorobenzene	✓	×	✓	✓	✓	✓	✓	×
1,2,3-trichlorobenzene	×	×	×	✓	×	×	✓	×
1-chloro-3-nitrobenzene	×	×	×	✓	×	✓	×	×
1-chloro-4-nitrobenzene	×	×	×	✓	✓	✓	✓	✓

1-chloro-2-nitrobenzene	×	×	×	✓	×	✓	×	✓
1,2,4,5-tetrachlorobenzene	×	×	✓	✓	✓	✓	✓	×
1,2,3,5-tetrachlorobenzene	×	×	×	×	×	×	×	×
2,4,6-trichlorophenol	✓	×	✓	✓	✓	✓	✓	✓
1,2,3,4-tetrachlorobenzene	×	×	×	×	×	×	×	×
1,4-dinitrobenzene	×	×	✓	✓	✓	✓	✓	✓
1,3-dinitrobenzene	×	×	✓	✓	✓	✓	✓	✓
1,2-dinitrobenzene	×	×	✓	✓	✓	✓	✓	✓
2,4-dinitrotoluene	✓	×	✓	✓	✓	✓	✓	✓
1-chloro-2,4-dinitrobenzene	×	×	×	✓	✓	✓	×	×
Hexachlorobenzene	✓	×	✓	✓	✓	✓	✓	✓
Pentachlorophenol	✓	✓	✓	✓	✓	✓	✓	✓
Dibutyl phthalate	✓	✓	✓	✓	✓	✓	✓	✓
Bis(2-ethylhexyl) phthalate	✓	×	✓	✓	✓	✓	✓	✓
Benzo[def]chrysene	×	×	✓	✓	✓	✓	✓	✓
Toluene	✓	×	✓	✓	✓	✓	✓	✓

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
 [B] US SARA 302- Extremely Hazardous Substance List
 [C] US CERCLA- Hazardous Substances List
 [D] US Massachusetts Right-to-Know Substance List
 [E] US New Jersey Right to Know Hazardous Substance List
 [F] US Pennsylvania Right to Know Hazardous Substance List
 [G] US New York City Right-to-Know Hazardous Substance List
 [H] US California Proposition 65 List

Note:

- “✓” Indicates that the substance included in the regulations.
 “×” No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/09/22
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>.
 [2] IARC, website: <http://www.iarc.fr/>.
 [3] OECD: The Global Portal to Information on Chemical Substances, website: <https://www.echemportal.org/echemportal/>.
 [4] CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>.
 [5] NLM: ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>.
 [6] EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov/iris/>.
 [7] U.S. Department of Transportation: ERG, website: <http://www.phmsa.dot.gov/hazmat/library/erg>.
 [8] Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG-CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC _x	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P _{OW}	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor	HCS	Hazard Communication Standard

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.