Safety Data Sheet

9 Mix alkylphenol and bisphenol A in

acetonitrile

Version: V2.0.0.1

Report No.: BWQ8918-2016-MSDS-US

Creation Date: 2025/10/27

Revision Date: -

*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)



1 Identification

| Product identifier

Product Name	9 Mix alkylphenol and bisphenol A in acetonitrile
Cat No.	BWQ8918-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

Emergency phone number	010-58103678

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Flammable liquids	Category 2
Acute Toxicity - Oral	Category 4
Acute Toxicity - Dermal	Category 4
Serious eye damage/irritation	Category 2
Acute Toxicity - Inhalation	Category 4

Label elements

Hazard pictograms Signal word **Danger**

Version: V2.0.0.1 Revision Date: -

| Hazard statements

H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H319	Causes serious eye irritation
H332	Harmful if inhaled

| Precautionary statements

Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing gas/mist/vapour/spray.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or with adequate ventilation.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

◆ Response	
P321	Specific treatment (see related instructions on the label).
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	Small fire: dry chemical, CO ₂ or alcohol-resistant foam; Large fire:
	alcohol-resistant foam; Fire involving tanks, rail tank cars or highway tanks: Fight
	fire from maximum distance or use unmanned master stream devices or monitor
	nozzles. Cool containers with flooding quantities of water until well after fire is out.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	affected areas with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.

Storage

P403+P235	Store in a well-ventilated	place. Keep cool.
-----------	----------------------------	-------------------

Disposal

Version: V2.0.0.1 Revision Date: -

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
l Other becards	

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

Highly flammable liquids, its vapor and air mixture can form explosive mixture.

Health hazards

Inhaled	Sore throat. Weakness. Abdominal pain. Laboured breathing. Convulsions. Unconsciousness. Vomiting. Symptoms may be delayed.
Ingestion	(Further see Inhalation).
Skin Contact	Redness.
Eye	Redness. Pain.

Environmental hazards

Please refer to 12th chapter of SDS.

Composition/information on ingredients

| Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Acetonitrile	75-05-8	200-835-2	99.9872
4,4'-isopropylidenediphen ol	80-05-7	201-245-8	0.00128
4-tert-butylphenol	98-54-4	202-679-0	0.00128
4-butylphenol	1638-22-8	216-672-5	0.00128
4-pentylphenol	14938-35-3	239-015-4	0.00128
p-hexylphenol	2446-69-7	219-501-2	0.00128
4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	205-426-2	0.00128
4-heptylphenol	1987-50-4	217-862-0	0.00128
Phenol, 4-nonyl-, branched	84852-15-3	284-325-5	0.00128
p-octylphenol	1806-26-4	217-302-5	0.00128
p-nonylphenol	104-40-5	203-199-4	0.00128

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily
	possible), then take to a doctor.

Version: V2.0.0.1 Revision Date: -

Skin contact	Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.
Ingestion	Rinse mouth. Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Give plenty of water to drink. Refer for medical attention.
Inhalation	Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Small fire: dry chemical, CO ₂ or alcohol-resistant foam; Large fire: alcohol-resistant foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out.
Unsuitable extinguishing media	Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the substance or mixture

- Will form explosive mixtures with air.
 Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/or vapour concentration.
 Vapours may travel to source of ignition and flash back.
 Liquid and vapour are flammable.
 May emit poisonous fumes on fire.
- 6 Development of hazardous combustion gases or vapor possible in the event of fire.
- 7 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Avoid breathing vapours and contacting with skin and eye.
- 2 Beware of vapours accumulating to form explosive concentrations.
- 3 Vapours can accumulate in low areas.
- 4 Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.

5	Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire.			
6	Do not touch or walk through spilled material.			
7	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.			
8	Use personal protective equipment,do not breathe gas/mist/vapour/spray.			
9	Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static			
	discharges.			
10	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.			

| Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus and wear anti-static clothing.
- 2 In case of small amount of spillage, use clean non sparking tools to collect absorption materials.
- In case of large amount of spillage, construct cofferdam or dig a hole to collect the spillage. Use foam cover to reduce evaporation. Water spray mist can reduce evaporation, but can not reduce the flammability of the leakage in the restricted space.
- 4 Collect absorbent material using a clean, non-sparking tool.
- 5 Cover with anti-solvent foam to reduce evaporation.
- 6 Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.
- 7 Water spray reduces evaporation but does not reduce the flammability of spills in confined spaces.
- 8 Do not touch or cross spills.
- 9 It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus and wear anti-virus suits.
- 10 Spray water disperses the vapor and dilutes the liquid spill.
- 11 Do not touch broken containers and spills before putting on appropriate protective clothing.
- 12 Cut off the source of the leak as much as possible.
- 13 Keep leaks in a ventilated place.
- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 15 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
- 16 Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.
- 17 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7 Handling and storage

Precautions for safe handling

- 1 Avoid inhalation of vapors.
- 2 Use only non-sparking tools.
- 3 To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- 4 Use explosion proof equipment.
- 5 Handling is performed in a well ventilated place.
- 6 Wear suitable protective equipment.

Version: V2.0.0.1 Revision Date: -

7	Avoid contact with skin and eyes.
8	Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.

8 Exposure controls/personal protection

| Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Acetonitrile	Permissible exposure standards for workers in the workplace	40	67	60	100.5
	Australia	40	67	60	101
	Canada - Ontario	20	-	-	-
	European Union	40	70	-	-
	New Zealand	40	67	60	101
	USA - ACGIH	20	-	-	-
4,4'-isopropylidenediphe nol	European Union	-	2	-	-
noi	Austria	-	2	-	5
	Belgium	-	2	-	-
	Denmark	-	2	-	4
	Finland	-	2	-	-
	France	-	2	-	-
4-tert-butylphenol	Austria	0.08	0.5	0.4	2.5
	Denmark	0.08	0.5	0.16	1
	Germany (AGS)	0.08	0.5	0.16	1
	Germany (DFG)	0.08	0.5	0.16	1
	Switzerland	0.08	0.5	0.16	1
4-(1,1,3,3-tetramethylbuty l)phenol	Germany (AGS)	0.5	4	0.5	4
i)piletioi	Germany (DFG)	0.5	4.3	0.5	4.3
	Switzerland	0.5	4.3	0.5	4.3

| Engineering controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.

3	Use explosion-proof	electrical/ventilating/lighting/equipment.
---	---------------------	--

Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement			
Eye protection	Must wear appropriate safety goggles.		
Hand protection	Must wear anti static chemical protective gloves.		
Respiratory protection	Must wear appropriate personal respiratory protective equipment.		
Skin and body protection	Must wear anti static chemical protective clothing and anti static shoes.		

Physical and chemical properties and safety characteristics

| Physical and chemical properties

• • •	
Appearance (physical state,	colorless liquid
color, etc.)	
Odor	No information available
Odor threshold	No information available
рН	No information available
Melting point/freezing point(°C)	-46 (Acetonitrile)
Initial boiling point and boiling	82 (Acetonitrile)
range(°C)	
Flash point(Closed cup,°C)	2 (Acetonitrile)
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive	Upper limit: 17 (Acetonitrile); Lower limit: 3 (Acetonitrile)
limits[%(v/v)]	
Vapor pressure	9.9kPa (25°C,Acetonitrile)
Vapor density(Air = 1)	1.4 (Acetonitrile)
Relative density(Water=1)	0.8 (Acetonitrile)
Solubility	1000000mg/L (25 °C,Acetonitrile)
n-octanol/water partition	-0.3 (Acetonitrile)
coefficient	
Auto-ignition temperature(°C)	524 (Acetonitrile)
Decomposition temperature(°C)	No information available
Kinematic viscosity	No information available

10 Stability and reactivity

| Stability and reactivity

Classification Calculation			
Reactivity	Contact with incompatible substances can cause decomposition or other		
	chemical reactions.		
Chemical stability	Stable under proper operation and storage conditions.		
Possibility of hazardous	In contact with N-halogen compounds may cause a potensive explosive		
reactions	hazardous.		

Conditions to avoid	Incompatible materials, heat, flame and spark.		
Incompatible materials	N - halogenated compounds, sulfuric acid and strong oxidants.		
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products		
products	should not be produced.		

11 Toxicological information

Acute toxicity

Component	Component LD ₅₀ (oral)		LC ₅₀ (inhalation,4h)
4-(1,1,3,3-tetramethylbuty l)phenol	4600mg/kg(Rat)	1880mg/kg(Rabbit)	No information available
4,4'-isopropylidenediphen 3250mg/kg(Rat) ol		3590mg/kg(Rabbit)	No information available
Acetonitrile	2460mg/kg(Rat)	> 2000mg/kg(Rabbit)	4.748mg/L(Rabbit)
p-nonylphenol 1620mg/kg(Rat)		No information available	No information available
Phenol, 4-nonyl-, branched	1300mg/kg(Rat)	No information available	No information available
4-tert-butylphenol	2950mg/kg(Rat)	2290mg/kg(Rabbit)	No information available

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Acetonitrile	Not Listed	Not Listed	Not Listed
4,4'-isopropylidenediphen ol	Not Listed	Not Listed	Not Listed
4-tert-butylphenol	Not Listed	Not Listed	Not Listed
4-butylphenol	Not Listed	Not Listed	Not Listed
4-pentylphenol	Not Listed	Not Listed	Not Listed
p-hexylphenol	Not Listed	Not Listed	Not Listed
4-(1,1,3,3-tetramethylbutyl)phenol	Not Listed	Not Listed	Not Listed
4-heptylphenol	Not Listed	Not Listed	Not Listed
Phenol, 4-nonyl-, branched	Not Listed	Not Listed	Not Listed
p-octylphenol	Not Listed	Not Listed	Not Listed
p-nonylphenol	Not Listed	Not Listed	Not Listed

Others

9 Mix alkylphenol and bisphenol A in acetonitrile	
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Causes serious eye irritation(Category 2)
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met

STOT-repeated exposure Based on available data, the classification criteria are not met

Aspiration hazard Based on available data, the classification criteria are not met

Germ cell mutagenicity Based on available data, the classification criteria are not met

Version: V2.0.0.1 Revision Date: -

12 Ecological information

| Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
4-(1,1,3,3-tetramethylbutyl)phenol	LC ₅₀ : 0.36mg/L (96h)(Fish)	No information available	No information available
4-pentylphenol	LC ₅₀ : 1.4mg/L (96h)(Fish)	EC ₅₀ : 0.90mg/L (48h)(Crustaceans)	ErC ₅₀ : 2.2mg/L (72h)(Algae)
p-octylphenol	LC ₅₀ : 0.088mg/L (96h)(Fish)	EC ₅₀ : 0.42mg/L (48h)(Crustaceans)	ErC ₅₀ : 0.14mg/L (72h)(Algae)
4,4'-isopropylidenediphen ol	LC ₅₀ : 7.05mg/L (96h)(Fish)	EC ₅₀ : 13mg/L (48h)(Crustaceans)	ErC ₅₀ : 4.8mg/L (72h)(Algae)
Acetonitrile	LC ₅₀ : > 100mg/L (96h)(Fish)	EC ₅₀ : > 1000mg/L (48h)(Crustaceans)	ErC ₅₀ : >700mg/L (72h)(Algae)
p-nonylphenol	LC ₅₀ : 0.19mg/L (96h)(Fish)	EC ₅₀ : 0.13~0.14mg/L (48h)(Crustaceans)	No information available
Phenol, 4-nonyl-,	LC ₅₀ : 0.096mg/L	EC ₅₀ : 0.13mg/L	ErC ₅₀ : 0.41mg/L
branched	(96h)(Fish)	(48h)(Crustaceans)	(96h)(Algae)
4-tert-butylphenol	LC ₅₀ : 6.02mg/L (96h)(Fish)	EC ₅₀ : 3.9mg/L (48h)(Crustaceans)	No information available

| Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
4-pentylphenol	No information available	NOEC :	NOEC: 0.27mg/L(Algae)
		0.14mg/L(Crustaceans)	
p-octylphenol	No information available	NOEC:	NOEC: 0.021mg/L(Algae)
		0.11mg/L(Crustaceans)	
4,4'-isopropylidenediphen	No information available	NOEC:	NOEC: 0.32mg/L(Algae)
ol		4.6mg/L(Crustaceans)	
Acetonitrile	NOEC: 102mg/L(Fish)	NOEC: >960mg/L(Crusta	NOEC: 700mg/L(Algae)
		ceans)	
p-nonylphenol	NOEC: 0.0082mg/L(Fish)	No information available	No information available

| Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
4,4'-isopropylidenediphen ol	High(Half-life = 360 days)	Low(Half-life = 0.31 days)
4-tert-butylphenol	High	High
4-butylphenol	High	High
4-pentylphenol	High	High
4-(1,1,3,3-tetramethylbutyl	High	High

)phenol		
Phenol, 4-nonyl-,	High	High
branched		
p-nonylphenol	High	High

| Bioaccumulative potential

Component	Bioaccumulative potential	Comments
4,4'-isopropylidenediphen	Low	BCF=100
4-tert-butylphenol	Low	BCF=240
4-butylphenol	Low	Log Kow=3.65
4-pentylphenol	Medium	Log Kow=4.0245
4-(1,1,3,3-tetramethylbutyl)phenol	High	Log Kow=5.2756
Phenol, 4-nonyl-, branched	Low	BCF=271
p-nonylphenol	High	Log Kow=5.9889

| Mobility in soil

Component	log Koc	Remark
Acetonitrile	0.653	
4,4'-isopropylidenediphen ol	2.875	
4-tert-butylphenol	3.281	
4-butylphenol	3.455	
4-pentylphenol	3.721	
4-(1,1,3,3-tetramethylbutyl)phenol	≥4.36 - ≤5.69	22℃
Phenol, 4-nonyl-, branched	4.04	20 ℃
p-nonylphenol	4.58	20 ℃

Disposal considerations

| Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot
	and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Version: V2.0.0.1 Revision Date: -

Transporting Label



IMDG-CODE

UN number	1992
UN proper shipping name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Transport hazard class	3
Transport subsidiary hazard	6.1
class	
Packing group	П
Marine pollutant (Yes or no)	No

IATA-DGR

UN number	1992
UN proper shipping name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Transport hazard class	3
Transport subsidiary hazard	6.1
class	
Packing group	п

UN-ADR

UN number	1992
UN proper shipping name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Transport hazard class	3
Transport subsidiary hazard	6.1
class	
Packing group	п

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

–	010	
	Precautions for transport	Transit should be anti-exposure, rain, high temperature. Strictly prohibited
		shipping or transportation with acids, alkalis, oxidants, food and food additives
		etc. Shipment of the goods vehicle exhaust pipe must be equipped with fire
		retardant devices, prohibit using mechanical equipment and tools of which easy
		to produce sparks. Transit should be anti-exposure, anti-rain, anti-high
		temperature. Transportation used tank (tank) cars should be grounded chain,
		tank can be installed to reduce the partition hole static electricity shocks. Strictly
		prohibited shipping or transportation with oxidants, acids, food and food additives

etc. When bulk transport, Prohibit the use of cement or wooden boats. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

Version: V2.0.0.1 Revision Date: -

15 Regulatory information

International chemical inventory

Component	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Acetonitrile	√	√	√	√	√	√	√	√	√	√	√	√	V
4,4'-isopropylidenediphen ol	√	V	√	√	√	√	√	√	√	V	√	√	V
4-tert-butylphenol	√	√	√	√	√	V	√	V	√	√	√	√	V
4-butylphenol	V	√	√	√	×	√	×	√	√	×	×	√	V
4-pentylphenol	√	√	√	×	√	×	×	×	√	×	×	√	V
p-hexylphenol	×	√	√	×	×	×	×	×	√	×	×	√	V
4-(1,1,3,3-tetramethylbutyl)phenol	√	V	V	√	V	V							
4-heptylphenol	√	√	√	√	×	√	×	×	√	×	×	√	√
Phenol, 4-nonyl-, branched	√	V	√	V	√	√	V						
p-octylphenol	×	√	√	√	×	√	√	√	√	√	×	√	√
p-nonylphenol	V	V	√	√	√	√	√	√	V	√	V	√	1

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Acetonitrile	×	×	×
4,4'-isopropylidenediphen ol	×	×	×
4-tert-butylphenol	×	×	×
4-butylphenol	×	×	×
4-pentylphenol	×	×	×

p-hexylphenol	×	×	×
4-(1,1,3,3-tetramethylbuty l)phenol	×	×	×
4-heptylphenol	×	×	×
Phenol, 4-nonyl-, branched	×	×	×
p-octylphenol	×	×	×
p-nonylphenol	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Acetonitrile	V	×	√	√	√	√	√	×
4,4'-isopropylidenediphe nol	×	×	×	V	V	√	√	√
4-tert-butylphenol	×	×	×	×	×	×	×	×
4-butylphenol	×	×	×	×	×	×	×	×
4-pentylphenol	×	×	×	×	×	×	×	×
p-hexylphenol	×	×	×	×	×	×	×	×
4-(1,1,3,3-tetramethylbut yl)phenol	×	×	×	×	×	×	×	×
4-heptylphenol	×	×	×	×	×	×	×	×
Phenol, 4-nonyl-, branched	×	×	×	×	×	×	×	×
p-octylphenol	×	×	×	×	×	×	×	×
p-nonylphenol	×	×	×	×	×	×	×	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/10/27
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine dis ruptor	HCS	Hazard Communication Standard

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.