Safety Data Sheet

15 Mix Nitrobenzene in n-hexane

Version: V2.0.0.1

Report No.: BWQ9093-2016-MSDS-US

Creation Date: 2025/10/20

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1	Identification
---	----------------

| Product identifier

Product Name	15 Mix Nitrobenzene in n-hexane
Cat No.	BWQ9093-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

Emergency phone number	010-58103678

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Flammable Liquids	Category 4
Aspiration hazard	Category 1
Skin Corrosion/Irritation	Category 2
Specific target organ toxicity -	Category 3
single exposure; narcotic	
effects	
Reproductive toxicity	Category 2
Specific target organ toxicity -	Category 1
repeated exposure	

Label elements



| Hazard statements

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility
H372	Causes damage to organs through prolonged or repeated exposure(blood,
	nervous system, liver)

Version: V2.0.0.1 Revision Date: -

| Precautionary statements

Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not breathe gas/mist/vapour/spray.
Wash hands and other parts of the body (if related) thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or with adequate ventilation.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P321	Specific treatment (see related instructions on the label).
P331	Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	Use extinguishing media suitable for surrounding area.
A Ctorogo	

Storage

P403	Store in a well-ventilated place.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
◆ Disposal	

P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

Combustible liquids in case of flame and high fever.

Version: V2.0.0.1 Revision Date: -

Health hazards

Inhaled	Dizziness. Drowsiness. Dullness. Headache. Nausea. Weakness.	
	Unconsciousness.	
Ingestion	Abdominal pain. (Further see Inhalation).	
Skin Contact	Dry skin. Redness. Pain.	
Eye	Redness. Pain.	

Environmental hazards

Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Nitrobenzene	98-95-3	202-716-0	0.03
2-nitrotoluene	88-72-2	201-853-3	0.03
3-nitrotoluene	99-08-1	202-728-6	0.03
4-nitrotoluene	99-99-0	202-808-0	0.03
1-chloro-3-nitrobenzene	121-73-3	204-496-1	0.015
1-chloro-4-nitrobenzene	100-00-5	202-809-6	0.015
1-chloro-2-nitrobenzene	88-73-3	201-854-9	0.015
1,3-dinitrobenzene	99-65-0	202-776-8	0.015
1,4-dinitrobenzene	100-25-4	202-833-7	0.015
2,6-dinitrotoluene	606-20-2	210-106-0	0.015
1,2-dinitrobenzene	528-29-0	208-431-8	0.015
2,4-dinitrotoluene	121-14-2	204-450-0	0.015
1-chloro-2,4-dinitrobenzen e	97-00-7	202-551-4	0.015
3,4-dinitrotoluene	610-39-9	210-222-1	0.015
2,4,6-trinitrotoluene	118-96-7	204-289-6	0.015
N-hexane	110-54-3	203-777-6	99.715

4 First-aid measures

| Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
Skin contact	Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention.

	15 Mix Nitrobenzene in n-hexane		Version: V2.0.0.1 Revision Date	
	Ingestion	Rinse mouth. Do NOT induce vomiting. Res	t. Refer for medical attention.	
Inhalation Fresh air, rest. Refer for medical attention.				
·		Ensure that medical personnel are aware of precautions to protect themselves and prevent	el are aware of the substance involved. Take elves and prevent spread of contamination.	
Most i	mportant symptoms/eff	ects, acute and delayed		

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Fire-fighting measures

| Extinguishing media

Suitable extinguishing media	Use extinguishing media suitable for surrounding area.
Unsuitable extinguishing media	There is no restriction on the type of extinguisher which may be used.

Specific hazards arising from the substance or mixture

- 1 Development of hazardous combustion gases or vapor possible in the event of fire.
- 2 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- **2** Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Use personal protective equipment, do not breathe gas/mist/vapour/spray.
- 2 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 3 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- 1 Cut off the source of the leak as much as possible.
- 2 Keep leaks in a ventilated place.
- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 4 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
- Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.

7 Handling and storage

| Precautions for safe handling

1	Handling is performed in a well ventilated place.
2	Wear suitable protective equipment.
3	Avoid contact with skin and eyes.
4	Keep away from heat/sparks/open flames/ hot surfaces.

| Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

| Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value	- Eight hours	Limit value	- Short term
		ppm	mg/m³	ppm	mg/m³
Nitrobenzene	Japan - JSOH(2024–202 5)	1	5	-	-
	Permissible exposure standards for workers in the workplace	1	5	2	10
	Australia	1	5	-	-
	Canada - Ontario	1	-	-	-
	European Union	0.2	1	-	-
	New Zealand	0.1	0.5	-	-
2-nitrotoluene	Permissible exposure standards for workers in the workplace	2	11	4	16.5
	Australia	2	11	-	-
	Canada - Ontario	2	-	-	-
	New Zealand	2	11	-	-
	USA - ACGIH	2	-	-	-
	USA - NIOSH	2	11	-	-
3-nitrotoluene	Permissible exposure standards for workers in the workplace	2	11	4	16.5
	Australia	2	11	-	-

	Canada - Ontario	2	-	-	-
	New Zealand	2	11	-	-
	USA - ACGIH	2	-	-	-
	USA - NIOSH	2	11	-	-
4-nitrotoluene	Permissible exposure standards for workers in the workplace	2	11	4	16.5
	Australia	2	11	-	-
	Canada - Ontario	2	-	-	-
	New Zealand	2	11	-	-
	USA - NIOSH	2	11	-	-
	USA - OSHA	5	30	-	-
1-chloro-4-nitrobenzene	Permissible exposure standards for workers in the workplace	-	1	-	2
	Japan - JSOH(2024–202 5)	0.1	0.64	-	-
	Australia	0.1	0.64	-	-
	Canada - Ontario	0.1	-	-	-
	New Zealand	0.1	0.64	-	-
	USA - ACGIH	0.1	-	-	-
1,3-dinitrobenzene	Japan - JSOH(2024–202 5)	0.15	1	-	-
	Permissible exposure standards for workers in the workplace	0.15	1	0.45	2
	Australia	0.15	1	-	-
	Canada - Ontario	0.15	-	-	-
	New Zealand	0.15	1	-	-
	USA - ACGIH	0.15(inhalable fraction and vapor)	-	-	-
1,4-dinitrobenzene	Japan - JSOH(2024–202 5)	0.15	1	-	-
	Permissible exposure standards for workers in the workplace	0.15	1	0.45	2
	Australia	0.15	1	-	-
	Canada - Ontario	0.15	-	-	-

	New Zealand	0.15	1	-	-
	USA - ACGIH	0.15(inhalable fraction and vapor)	-	-	-
2,6-dinitrotoluene	Austria	0.007	0.05	0.028	0.2
	Denmark	-	0.15	-	0.3
	Finland	-	0.2	-	-
	Latvia	-	1	-	-
	Norway	-	0.15	-	-
	Singapore	-	0.15	-	-
1,2-dinitrobenzene	Japan - JSOH(2024–202 5)	0.15	1	-	-
	Permissible exposure standards for workers in the workplace	0.15	1	0.45	2
	Australia	0.15	1	-	-
	Canada - Ontario	0.15	-	-	-
	New Zealand	0.15	1	-	-
	USA - ACGIH	0.15(inhalable fraction and vapor)	-	-	-
2,4-dinitrotoluene	Denmark	-	0.15	-	0.3
	Finland	-	0.2	-	-
	Latvia	-	1	-	-
	Norway	-	0.15	-	-
	Singapore	-	0.15	-	-
	Spain	-	0.15	-	-
1-chloro-2,4-dinitrobenze ne	Latvia	-	0.05	-	-
nic .	Romania	-	-	-	1
3,4-dinitrotoluene	Austria	-	1.5	-	6
	Denmark	-	0.15	-	0.3
	Finland	-	0.2	-	-
	Latvia	-	1	-	-
	Norway	-	0.15	-	-
	Spain	-	0.15	-	-
2,4,6-trinitrotoluene	Permissible exposure standards for workers in the workplace	-	0.5	-	1.5
	Australia	-	0.5	-	-
	Canada - Ontario	0.01	0.1	-	-

	New Zealand	-	0.5	-	-
	USA - ACGIH	-	0.1(inhalable fraction and vapor)	-	-
	USA - NIOSH	-	0.5	-	-
N-hexane	Japan - JSOH(2024–202 5)	40	140	-	-
	Permissible exposure standards for workers in the workplace	50	176	75	220
	Australia	20	72	-	-
	Canada - Ontario	50	-	-	-
	European Union	20	72	-	-
	New Zealand	20	72	-	-

| Engineering controls

1	Ensure adequate ventilation,	especially in confined areas.
---	------------------------------	-------------------------------

- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement	
Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear anti static chemical protective gloves.
Respiratory protection	Must wear appropriate personal respiratory protective equipment.
Skin and body protection	Must wear anti static chemical protective clothing and anti static shoes.

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

Appearance (physical state,	Light yellow transparent liquid
color, etc.)	
Odor	No information available
Odor threshold	No information available
рН	8.1 (20°C, 1g/L, Calculated,Nitrobenzene)
Melting point/freezing point(°C)	5 (Nitrobenzene)
Initial boiling point and boiling	211 (Nitrobenzene)
range(°C)	
Flash point(Closed cup,°C)	88 (Nitrobenzene)
Evaporation rate	No information available
Flammability	No information available

Upper/lower explosive limits[%(v/v)]	Upper limit: 40 (Nitrobenzene); Lower limit: 1.8 (Nitrobenzene)
Vapor pressure	20Pa (20°C,Nitrobenzene)
Vapor density(Air = 1)	4.2 (Nitrobenzene)
Relative density(Water=1)	1.2 (Nitrobenzene)
Solubility	1.9 g/L (20 °C(pH=6.5),Nitrobenzene)
n-octanol/water partition coefficient	1.86 (Nitrobenzene)
Auto-ignition temperature(°C)	480 (Nitrobenzene)
Decomposition temperature(°C)	> 350 (Nitrobenzene)
Kinematic viscosity	No information available

10 Stability and reactivity

| Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.	
Chemical stability	Stable under proper operation and storage conditions.	
Possibility of hazardous reactions	In contact with ammonia, strong inorganic alkalis, active metals, alkali carbonates, metal oxides or metal alkaoxides may result in an explosion. In contact with an open flame may cause a fire or explosion.	
Conditions to avoid	Incompatible materials, heat, flame and spark.	
Incompatible materials	Ammonia, strong inorganic alkalis, active metal, alkali metal carbonates, metal oxides, metal alkaoxides, and nitric acid. Oxidantss and halogen.	
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products	
products	should not be produced.	

Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
4-nitrotoluene	1960mg/kg(Rat)	> 16000mg/kg(Rat)	No information available
2-nitrotoluene	891mg/kg(Rat)	No information available	No information available
N-hexane	25000mg/kg(Rat)	No information available	169.188mg/L(Rat)
1-chloro-2-nitrobenzene	268mg/kg(Rat)	400mg/kg(Rabbit)	No information available
1-chloro-3-nitrobenzene	420mg/kg(Rat)	890mg/kg(Rat)	3.2mg/L(Rat)
1-chloro-4-nitrobenzene	420mg/kg(Rat)	3040mg/kg(Rabbit)	No information available
3-nitrotoluene	1072mg/kg(Rat)	No information available	No information available
2,6-dinitrotoluene	177mg/kg(Rat)	No information available	No information available
2,4,6-trinitrotoluene	607mg/kg(Rat)	No information available	No information available
3,4-dinitrotoluene	807mg/kg(Rat)	No information available	No information available
Nitrobenzene	349mg/kg(Rat)	760mg/kg(Rabbit)	556ppmV(Rat)
2,4-dinitrotoluene	268mg/kg(Rat)	No information available	No information available
1,3-dinitrobenzene	59.5mg/kg(Rat)	1900mg/kg(Rabbit)	No information available

1-chloro-2,4-dinitrobenze	640mg/kg(Rat)	130mg/kg(Rabbit)	No information available
ne			

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Nitrobenzene	Category 2B	Category R	Not Listed
2-nitrotoluene	Category 2A(Remark 1)	Category R	Not Listed
3-nitrotoluene	Category 3	Not Listed	Not Listed
4-nitrotoluene	Category 3	Not Listed	Not Listed
1-chloro-3-nitrobenzene	Category 2B(Remark 2)	Not Listed	Not Listed
1-chloro-4-nitrobenzene	Category 2B	Not Listed	Not Listed
1-chloro-2-nitrobenzene	Category 2B	Not Listed	Not Listed
1,3-dinitrobenzene	Not Listed	Not Listed	Not Listed
1,4-dinitrobenzene	Not Listed	Not Listed	Not Listed
2,6-dinitrotoluene	Category 2B	Not Listed	Not Listed
1,2-dinitrobenzene	Not Listed	Not Listed	Not Listed
2,4-dinitrotoluene	Category 2B	Not Listed	Not Listed
1-chloro-2,4-dinitrobenze ne	Not Listed	Not Listed	Not Listed
3,4-dinitrotoluene	Not Listed	Not Listed	Not Listed
2,4,6-trinitrotoluene	Category 3	Not Listed	Not Listed
N-hexane	Not Listed	Not Listed	Not Listed

Remark 1: Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data; Remark 2: see 2-Chloronitrobenzene

Others

15 Mix Nitrobenzene in n-hexane		
Skin corrosion/irritation	Causes skin irritation(Category 2)	
Serious eye damage/irritation	Based on available data, the classification criteria are not met	
Skin sensitization	Based on available data, the classification criteria are not met	
Respiratory sensitization	Based on available data, the classification criteria are not met	
Reproductive toxicity	Suspected of damaging fertility(Category 2)	
STOT-single exposure	May cause drowsiness or dizziness(Category 3)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure(blood, nervous system, liver)(Category 1)	
Aspiration hazard	May be fatal if swallowed and enters airways(Category 1)	
Germ cell mutagenicity	Based on available data, the classification criteria are not met	

12 Ecological information

| Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
			plants

4-nitrotoluene	LC ₅₀ : 37mg/L (96h)(Fish)	C_{50} : 37mg/L (96h)(Fish) EC_{50} : 9.8mg/L ErC_{50} : 10mg/L	
		(48h)(Crustaceans) (72h)(Algae)	
2-nitrotoluene	LC ₅₀ : 37.1mg/L	EC ₅₀ : 5.4mg/L	
	(96h)(Fish)	(48h)(Crustaceans) (72h)(Algae)	
N-hexane	LC ₅₀ : 57.8mg/L	No information available	No information available
	(96h)(Fish)		
1-chloro-2-nitrobenzene	LC ₅₀ : 34.6mg/L	EC ₅₀ : 3.2mg/L	ErC ₅₀ : 6.9mg/L
	(96h)(Fish)	(48h)(Crustaceans)	(96h)(Algae)
1-chloro-3-nitrobenzene	LC ₅₀ : 18.8mg/L	EC ₅₀ : 15.1mg/L	ErC ₅₀ : 1.9mg/L
	(96h)(Fish)	(48h)(Crustaceans)	(96h)(Algae)
1,4-dinitrobenzene	LC ₅₀ : 0.48mg/L	EC ₅₀ : 0.57mg/L	ErC ₅₀ : 0.15mg/L
	(96h)(Fish)	(48h)(Crustaceans)	(72h)(Algae)
1-chloro-4-nitrobenzene	LC ₅₀ : 14.4mg/L	EC ₅₀ : 2.7mg/L	ErC ₅₀ : 4.9mg/L
	(96h)(Fish)	(48h)(Crustaceans)	(96h)(Algae)
3-nitrotoluene	LC ₅₀ : 30mg/L (96h)(Fish)	EC ₅₀ : 7.4mg/L	ErC ₅₀ : 14mg/L
		(48h)(Crustaceans) (96h)(Algae)	
2,6-dinitrotoluene	LC ₅₀ : 34mg/L (96h)(Fish)		
		(48h)(Crustaceans)	(72h)(Algae)
2,4,6-trinitrotoluene	LC ₅₀ : 2.7mg/L (96h)(Fish)	EC ₅₀ : 9.49mg/L	ErC ₅₀ : 0.19mg/L
		(48h)(Crustaceans)	(72h)(Algae)
3,4-dinitrotoluene	LC ₅₀ : 1.5mg/L (96h)(Fish)	EC ₅₀ : 3.1mg/L	ErC ₅₀ : 0.7mg/L
		(48h)(Crustaceans) (96h)(Algae)	
Nitrobenzene	LC ₅₀ : 92mg/L (96h)(Fish)	EC ₅₀ : 35mg/L ErC ₅₀ : 23.8mg/L	
		(48h)(Crustaceans) (96h)(Algae)	
2,4-dinitrotoluene	LC ₅₀ : 24.3mg/L	EC ₅₀ : 30.6mg/L	ErC ₅₀ : 0.97mg/L
	(96h)(Fish)	(48h)(Crustaceans) (96h)(Algae)	
1,2-dinitrobenzene	LC ₅₀ : 1.3mg/L (96h)(Fish)	EC ₅₀ : 3.0mg/L ErC ₅₀ : 0.48mg/L	
		(48h)(Crustaceans) (72h)(Algae)	
1,3-dinitrobenzene	LC ₅₀ : 12mg/L (96h)(Fish)	EC_{50} : 35mg/L ErC_{50} : 0.39mg/L	
		(48h)(Crustaceans) (72h)(Algae)	
1-chloro-2,4-dinitrobenze	LC ₅₀ : 0.71mg/L	EC ₅₀ : 0.66mg/L	ErC ₅₀ : 0.18mg/L
ne	(96h)(Fish)	(48h)(Crustaceans)	(72h)(Algae)

| Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
			plants
4-nitrotoluene	NOEC: 0.8mg/L(Fish)	NOEC :	NOEC: 1.9mg/L(Algae)
		2.0mg/L(Crustaceans)	
2-nitrotoluene	NOEC: 1.9mg/L(Fish)	No information available	No information available
1-chloro-2-nitrobenzene	NOEC: 0.534mg/L(Fish)	No information available	No information available
1,4-dinitrobenzene	No information available	No information available	NOEC :
			0.0038mg/L(Algae)
3-nitrotoluene	NOEC : 2mg/L(Fish)	No information available	No information available
2,6-dinitrotoluene	No information available	NOEC :	NOEC: 5mg/L(Algae)
		2.5mg/L(Crustaceans)	
1,2-dinitrobenzene	No information available	No information available	NOEC: 0.021mg/L(Algae)
1,3-dinitrobenzene	No information available	No information available	NOEC: 0.063mg/L(Algae)
1-chloro-2,4-dinitrobenze	NOEC: 0.05mg/L(Fish)	NOEC :	NOEC :
ne		0.18mg/L(Crustaceans)	0.0060mg/L(Algae)

| Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
2-nitrotoluene	High	High
3-nitrotoluene	High	High
4-nitrotoluene	High	High
1-chloro-3-nitrobenzene	High	High
1-chloro-4-nitrobenzene	High	High
1-chloro-2-nitrobenzene	High	High
1,4-dinitrobenzene	High	High
2,6-dinitrotoluene	High(Half-life = 360 days)	Medium(Half-life = 118.33 days)
1,2-dinitrobenzene	High	High
2,4-dinitrotoluene	High(Half-life = 360 days)	Medium(Half-life = 118.33 days)
1-chloro-2,4-dinitrobenze ne	High	High
N-hexane	Low	Low

| Bioaccumulative potential

Component	Bioaccumulative potential	Comments
2-nitrotoluene	Low	BCF=29.9
3-nitrotoluene	Low	BCF=12
4-nitrotoluene	Low	BCF=7.2
1-chloro-3-nitrobenzene	Low	Log Kow=2.46
1-chloro-4-nitrobenzene	Low	BCF=20.9
1-chloro-2-nitrobenzene	Low	BCF=22.3
1,4-dinitrobenzene	Low	Log Kow=1.46-1.49
2,6-dinitrotoluene	Low	Log Kow=2.05
1,2-dinitrobenzene	Low	Log Kow=1.69
2,4-dinitrotoluene	High	BCF=2507
1-chloro-2,4-dinitrobenze	Low	BCF=44
ne		
N-hexane	Medium	Log Kow=3.9

| Mobility in soil

Component	log Koc	Remark
Nitrobenzene	2.07	
2-nitrotoluene	2.32	20 ℃
3-nitrotoluene	2.49	
4-nitrotoluene	2.490	
1-chloro-3-nitrobenzene	2.56	20 ℃

1-chloro-4-nitrobenzene	2.490	
1-chloro-2-nitrobenzene	2.46	25 ℃
1,4-dinitrobenzene	2.343	
2,6-dinitrotoluene	2.570	
1,2-dinitrobenzene	2.351	
2,4-dinitrotoluene	2.561	
1-chloro-2,4-dinitrobenze ne	2.561	
2,4,6-trinitrotoluene	1.65	
N-hexane	≥2.37 - ≤3.16	20 °C , pH=7.0

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and
	regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot
	and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting	Label	No	t app	licat	ole
--------------	-------	----	-------	-------	-----

IMDG-CODE

IMDG-CODE	NOT REGULATED FOR TRANSP	PORT OF DANGEROUS GOODS
-----------	--------------------------	-------------------------

IATA-DGR

	4					
LATA DOD					OF DANGEROUS	$\sim \sim \sim \sim \sim$
	1 1/10) 1	REGULATEL	FUR	IRANSPORT	OF DANGEROUS	

UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport	Transport vehicles should be equipped with the appropriate variety and quantity
	of fire equipment and emergency equipment leakage during transport. Before
	transport, should be preceded by checking whether container integrity, sealing.
	The transport unit must be placarded and marked in accordance with relevant

transporting requirements.

15 Regulatory information

International chemical inventory

Component	Α	В	С	D	E	F	G	Н	I	J	K	L	М
Nitrobenzene	√	√	√	V	√	V							
2-nitrotoluene	√	×	√	√	√								
3-nitrotoluene	√	V	√	×	×	√	√						
4-nitrotoluene	√	×	×	√	√								
1-chloro-3-nitrobenzene	√	1	√	×	√	√	×	√	√	×	√	√	√
1-chloro-4-nitrobenzene	√	×	√	√	√								
1-chloro-2-nitrobenzene	√	√	√	×	√	√	√	√	√	×	√	√	√
1,3-dinitrobenzene	√	√ √	√	×	×	√	√						
1,4-dinitrobenzene	√	√	√	√	√	√	√	√	√	×	√	√	√
2,6-dinitrotoluene	√	√ √	√	√	×	×	√	√	√	×	√	√	√
1,2-dinitrobenzene	√	√	×	×	√	√	√	√	√	×	×	√	√
2,4-dinitrotoluene	√	×	√	√	√								
1-chloro-2,4-dinitrobenzen e	√	1	√	√	√	1	V	√	√	×	√	√	√
3,4-dinitrotoluene	×	√	√	×	×	×	√	×	√	×	×	√	√
2,4,6-trinitrotoluene	√	×	√	√	√								
N-hexane	√	√	V	√									

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Nitrobenzene	×	×	×
2-nitrotoluene	×	×	×
3-nitrotoluene	×	×	×
4-nitrotoluene	×	×	×
1-chloro-3-nitrobenzene	×	×	×

1-chloro-4-nitrobenzene	×	×	×
1-chloro-2-nitrobenzene	×	×	×
1,3-dinitrobenzene	×	×	×
1,4-dinitrobenzene	×	×	×
2,6-dinitrotoluene	×	×	×
1,2-dinitrobenzene	×	×	×
2,4-dinitrotoluene	×	×	×
1-chloro-2,4-dinitrobenze ne	×	×	×
3,4-dinitrotoluene	×	×	×
2,4,6-trinitrotoluene	×	×	×
N-hexane	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Nitrobenzene	√	√	√	√	√	√	√	√ √
2-nitrotoluene	×	×	√	√	√	√	√	√
3-nitrotoluene	×	×	√	√	√	√	√	×
4-nitrotoluene	×	×	√	√	√	√	√	×
1-chloro-3-nitrobenzene	×	×	×	√	×	√	×	×
1-chloro-4-nitrobenzene	×	×	×	√	√	√	√	√
1-chloro-2-nitrobenzene	×	×	×	√	×	√	×	√
1,3-dinitrobenzene	×	×	√	√	√	√	√	√
1,4-dinitrobenzene	×	×	√	√	√	√	√	√
2,6-dinitrotoluene	×	×	√	√	√	√	√	√
1,2-dinitrobenzene	×	×	√	√	√	√	√	√
2,4-dinitrotoluene	√	×	√	√	√	√	√	√
1-chloro-2,4-dinitrobenz ene	×	×	×	√	√	√	×	×
3,4-dinitrotoluene	×	×	√	√	×	√	√	×
2,4,6-trinitrotoluene	×	×	×	√	√	√	√	√
N-hexane	V	×	V	√	√	√	√	√

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/10/20
Revision Date	-
Reason for revision	-

Version: V2.0.0.1 Revision Date: -

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine dis ruptor	HCS	Hazard Communication Standard

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.