Safety Data Sheet

8 Mix nitrobenzen in methanol

Version: V2.0.0.1

Report No.: BWQ9848-2016-MSDS-US

Creation Date: 2025/10/11

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1	Identification
	Tuerillicalion

| Product identifier

Product Name	8 Mix nitrobenzen in methanol
Cat No.	BWQ9848-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

Emergency phone number	010-58103678

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Acute Toxicity - Oral	Category 3
Acute Toxicity - Dermal	Category 3
Acute Toxicity - Inhalation	Category 3
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive Toxicity	Category 1B
Specific target organ toxicity -	Category 1
single exposure	

Label elements



Signal word

| Hazard statements

•	
H301	Toxic if swallowed
H311	Toxic in contact with skin
H331	Toxic if inhaled
H340	May cause genetic defects
H350	May cause cancer
H360	May damage fertility
H370	Causes damage to organs

Version: V2.0.0.1 Revision Date: -

| Precautionary statements

Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe gas/mist/vapour/spray.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or with adequate ventilation.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
A Description	protection.

Response

P321	Specific treatment (see related instructions on the label).
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
_	

Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
• D'	

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

Other hazards

Not applicable.

Hazard description

Physical and chemical hazards

	No information available
 Health hazards 	

Inhaled	Cough. Dizziness. Headache. Nausea. Weakness. Visual disturbance.	
Ingestion	Abdominal pain. Shortness of breath. Vomiting. Convulsions. Unconsciousness. (Further see Inhalation).	
Skin Contact	MAY BE ABSORBED! Dry skin. Redness.	
Eye	Redness. Pain.	
Environmental hazards		
	Please refer to 12th chapter of SDS.	

3 Composition/information on ingredients

Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Nitrobenzene	98-95-3	202-716-0	0.127
2-nitrotoluene	88-72-2	201-853-3	0.127
3-nitrotoluene	99-08-1	202-728-6	0.127
4-nitrotoluene	99-99-0	202-808-0	0.127
2,4-dinitrotoluene	121-14-2	204-450-0	0.127
2,6-dinitrotoluene	606-20-2	210-106-0	0.127
2,4,6-trinitrotoluene	118-96-7	204-289-6	0.127
1,3,5-trinitrobenzene	99-35-4	202-752-7	0.127
Methanol	67-56-1	200-659-6	98.984

4 First-aid measures

| Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the
	doctor in attendance.
Eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily
	possible), then take to a doctor.
Skin contact	Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer
	for medical attention.
Ingestion	Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Refer for medical
	attention.
Inhalation	Fresh air, rest. Refer for medical attention.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take
	precautions to protect themselves and prevent spread of contamination.

| Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

1		Treat	symp	tomat	ically.	
---	--	-------	------	-------	---------	--

2 Symptoms may be delayed.

Fire-fighting measures

| Extinguishing media

Suitable extinguishing media	Use extinguishing media suitable for surrounding area.
Unsuitable extinguishing media	There is no restriction on the type of extinguisher which may be used.

Specific hazards arising from the substance or mixture

- 1 Development of hazardous combustion gases or vapor possible in the event of fire.
- 2 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Use personal protective equipment, do not breathe gas/mist/vapour/spray.
- 2 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 3 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- 1 Cut off the source of the leak as much as possible.
- 2 Keep leaks in a ventilated place.
- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 4 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
- 5 Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.

7 Handling and storage

Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.

- 4 Store away from incompatible materials and foodstuff containers.
- 8 Exposure controls/personal protection

| Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Nitrobenzene	Japan - JSOH(2024–202 5)	1	5	-	-
	Permissible exposure standards for workers in the workplace	1	5	2	10
	Australia	1	5	-	-
	Canada - Ontario	1	-	-	-
	European Union	0.2	1	-	-
	New Zealand	0.1	0.5	-	-
2-nitrotoluene	Permissible exposure standards for workers in the workplace	2	11	4	16.5
	Australia	2	11	-	-
	Canada - Ontario	2	-	-	-
	New Zealand	2	11	-	-
	USA - ACGIH	2	-	-	-
	USA - NIOSH	2	11	-	-
3-nitrotoluene	Permissible exposure standards for workers in the workplace	2	11	4	16.5
	Australia	2	11	-	-
	Canada - Ontario	2	-	-	-
	New Zealand	2	11	-	-
	USA - ACGIH	2	-	-	-
	USA - NIOSH	2	11	-	-
4-nitrotoluene	Permissible exposure standards for workers in the workplace	2	11	4	16.5
	Australia	2	11	-	-
	Canada - Ontario	2	-	-	-
	New Zealand	2	11	-	-

	USA - NIOSH	2	11	-	-
	USA - OSHA	5	30	-	-
2,4-dinitrotoluene	Denmark	-	0.15	-	0.3
	Finland	-	0.2	-	-
	Latvia	-	1	-	-
	Norway	-	0.15	-	-
	Singapore	-	0.15	-	-
	Spain	-	0.15	-	-
2,6-dinitrotoluene	Austria	0.007	0.05	0.028	0.2
	Denmark	-	0.15	-	0.3
	Finland	-	0.2	-	-
	Latvia	-	1	-	-
	Norway	-	0.15	-	-
	Singapore	-	0.15	-	-
2,4,6-trinitrotoluene	Permissible exposure standards for workers in the workplace	-	0.5	-	1.5
	Australia	-	0.5	-	-
	Canada - Ontario	0.01	0.1	-	-
	New Zealand	-	0.5	-	-
	USA - ACGIH	-	0.1(inhalable fraction and vapor)	-	-
	USA - NIOSH	-	0.5	-	-
Methanol	Japan - JSOH(2024–202 5)	200	260	-	-
	Permissible exposure standards for workers in the workplace	200	262	250	327.5
	Australia	200	262	250	328
	Canada - Ontario	200	-	250	-
	European Union	200	260	-	-
	New Zealand	200	262	250	328

| Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement	
Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear appropriate chemical protective gloves.
Respiratory protection	Must wear appropriate personal dust proof gas mask.
Skin and body protection	Must wear appropriate chemical protective clothing and chemical resistant shoes.

Physical and chemical properties and safety characteristics

| Physical and chemical properties Appearance (physical state, colorless liquid color, etc.) Odor No information available Odor threshold No information available No information available На Melting point/freezing point(°C) -98 (Methanol) 65 (Methanol) Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) 9 (Methanol) **Evaporation rate** No information available **Flammability** No information available Upper/lower explosive Upper limit: 50 (Methanol); Lower limit: 6 (Methanol) limits[%(v/v)] Vapor pressure 12.9 kPa (20°C, Methanol) Vapor density(Air = 1) 1.1 (Methanol) Relative density(Water=1) 0.79 (20°C, Methanol) Solubility Miscible with water (Methanol) n-octanol/water partition -0.74 (Methanol) coefficient Auto-ignition temperature(°C) 440 (Methanol)

Stability and reactivity

Decomposition temperature(°C)

Kinematic viscosity

Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other
	chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous	In contact with ammonia, strong inorganic alkalis, active metals, alkali
reactions	carbonates, metal oxides or metal alkaoxides may result in an explosion. In
	contact with oxidants causes severe reactions, and may cause a fire or explosion.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Ammonia, strong inorganic alkalis, active metal, alkali metal carbonates, metal
	oxides, metal alkaoxides, and nitric acid. Oxidants, alkali metals, alkaline earth
	metals and aluminum.

No information available

0.544 mPa (25°C, Methanol)

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Version: V2.0.0.1 Revision Date: -

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
2,4,6-trinitrotoluene	607mg/kg(Rat)	No information available	No information available
1,3,5-trinitrobenzene	275mg/kg(Rat)	No information available	No information available
3-nitrotoluene	1072mg/kg(Rat)	No information available	No information available
2,6-dinitrotoluene	177mg/kg(Rat)	No information available	No information available
2-nitrotoluene	891mg/kg(Rat)	No information available	No information available
4-nitrotoluene	1960mg/kg(Rat)	> 16000mg/kg(Rat)	No information available
2,4-dinitrotoluene	268mg/kg(Rat)	No information available	No information available
Methanol	5628mg/kg(Rat)	15800mg/kg(Rabbit)	83.867mg/L(Rat)
Nitrobenzene	349mg/kg(Rat)	760mg/kg(Rabbit)	556ppmV(Rat)

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Nitrobenzene	Category 2B	Category R	Not Listed
2-nitrotoluene	Category 2A(Remark 1)	Category R	Not Listed
3-nitrotoluene	Category 3	Not Listed	Not Listed
4-nitrotoluene	Category 3	Not Listed	Not Listed
2,4-dinitrotoluene	Category 2B	Not Listed	Not Listed
2,6-dinitrotoluene	Category 2B	Not Listed	Not Listed
2,4,6-trinitrotoluene	Category 3	Not Listed	Not Listed
1,3,5-trinitrobenzene	Not Listed	Not Listed	Not Listed
Methanol	Not Listed	Not Listed	Not Listed

Remark 1: Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data

Others

8 Mix nitrobenzen in methanol						
Skin corrosion/irritation	Based on available data, the classification criteria are not met					
Serious eye damage/irritation	Based on available data, the classification criteria are not met					
Skin sensitization	Based on available data, the classification criteria are not met					
Respiratory sensitization	Based on available data, the classification criteria are not met					
Reproductive toxicity	May damage fertility(Category 1B)					
STOT-single exposure	Causes damage to organs(Category 1)					
STOT-repeated exposure	Based on available data, the classification criteria are not met					
Aspiration hazard	Based on available data, the classification criteria are not met					
Germ cell mutagenicity	May cause genetic defects(Category 1B)					

12 Ecological information

| Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
2,4,6-trinitrotoluene	LC ₅₀ : 2.7mg/L (96h)(Fish)	EC ₅₀ : 9.49mg/L	ErC ₅₀ : 0.19mg/L
2,4,0-011110101010	2050 . 2.7 mg/L (90m)(i isn)	• • • • • • • • • • • • • • • • • • • •	
		(48h)(Crustaceans)	(72h)(Algae)
1,3,5-trinitrobenzene	LC ₅₀ : 0.685mg/L	EC ₅₀ : 2.84mg/L	No information available
	(96h)(Fish)	(48h)(Crustaceans)	
3-nitrotoluene	LC ₅₀ : 30mg/L (96h)(Fish)	EC ₅₀ : 7.4mg/L	ErC ₅₀ : 14mg/L
		(48h)(Crustaceans)	(96h)(Algae)
2,6-dinitrotoluene	LC ₅₀ : 34mg/L (96h)(Fish)	EC ₅₀ : 20mg/L	ErC ₅₀ : 15mg/L
		(48h)(Crustaceans)	(72h)(Algae)
2-nitrotoluene	LC ₅₀ : 37.1mg/L	EC ₅₀ : 5.4mg/L	ErC ₅₀ : 22mg/L
	(96h)(Fish)	(48h)(Crustaceans)	(72h)(Algae)
4-nitrotoluene	LC ₅₀ : 37mg/L (96h)(Fish)	EC ₅₀ : 9.8mg/L	ErC ₅₀ : 10mg/L
		(48h)(Crustaceans)	(72h)(Algae)
2,4-dinitrotoluene	LC ₅₀ : 24.3mg/L	EC ₅₀ : 30.6mg/L	ErC ₅₀ : 0.97mg/L
	(96h)(Fish)	(48h)(Crustaceans)	(96h)(Algae)
Methanol	LC ₅₀ : 24000mg/L	EC ₅₀ : 24500mg/L	No information available
	(96h)(Fish)	(48h)(Crustaceans)	
Nitrobenzene	LC ₅₀ : 92mg/L (96h)(Fish)	EC ₅₀ : 35mg/L	ErC ₅₀ : 23.8mg/L
		(48h)(Crustaceans)	(96h)(Algae)

| Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
			plants
3-nitrotoluene	NOEC : 2mg/L(Fish)	No information available	No information available
2,6-dinitrotoluene	No information available	NOEC : 2.5mg/L(Crustaceans)	NOEC : 5mg/L(Algae)
2-nitrotoluene	NOEC: 1.9mg/L(Fish)	No information available	No information available
4-nitrotoluene	NOEC: 0.8mg/L(Fish)	NOEC : 2.0mg/L(Crustaceans)	NOEC: 1.9mg/L(Algae)

| Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)			
2-nitrotoluene	High	High			
3-nitrotoluene	High	High			
4-nitrotoluene	High	High			
2,4-dinitrotoluene	High(Half-life = 360 days)	Medium(Half-life = 118.33 days)			
2,6-dinitrotoluene	High(Half-life = 360 days)	Medium(Half-life = 118.33 days)			
Methanol	Low	Low			

| Bioaccumulative potential

Component Bioaccumula	potential Comments
-----------------------	--------------------

2-nitrotoluene	Low	BCF=29.9
3-nitrotoluene	Low	BCF=12
4-nitrotoluene	Low	BCF=7.2
2,4-dinitrotoluene	High	BCF=2507
2,6-dinitrotoluene	Low	Log Kow=2.05
Methanol	Low	BCF=10

| Mobility in soil

Component	log Koc	Remark
Nitrobenzene	2.07	
2-nitrotoluene	2.32	20 ℃
3-nitrotoluene	2.49	
4-nitrotoluene	2.490	
2,4-dinitrotoluene	2.561	
2,6-dinitrotoluene	2.570	
2,4,6-trinitrotoluene	1.65	
Methanol	0.000	

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and
	regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot
	and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting	Label	Notapp	licab	le
--------------	-------	--------	-------	----

| IMDG-CODE

IMDG-CODE	NOT REGULATED	FOR TRANSPORT	OF DANGEROUS	GOODS
-----------	---------------	---------------	--------------	-------

IATA-DGR

IATA-DGR NOT REGULATED FOR TRANSPORT OF DANGER	ROUS GO	ODS
--	---------	-----

UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

Version: V2.0.0.1 Revision Date: -

15 Regulatory information

International chemical inventory

Component	Α	В	С	D	Е	F	G	Н	I	J	K	L	M
Nitrobenzene	√	√	√	√	√								
2-nitrotoluene	√	×	√	√	√								
3-nitrotoluene	√	×	×	√	√								
4-nitrotoluene	√	√	√	√	√	√	√	√	√	×	×	√	√
2,4-dinitrotoluene	√	×	√	√	√								
2,6-dinitrotoluene	√	√	√	√	×	×	√	√	√	×	√	√	√
2,4,6-trinitrotoluene	√	√	√	√	√	√	√	√	√	×	√	√	√
1,3,5-trinitrobenzene	√	V	V	×	×	√	×	×	√	×	√	×	√
Methanol	√	1	√	√	√	√	√	√	√	V	1	√	√

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Nitrobenzene	×	×	×
2-nitrotoluene	×	×	×
3-nitrotoluene	×	×	×
4-nitrotoluene	×	×	×
2,4-dinitrotoluene	×	×	×
2,6-dinitrotoluene	×	×	×

2,4,6-trinitrotoluene	×	×	×
1,3,5-trinitrobenzene	×	×	×
Methanol	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	A	В	С	D	E	F	G	Н
Nitrobenzene	√	√	√	√	√	√	√	√
2-nitrotoluene	×	×	√	√	√	√	√	√
3-nitrotoluene	×	×	√	V	√	V	√	×
4-nitrotoluene	×	×	√	√	√	√	√	×
2,4-dinitrotoluene	√	×	√	√	√	1	√	√
2,6-dinitrotoluene	×	×	√	√	√	√	√	√
2,4,6-trinitrotoluene	×	×	×	√	√	V	√	√
1,3,5-trinitrobenzene	×	×	√	√	√	1	√	×
Methanol	√	×	√	√	√	√	√	√

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/10/11
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- $[7] \qquad \text{U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.} \\$
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

| Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG-	International Maritime Dangerous Goods CODE
N400	Marine was Allewald a Company to the	CODE	latera eti anni America for December Occasion
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor	HCS	Hazard Communication Standard

Version: V2.0.0.1 Revision Date: -

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.