# **Safety Data Sheet**

# 6 Mix PCB isotopic internal standards in

# hexane

Version: V2.0.0.1

Report No.: BWQ9877-2016-MSDS-US

Creation Date: 2025/09/26

Revision Date: -

\*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)



# 1 Identification

#### | Product identifier

Product Name	6 Mix PCB isotopic internal standards in hexane
Cat No.	BWQ9877-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

# Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

# Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

## | Emergency phone number

Emergency phone number	010-58103678	

# 2 Hazard(s) identification

## Hazard classification according to 29 CFR 1910.1200

Aspiration hazard	Category 1
Skin Corrosion/Irritation	Category 2
Specific target organ toxicity -	Category 3
single exposure; narcotic	
effects	
Reproductive toxicity	Category 2
Specific target organ toxicity -	Category 1
repeated exposure	

#### Label elements

Hazard pictograms	
Signal word	Danger

## | Hazard statements

H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility
H372	Causes damage to organs through prolonged or repeated exposure(nervous
	system)

# | Precautionary statements

#### Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe gas/mist/vapour/spray.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or with adequate ventilation.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.

## Response

	P321	Specific treatment (see related instructions on the label).
	P331	Do NOT induce vomiting.
	P302+P352	IF ON SKIN: Wash with plenty of water.
	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P362+P364	Take off contaminated clothing and wash it before reuse.
◆ Storage		

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

# Disposal

P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

# Other hazards

Not applicable.

# | Hazard description

Physical and chemical hazards

		No information available
<ul><li>Health hazards</li></ul>		
	Inhaled	Dizziness, Drowsiness, Dullness, Headache, Nausea, Weakness,

	Unconsciousness.	
Ingestion	Ingestion Abdominal pain. (Further see Inhalation).	
Skin Contact	Dry skin. Redness. Pain.	
Eye	Redness. Pain.	
Environmental hazards		
	Please refer to 12th chapter of SDS.	

# 3 Composition/information on ingredients

#### Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
PCB28-13C12	208263-76-7	-	0.000153
PCB52-13C12	208263-80-3	-	0.000153
PCB101-13C12	104130-39-4	-	0.000153
PCB138-13C12	208263-66-5	-	0.000153
PCB153-13C12	185376-58-3	-	0.000153
PCB180-13C12	208263-72-3	-	0.000153
N-hexane	110-54-3	203-777-6	99.999082

# 4 First-aid measures

#### Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the
	doctor in attendance.
Eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily
	possible), then take to a doctor.
Skin contact	Remove contaminated clothes. Rinse and then wash skin with water and soap.
	Refer for medical attention.
Ingestion	Rinse mouth. Do NOT induce vomiting. Rest. Refer for medical attention.
Inhalation	Fresh air, rest. Refer for medical attention.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take
	precautions to protect themselves and prevent spread of contamination.

## | Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

## Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.
- 5 Fire-fighting measures

#### | Extinguishing media

Su	itable extinguishing media	Use extinguishing media suitable for surrounding area.
Jnsu	itable extinguishing media	There is no restriction on the type of extinguisher which may be used.
Sı	pecific hazards arising fro	m the substance or mixture
1	Development of hazardous c	ombustion gases or vapor possible in the event of fire.
2	May expansion or decompose	e explosively when heated or involved in fire.
Spe	ecial protective equipment	t and precautions for fire-fighters
1	As in any fire, wear self-conta	ained breathing apparatus (MSHA/NIOSH approved or equivalent) and full
2	Fight fire from a safe distance	e, with adequate cover.
3	Prevent fire extinguishing wa	ter from contaminating surface water or the ground water system.
	Accidental release me	
Per	sonal precautions, protec	tive equipment and emergency procedures
Per		tive equipment and emergency procedures pment,do not breathe gas/mist/vapour/spray.
	Use personal protective equip	pment,do not breathe gas/mist/vapour/spray.  Remove all sources of ignition. Take precautionary measures against static
1	Use personal protective equipersonal e	pment,do not breathe gas/mist/vapour/spray.
1 2 3	Use personal protective equipersonal e	pment,do not breathe gas/mist/vapour/spray.  Remove all sources of ignition. Take precautionary measures against static
1 2 3	Use personal protective equipment of the sequence of the seque	pment,do not breathe gas/mist/vapour/spray.  Remove all sources of ignition. Take precautionary measures against static areas. Keep people away from and upwind of spill/leak.
1 2 3 Env	Use personal protective equipmental precautions  Use personal protective equipmental precautions	pment,do not breathe gas/mist/vapour/spray.  Remove all sources of ignition. Take precautionary measures against static areas. Keep people away from and upwind of spill/leak.  billage if safe to do so.
1 2 3 Env	Use personal protective equipmental precautions  Prevent further leakage or sp  Discharge into the environmental	pment,do not breathe gas/mist/vapour/spray.  Remove all sources of ignition. Take precautionary measures against static areas. Keep people away from and upwind of spill/leak.  billage if safe to do so.
1 2 3 Env	Use personal protective equipmental precautions  Prevent further leakage or sp  Discharge into the environmental	pment,do not breathe gas/mist/vapour/spray.  Remove all sources of ignition. Take precautionary measures against static areas. Keep people away from and upwind of spill/leak.  billage if safe to do so.  Int must be avoided.  Intainment and cleaning up
1 2 3 Env	Use personal protective equipmental precautions  Prevent further leakage or sp  Discharge into the environmental for co	pment,do not breathe gas/mist/vapour/spray.  Remove all sources of ignition. Take precautionary measures against static areas. Keep people away from and upwind of spill/leak.  billage if safe to do so.  nt must be avoided.  ntainment and cleaning up  as much as possible.
1 2 3 Env	Use personal protective equipmental precautions  Prevent further leakage or sponsor into the environmental precautions  Cut off the source of the leak Keep leaks in a ventilated place.	pment,do not breathe gas/mist/vapour/spray.  Remove all sources of ignition. Take precautionary measures against static areas. Keep people away from and upwind of spill/leak.  billage if safe to do so.  nt must be avoided.  ntainment and cleaning up  as much as possible.
1 2 3 Env	Use personal protective equipmental precautions  Prevent further leakage or sponscharge into the environmental precautions  Cut off the source of the leak Keep leaks in a ventilated plat Absorb spilled material in dry bunding.	pment,do not breathe gas/mist/vapour/spray.  Remove all sources of ignition. Take precautionary measures against static areas. Keep people away from and upwind of spill/leak.  billage if safe to do so.  Int must be avoided.  Intainment and cleaning up  as much as possible.  ace.

# | Precautions for safe handling

1	Handling	is	performed	in a	well	ventilated	place.

- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

# Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

# 8 Exposure controls/personal protection

# | Control parameters

◆ Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term		
		ppm	mg/m³	ppm	mg/m³	
N-hexane	Australia	20	72	-	-	
	Canada - Ontario	50	-	-	-	
	European Union	20	72	-	-	
	New Zealand	20	72	-	-	
	USA - ACGIH	50	-	-	-	
	USA - NIOSH	50	180	-	-	

# **Engineering controls**

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

# | Personal protection equipment

I I	
General requirement	
Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear appropriate chemical protective gloves.
Respiratory protection	Must wear appropriate personal respiratory protective equipment.
Skin and body protection	Must wear appropriate chemical protective clothing and chemical resistant shoes.

# Physical and chemical properties and safety characteristics

# | Physical and chemical properties

Appearance (physical state,	colorless liquid
color, etc.)	
Odor	No information available
Odor threshold	No information available
рН	No information available
Melting point/freezing point(°C)	No information available
Initial boiling point and boiling	>35
range(°C)	
Flash point(Closed cup,°C)	No information available
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive	Upper limit: No information available; Lower limit: No information available

limits[%(v/v)]	
Vapor pressure	No information available
Vapor density(Air = 1)	No information available
Relative density(Water=1)	No information available
Solubility	No information available
n-octanol/water partition	No information available
coefficient	
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Kinematic viscosity	No information available

# 10 Stability and reactivity

# | Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous	In contact with an open flame may cause a fire or explosion.
reactions	
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Oxidantss and halogen.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

# 11 Toxicological information

# Acute toxicity

Component	LD <sub>50</sub> (oral)	LD <sub>50</sub> (dermal)	LC <sub>50</sub> (inhalation,4h)
N-hexane	25000mg/kg(Rat)	No information available	169.188mg/L(Rat)

# | Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
PCB28-13C12	Not Listed	Not Listed	Not Listed
PCB52-13C12	Not Listed	Not Listed	Not Listed
PCB101-13C12	Not Listed	Not Listed	Not Listed
PCB138-13C12	Not Listed	Not Listed	Not Listed
PCB153-13C12	Not Listed	Not Listed	Not Listed
PCB180-13C12	Not Listed	Not Listed	Not Listed
N-hexane	Not Listed	Not Listed	Not Listed

# Others

	6 Mix PCB isotopic internal standards in hexane
Skin corrosion/irritation	Causes skin irritation(Category 2)

Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility(Category 2)
STOT-single exposure	May cause drowsiness or dizziness(Category 3)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure(nervous system)(Category 1)
Aspiration hazard	May be fatal if swallowed and enters airways(Category 1)
Germ cell mutagenicity	Based on available data, the classification criteria are not met

# Ecological information

# Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
N-hexane	LC <sub>50</sub> : 57.8mg/L (96h)(Fish)	No information available	No information available

# | Chronic aquatic toxicity

Chronic aquatic toxicity No information available

# | Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)			
N-hexane	Low	Low			

# | Bioaccumulative potential

Component	Bioaccumulative potential	Comments			
N-hexane	Medium	Log Kow=3.9			

# Mobility in soil

Component	log Koc	Remark			
N-hexane	≥2.37 - ≤3.16	20 °C, pH=7.0			

# 13 Disposal considerations

# | Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and
	regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

# 14 Transport information

# Label and Mark

Transporting Label Not applicable

#### IMDG-CODE

IMDG-CODE | NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### IATA-DGR

IATA-DGR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

Transport in bulk in accordance with the IGC Code

Not Available

#### Others

**Precautions for transport** 

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

# 15 Regulatory information

#### International chemical inventory

Component	A	В	С	D	E	F	G	Н	ı	J	K	L	М
PCB28-13C12	×	×	×	×	×	×	×	×	×	×	×	×	×
PCB52-13C12	×	×	×	×	×	×	×	×	×	×	×	×	×
PCB101-13C12	×	×	×	×	×	×	×	×	×	×	×	×	×
PCB138-13C12	×	×	×	×	×	×	×	×	×	×	×	×	×
PCB153-13C12	×	×	×	×	×	×	×	×	×	×	×	×	×
PCB180-13C12	×	×	×	×	×	×	×	×	×	×	×	×	×
N-hexane	√	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	√	√	<b>√</b>	<b>√</b>	√	√	<b>√</b>	<b>√</b>

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- 【G】 Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)

- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

## List of Chemical Substances under International Conventions

Component	A	В	С
PCB28-13C12	×	×	×
PCB52-13C12	×	×	×
PCB101-13C12	×	×	×
PCB138-13C12	×	×	×
PCB153-13C12	×	×	×
PCB180-13C12	×	×	×
N-hexane	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

## US chemical inventory

Component	Α	В	С	D	Е	F	G	Н
PCB28-13C12	×	×	×	×	×	×	×	×
PCB52-13C12	×	×	×	×	×	×	×	×
PCB101-13C12	×	×	×	×	×	×	×	×
PCB138-13C12	×	×	×	×	×	×	×	×
PCB153-13C12	×	×	×	×	×	×	×	×
PCB180-13C12	×	×	×	×	×	×	×	×
N-hexane	√	×	<b>√</b>	<b>√</b>	<b>√</b>	√	√	√

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

#### Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

# 16 Other information

## Information on revision

<u>•</u>	
Creation Date	2025/09/26
Revision Date	-
Reason for revision	-

#### Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

### Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC <sub>50</sub>	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD <sub>50</sub>	Lethal Dose 50%	NTP	National Toxicology Program
EC <sub>50</sub>	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
$EC_X$	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	RespiratoryProtective Equipment
ED	Endocrine dis ruptor	HCS	Hazard Communication Standard

#### Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.