Safety Data Sheet

TISAB buffer solution

Version: V2.0.0.1

Report No.: BWR5053-2016-MSDS-US

Creation Date: 2025/10/15

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1 Identification	on
------------------	----

| Product identifier

Product Name	TISAB buffer solution
Cat No.	BWR5053-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang
	City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

Emorgonev	nhone number	010-58103678
Emerdency	phone number	010-58103678

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Flammable liquids	Category 3
Skin corrosion/irritation	Category 1A
Serious eye damage/irritation	Category 1

Label elements

Laberelements	
Hazard pictograms	
Signal word	Danger

Н	1272	ard	state	ma	nte
	Iazc	uч	State		HLD

H226	Flammable liquid and vapour
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

| Precautionary statements

Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe gas/mist/vapour/spray.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.

Response

P321	Specific treatment (see related instructions on the label).
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P370+P378	Small fire: dry chemical, CO_2 or water spray; Large fire: dry chemical, CO_2 , alcohol-resistant foam or water spray; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Do not get water inside containers.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

P405	Store locked up.
P403+P235	Store in a well-ventilated place. Keep cool.
▲ Dianopal	

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

Other hazards

Not	app	lica	ble.
-----	-----	------	------

| Hazard description

Physical and chemical hazards

	Flammable liquids, its vapor and air mixture can form explosive mixture.
Health hazards	

Inhaled	Corrosive product can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	The product can cause severe skin burns following direct contact with the skin.
Eye	The product can produce severe chemical burns to the eye following direct contact. If timely and appropriate treatment is not available may cause permanent blindness.
Environmental hazards	
	Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Acetic acid	64-19-7	200-580-7	6.27
Sodium chloride	7647-14-5	231-598-3	6.19
Trisodium citrate	68-04-2	200-675-3	0.272
Sodium hydroxide	1310-73-2	215-185-5	3.37
Mercury dichloride	7487-94-7	231-299-8	0.00054
Water	7732-18-5	231-791-2	83.89

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

| Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

1	Treat symptomatically.

2 Symptoms may be delayed.

Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Small fire: dry chemical, CO ₂ or water spray; Large fire: dry chemical, CO ₂ ,			
	alcohol-resistant foam or water spray; Fire involving tanks, rail tank cars or			
	highway tanks: Fight fire from maximum distance or use unmanned master			
	stream devices or monitor nozzles. Cool containers with flooding quantities of			
	water until well after fire is out. Do not get water inside containers.			
Unsuitable extinguishing media	No information available.			

Specific hazards arising from the substance or mixture

- 1 Fire may produce irritating, poisonous or corrosive gases.
- 2 Development of hazardous combustion gases or vapor possible in the event of fire.
- 3 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire.
- 2 Do not touch or walk through spilled material.
- 3 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- 4 Use personal protective equipment, do not breathe gas/mist/vapour/spray.
- 5 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 6 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

1

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- It is recommended that emergency personnel wear a self-contained breathing apparatus with positive pressure and wear anti-corrosion clothing.
 - 3 Transfer to a tank truck or special collector with a corrosion-resistant pump.
 - 4 Do not touch broken containers and spills before putting on appropriate protective clothing.
- 5 Cut off the source of the leak as much as possible.
- 6 Keep leaks in a ventilated place.

Do not touch or cross spills.

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 8 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
- 9 Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in

container.

7 Handling and storage

Precautions for safe handling

1	Handling is performed in a well ventilated place) .
---	--	------------

- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

1 Keep conta	iners tightly closed.
--------------	-----------------------

- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

| Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Acetic acid	Japan - JSOH(2024–202 5)	10	25	-	-
	Permissible exposure standards for workers in the workplace	10	25	15	37.5
	Australia	10	25	15	37
	Canada - Ontario	10	-	15	-
	European Union	10	25	20	50
	New Zealand	10	25	15	37
Sodium hydroxide	Japan - JSOH(2024–202 5)	-	-	-	-
	Permissible exposure standards for workers in the workplace	-	2	-	4
	Australia	-	-	-	2
	Canada - Ontario	-	-	-	2
	New Zealand	-	-	-	2
	USA - NIOSH	-	-	-	2
Mercury dichloride	Permissible exposure standards for	-	0.05(as Hg)	-	0.15(as Hg

workers in the workplace				
Canada - Ontario	-	0.025	-	-
European Union	-	0.02	-	-
USA - ACGIH	-	0.025(as Hg)	-	-
Finland	-	0.02	-	-
Latvia	-	0.02	-	-

| Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement		
Eye protection	Must wear appropriate anti-corrosion goggles.	
Hand protection	Must wear acid and alkali resistant chemical protective gloves.	
Respiratory protection	Must wear appropriate personal respiratory protective equipment.	
Skin and body protection	Must wear anti static chemical protective clothing and anti static shoes.	

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

Appearance (physical state, color, etc.) Odor No information available Odor threshold No information available pH 2.9 (Acetic acid) Melting point/freezing point(°C) 16.7 (Acetic acid) Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) 39 (Acetic acid) Evaporation rate No information available Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 1.5kPa (20°C ,Acetic acid) Vapor density(Air = 1) 2.1 (Acetic acid) Relative density(Water=1) 1.05 (Acetic acid) outper flowing in the flam available flam ava		
Odor threshold PH 2.9 (Acetic acid) Melting point/freezing point(°C) 16.7 (Acetic acid) Initial boiling point and boiling range(°C) Flash point(Closed cup,°C) 39 (Acetic acid) Evaporation rate No information available Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 1.5kPa (20°C ,Acetic acid) Vapor density(Air = 1) 2.1 (Acetic acid) Relative density(Water=1) 1.05 (Acetic acid) Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition 1.05 (Acetic acid)		Clear, colorless liquid
Odor threshold pH 2.9 (Acetic acid) Melting point/freezing point(°C) 16.7 (Acetic acid) Initial boiling point and boiling range(°C) Flash point(Closed cup,°C) 39 (Acetic acid) Evaporation rate No information available Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 1.5kPa (20°C ,Acetic acid) Vapor density(Air = 1) 2.1 (Acetic acid) Relative density(Water=1) 1.05 (Acetic acid) Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition -0.17 (Acetic acid)	color, etc.)	
Melting point/freezing point(°C) Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) Evaporation rate No information available Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure Vapor density(Air = 1) Relative density(Water=1) Solubility 1.5 (Acetic acid) 1.05 (Acetic acid) 8.0 (Acetic acid) 1.05 (Acetic acid) 8.0 (Acetic acid) 1.05 (Acetic acid) 8.0 (Acetic acid) 1.05 (Acetic acid) 8.0 (Acetic acid) 1.05 (Acetic acid) 1.05 (Acetic acid) 8.0 (Acetic acid) 1.05 (Acetic acid)	Odor	No information available
Melting point/freezing point(°C) Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) Flash point(Closed cup, °C) Sequence of the point point and boiling range(°C) Flash point(Closed cup, °C) Sequence of the point point point and boiling range(°C) We provided the point point point and boiling range(°C) Sequence of the point point and boiling range(°C) We point point point and boiling range(°C) Sequence of the point point and boiling range of the point point point point and boiling range of the point point point point and boiling range of the point	Odor threshold	No information available
Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) Evaporation rate Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure Vapor density(Air = 1) Relative density(Water=1) Solubility 118 (Acetic acid) Wo information available Upper limit : 17 (Acetic acid); Lower limit : 6.0 (Acetic acid) Vapor density(Air = 1) Solubility Company Compa	рН	2.9 (Acetic acid)
range(°C) Flash point(Closed cup, °C) 89 (Acetic acid) Evaporation rate No information available Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 1.5kPa (20°C ,Acetic acid) Vapor density(Air = 1) Relative density(Water=1) Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition 39 (Acetic acid) No information available Upper limit : 17 (Acetic acid); Lower limit : 6.0 (Acetic acid) 1.5kPa (20°C ,Acetic acid) 802900mg/L (25 °C,Acetic acid) -0.17 (Acetic acid)	Melting point/freezing point(°C)	16.7 (Acetic acid)
Flash point(Closed cup, °C) 39 (Acetic acid) Evaporation rate No information available Flammability No information available Upper/lower explosive Upper limit : 17 (Acetic acid); Lower limit : 6.0 (Acetic acid) Vapor pressure 1.5kPa (20°C ,Acetic acid) Vapor density(Air = 1) 2.1 (Acetic acid) Relative density(Water=1) 1.05 (Acetic acid) Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition -0.17 (Acetic acid)	Initial boiling point and boiling	118 (Acetic acid)
Evaporation rate Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 1.5kPa (20°C ,Acetic acid) Vapor density(Air = 1) Relative density(Water=1) Solubility 1.05 (Acetic acid) Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition No information available No information available Upper limit : 17 (Acetic acid) ; Lower limit : 6.0 (Acetic acid) 1.5kPa (20°C ,Acetic acid) 2.1 (Acetic acid) 602900mg/L (25 °C,Acetic acid) -0.17 (Acetic acid)	range(°C)	
Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 1.5kPa (20°C ,Acetic acid) Vapor density(Air = 1) 2.1 (Acetic acid) Relative density(Water=1) 1.05 (Acetic acid) Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition -0.17 (Acetic acid)	Flash point(Closed cup,°C)	39 (Acetic acid)
Upper/lower explosive limits : 17 (Acetic acid); Lower limit : 6.0 (Acetic acid) Vapor pressure 1.5kPa (20°C ,Acetic acid) Vapor density(Air = 1) 2.1 (Acetic acid) Relative density(Water=1) 1.05 (Acetic acid) Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition -0.17 (Acetic acid)	Evaporation rate	No information available
limits[%(v/v)] Vapor pressure 1.5kPa (20°C ,Acetic acid) Vapor density(Air = 1) Relative density(Water=1) Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition -0.17 (Acetic acid)	Flammability	No information available
Vapor pressure 1.5kPa (20°C ,Acetic acid) Vapor density(Air = 1) 2.1 (Acetic acid) Relative density(Water=1) 1.05 (Acetic acid) Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition -0.17 (Acetic acid)	Upper/lower explosive	Upper limit: 17 (Acetic acid); Lower limit: 6.0 (Acetic acid)
Vapor density(Air = 1) Relative density(Water=1) Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition -0.17 (Acetic acid)	limits[%(v/v)]	
Relative density(Water=1) Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition -0.17 (Acetic acid)	Vapor pressure	1.5kPa (20°C ,Acetic acid)
Solubility 602900mg/L (25 °C,Acetic acid) n-octanol/water partition -0.17 (Acetic acid)	Vapor density(Air = 1)	2.1 (Acetic acid)
n-octanol/water partition -0.17 (Acetic acid)	Relative density(Water=1)	1.05 (Acetic acid)
	Solubility	602900mg/L (25 °C,Acetic acid)
coefficient	n-octanol/water partition	-0.17 (Acetic acid)
	coefficient	

Auto-ignition temperature(°C)	485 (Acetic acid)
Decomposition temperature(°C)	No information available
Kinematic viscosity	No information available

10 Stability and reactivity

Stability and reactivity

•	
Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	Flammable, its gas or powder, if in contact with air, may form explosive mixtures. React violently with acids, phenols or alcohols. In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Metal alkoxides, furfuryl alcohol, acetaldehyde, nitric acid, nitrate, nitrite, oxyacid salt halogen and inorganic peroxide. Acids, phenols, alcohols and nitro substituted hydrocarbon. Alkali, sodium, calcium, and other active metal, halogen metal oxide, nonmetal oxide, acyl halide and metal phosphide.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Mercury dichloride	1mg/kg(Rat)	41mg/kg(Rat)	No information available
Acetic acid	3310mg/kg(Rat)	1130mg/kg(Rabbit)	No information available
Sodium chloride	3000mg/kg(Rat)	> 10000mg/kg(Rabbit)	No information available

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Acetic acid	Not Listed	Not Listed	Not Listed
Sodium chloride	Not Listed	Not Listed	Not Listed
Trisodium citrate	Not Listed	Not Listed	Not Listed
Sodium hydroxide	Not Listed	Not Listed	Not Listed
Mercury dichloride	Category 3	Not Listed	Not Listed
Water	Not Listed	Not Listed	Not Listed

Others

TISAB buffer solution			
Skin corrosion/irritation Causes severe skin burns and eye damage(Category 1A)			
Serious eye damage/irritation Causes serious eye damage(Category 1)			
Skin sensitization	Based on available data, the classification criteria are not met		
Respiratory sensitization	Based on available data, the classification criteria are not met		

Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met

12 Ecological information

| Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
			plants
Mercury dichloride	LC ₅₀ : 0.214mg/L	EC ₅₀ : 0.01mg/L	ErC ₅₀ : 0.14mg/L
	(96h)(Fish)	(48h)(Crustaceans)	(96h)(Algae)
Trisodium citrate	LC ₅₀ :590mg/L (96h)(Fish)	No information available	No information available
Acetic acid	LC ₅₀ : 300.82mg/L	EC ₅₀ : 65mg/L	No information available
	(96h)(Fish)	(48h)(Crustaceans)	
Sodium chloride	LC ₅₀ : 5840mg/L	EC ₅₀ : 2120mg/L	No information available
	(96h)(Fish)	(48h)(Crustaceans)	
Sodium hydroxide	LC ₅₀ :196mg/L (96h)(Fish)	EC ₅₀ : 40.4mg/L	No information available
		(48h)(Crustaceans)	

| Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Acetic acid	NOEC: 34.3	No information available	No information available
	~57.2mg/L(Fish)		

| Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
Acetic acid	Low	Low
Sodium chloride	Low	Low

| Bioaccumulative potential

Component	Bioaccumulative potential	Comments
Acetic acid	Low	Log Kow=-0.17
Sodium chloride	Low	Log Kow=0.5392

| Mobility in soil

Component	log Koc	Remark
Acetic acid	0.06	20 ℃
Sodium chloride	1.155	

13 Disposal considerations

Disposal considerations

Waste chemicals | Before disposal should refer to the relevant national and local laws and

	regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label



IMDG-CODE

UN number	2790	
UN proper shipping name	ACETIC ACID SOLUTION	more than 10% and less than 50% acid, by mass
Transport hazard class	8	
Transport subsidiary hazard	None	
class		
Packing group	ш	
Marine pollutant (Yes or no)	No	

IATA-DGR

UN number	2790
UN proper shipping name	ACETIC ACID SOLUTION, more than 10% but less than 50% acid, by mass
Transport hazard class	8
Transport subsidiary hazard	None
class	
Packing group	ш

UN-ADR

UN number	2790
UN proper shipping name	ACETIC ACID SOLUTION, more than 10% and less than 50% acid, by mass
Transport hazard class	8
Transport subsidiary hazard	None
class	
Packing group	ш

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

15 Regulatory information

International chemical inventory

Component	Α	В	С	D	Е	F	G	Н	I	J	K	L	M
Acetic acid	√	√	√	√	√	√	V	√	√	√	√	√	V
Sodium chloride	√	√	√	√	√	√	√	√	√	√	√	√	V
Trisodium citrate	√	√	√										
Sodium hydroxide	√	√	√	√	√	√	√	√	√	√	√	√	V
Mercury dichloride	√	V	√	√	√	√	√	√	√	√	√	√	V
Water	√	√	√	√	√	√	V	√	√	√	√	√	1

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZIoC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- **[G]** Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Acetic acid	×	×	×
Sodium chloride	×	×	×
Trisodium citrate	×	×	×
Sodium hydroxide	×	×	×
Mercury dichloride	×	×	
Water	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Acetic acid	×	×	√	√	√	√	√	×
Sodium chloride	×	×	×	×	×	×	×	×

Trisodium citrate	×	×	×	×	×	×	×	×
Sodium hydroxide	×	×	√	√	√	V	√	×
Mercury dichloride	×	√	×	V	V	V	√	×
Water	×	×	×	×	×	×	×	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/10/15
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD_{50}	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor	HCS	Hazard Communication Standard

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of

information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.