Safety Data Sheet

Acrylamide Crystals quality control in

cosmetics

Version: V2.0.0.1

Report No.: BWS0067-2016-MSDS-US

Creation Date: 2025/10/14

Revision Date: -

*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)



1 Identification

| Product identifier

Product Name	Acrylamide Crystals quality control in cosmetics
Cat No.	BWS0067-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

Emergency phone number 0	10-58103678
----------------------------	-------------

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

According to OSHA HCS-2024, not classified as a hazardous chemical.

Label elements

Hazard pictograms	Not applicable
Signal word	Not applicable

| Hazard statements

Hazard statements	Not applicable

| Precautionary statements

Prevention

Prevention | Not applicable

Response

Response Not applicable

Storage

Storage Not applicable

Disposal

Disposal Not applicable

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

No information available

Health hazards

Inhaled	Inhalation of the product may produce adverse health effects or irritation of the	
	respiratory tract following discomfort.	
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.	
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may	
	produce systemic injury with harmful effects.	
Eye	This product may cause temporary discomfort following direct contact with the eye.	

Environmental hazards

Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Acrylamide	79-06-1	201-173-7	0.0005
I	/	/	99.9995

4 First-aid measures

Description of first aid measures

Decemplion of motivate measures		
General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.	
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.	
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.	

Version: V2.0.0.1 Revision Date: -

bunding.

container.

4 5

Acry	lamide Crystals quality contro	l in cosmetics	Version: V2.0.0.1 Revision Date:
	Inhalation	mouth resuscitation if v	air. If breathing is difficult, give oxygen. Do not use mouth to ctim ingested or inhaled the substance. If not breathing, and consult a physician immediately.
	Protecting of first-aiders		rsonnel are aware of the substance involved. Take hemselves and prevent spread of contamination.
Мо	st important symptoms/e	ffects, acute and dela	ayed
1	Substance accumulation, in long-term occupational expo	•	ccur and may cause some concern following repeated or
Ind	lication of any immediate	medical attention an	d special treatment needed
1	Treat symptomatically.		
2	Symptoms may be delayed.		
5	Fire-fighting measure	es	
Ext	tinguishing media		
Sui	itable extinguishing media	Use extinguishing medi	a suitable for surrounding area.
	Unsuitable extinguishing media	There is no restriction of	on the type of extinguisher which may be used.
S	pecific hazards arising fr	om the substance or	mixture
1	Development of hazardous	combustion gases or vap	or possible in the event of fire.
2	May expansion or decompo	se explosively when hea	ted or involved in fire.
Sp	ecial protective equipme	nt and precautions fo	r fire-fighters
1	As in any fire, wear self-con protective gear.	tained breathing apparat	us (MSHA/NIOSH approved or equivalent) and full
2	Fight fire from a safe distan	ce, with adequate cover.	
3	Prevent fire extinguishing w	ater from contaminating	surface water or the ground water system.
6	Accidental release m	neasures	
Pe	rsonal precautions, prote	ctive equipment and	emergency procedures
1	Use personal protective equ	uipment,do not breathe g	as/mist/vapour/spray.
2	Ensure adequate ventilation discharges.	. Remove all sources of	ignition. Take precautionary measures against static
3	Evacuate personnel to safe	areas. Keep people awa	y from and upwind of spill/leak.
En	vironmental precautions		
1	Prevent further leakage or s	spillage if safe to do so.	
2	Discharge into the environm	ent must be avoided.	
Me	thods and materials for c	ontainment and clear	ning up
1	Cut off the source of the lea		
2	Keep leaks in a ventilated p	·	
3	Absorb spilled material in di	y sand or inert absorben	. In case of large amount of spillage, contain a spill by

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in

7 Handling and storage

| Precautions for safe handling

1	Handling is performed in a well ventilated place.
2	Wear suitable protective equipment.
3	Avoid contact with skin and eyes.

Version: V2.0.0.1 Revision Date: -

4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

| Control parameters

◆Occupational exposure limit values

Component	Country/Region	Country/Region Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Acrylamide	Japan - JSOH(2024–202 5)	-	0.1	-	-
	Permissible exposure standards for workers in the workplace	-	0.03	-	0.09
	Australia	-	0.03	-	-
	Canada - Ontario	-	0.03	-	-
	European Union	-	0.1	-	-
	New Zealand	-	0.0015	-	-

| Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement	No special requirements, please see the description below.
Eye protection	In general situation, eye protection is not needed. In the production process, when contacting with vapour or dust, tightly fitting safety goggles.
Hand protection	In general situation, hand protection is not needed.
Respiratory protection	In general situation, respiratory protection is not needed. If exposure limits are exceeded or if irritation or other symptoms are experienced, wear dust proof mask or gas defence mask.

Skin and body protection In general situation, skin and body protection are not needed.

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

Appearance (physical state, color, etc.) Odor Odor No information available Melting point/freezing point(°C) Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) Flash point(Closed cup, °C) Evaporation rate No information available Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 0.9Pa (25°C,Acrylamide) Vapor density(Air = 1) Relative density(Water=1) Solubility 2155g/L (30 °C(pH=7),Acrylamide) n-octanol/water partition coefficient Auto-ignition temperature(°C) Kinematic viscosity No information available No information available Vapor density(No information available) No information available No information available		
Odor threshold Odor threshold PH So.~7.0 (20°C, 50g/L,Acrylamide) 84.5 (Acrylamide) 84.5 (Acrylamide) 84.5 (Acrylamide) Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) Flash point(Closed cup, °C) Flammability Upper/lower explosive limits[%(v/v)] Vapor pressure Vapor density(Air = 1) Relative density(Water=1) Solubility No information available 1.13 (Acrylamide) 2.45 (Acrylamide) Relative density(Water=1) Solubility n-octanol/water partition coefficient Auto-ignition temperature(°C) Decomposition temperature(°C) No information available No information available; Lower limit: No information available imperature(°C) Vapor density(Air = 1) Solubility 1.13 (Acrylamide) -0.78 (Acrylamide) No information available	Appearance (physical state,	Colorless transparent oily liquid
Odor threshold pH 5.0~7.0 (20°C, 50g/L,Acrylamide) 84.5 (Acrylamide) 84.5 (Acrylamide) 84.5 (Acrylamide) 125 (Acrylamide) 125 (Acrylamide) Flash point(Closed cup, °C) Flash point(Closed cup, °C) 138 (Acrylamide) Evaporation rate No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 0.9Pa (25°C,Acrylamide) Vapor density(Air = 1) Relative density(Water=1) 1.13 (Acrylamide) 1.13 (Acrylamide) Relative density(Water=1) n-octanol/water partition coefficient Auto-ignition temperature(°C) Decomposition temperature(°C) No information available	color, etc.)	
Melting point/freezing point(°C) Initial boiling point and boiling range(°C) Flash point(Closed cup,°C) Flash point(Closed cup,°C) Evaporation rate No information available Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 0.9Pa (25°C,Acrylamide) Vapor density(Air = 1) Relative density(Water=1) Solubility 2155g/L (30 °C(pH=7),Acrylamide) n-octanol/water partition coefficient Auto-ignition temperature(°C) Pecomposition temperature(°C) Ne Acrylamide (PH=7), Acrylamide) Decomposition temperature(°C) No information available	Odor	No information available
Melting point/freezing point(°C) Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) Evaporation rate Flammability Upper/lower explosive limits[%(v/v)] Vapor pressure Vapor density(Air = 1) Solubility Relative density(Water=1) No information available 1.13 (Acrylamide) 2.45 (Acrylamide) Relative density(Water=1) n-octanol/water partition coefficient Auto-ignition temperature(°C) Auto-ignition temperature(°C) No information available 1.25 (Acrylamide) No information available ; Lower limit : No information available ; Lower limit : No information available in information available in information available in information available i	Odor threshold	No information available
point(°C) Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) 138 (Acrylamide) Evaporation rate No information available Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 0.9Pa (25°C,Acrylamide) Vapor density(Air = 1) 2.45 (Acrylamide) Relative density(Water=1) 1.13 (Acrylamide) Solubility 2155g/L (30 °C(pH=7),Acrylamide) n-octanol/water partition coefficient Auto-ignition temperature(°C) 424 (Acrylamide) Decomposition temperature(°C) No information available	рН	5.0~7.0 (20°C, 50g/L,Acrylamide)
range(°C) Flash point(Closed cup, °C) Evaporation rate No information available Flammability Upper/lower explosive limits[%(v/v)] Vapor pressure Vapor density(Air = 1) Relative density(Water=1) Solubility No information available ; Lower limit : No information available ;	• • • • • • • • • • • • • • • • • • • •	84.5 (Acrylamide)
Evaporation rate Flammability Upper/lower explosive limits[%(v/v)] Vapor pressure Vapor density(Air = 1) Solubility n-octanol/water partition coefficient Auto-ignition temperature(°C) Plammability No information available Upper limit : No information available ; Lower limit : No information available Upper limit : No information available ; Lower limit : No information available Upper limit : No information available ; Lower limit : No information available Upper limit : No information available ; Lower limit : No information available Upper limit : No information available ; Lower limit : No information available		125 (Acrylamide)
Flammability Upper/lower explosive Upper limit : No information available ; Lower limit : No information available Vapor pressure 0.9Pa (25°C,Acrylamide) Vapor density(Air = 1) 2.45 (Acrylamide) Relative density(Water=1) 1.13 (Acrylamide) Solubility 2155g/L (30 °C(pH=7),Acrylamide) n-octanol/water partition coefficient Auto-ignition temperature(°C) 424 (Acrylamide) Decomposition temperature(°C) No information available	Flash point(Closed cup,°C)	138 (Acrylamide)
Upper/lower explosive limits: No information available; Lower limit: No information available Vapor pressure	Evaporation rate	No information available
Vapor pressure 0.9Pa (25°C,Acrylamide)	Flammability	No information available
Vapor density(Air = 1) Relative density(Water=1) Solubility 1.13 (Acrylamide) 2155g/L (30 °C(pH=7),Acrylamide) n-octanol/water partition	· · · · · · · · · · · · · · · · · · ·	Upper limit: No information available; Lower limit: No information available
Relative density(Water=1) Solubility 1.13 (Acrylamide) 2155g/L (30 °C(pH=7),Acrylamide) n-octanol/water partition coefficient Auto-ignition temperature(°C) Decomposition temperature(°C) No information available	Vapor pressure	0.9Pa (25°C,Acrylamide)
Solubility 2155g/L (30 °C(pH=7),Acrylamide) n-octanol/water partition coefficient Auto-ignition temperature(°C) 424 (Acrylamide) Decomposition temperature(°C) No information available	Vapor density(Air = 1)	2.45 (Acrylamide)
n-octanol/water partition coefficient Auto-ignition temperature(°C) Decomposition temperature(°C) No information available	Relative density(Water=1)	1.13 (Acrylamide)
coefficient Auto-ignition temperature(°C) 424 (Acrylamide) Decomposition temperature(°C) No information available	Solubility	2155g/L (30 °C(pH=7),Acrylamide)
Decomposition temperature(°C) No information available	· ·	-0.78 (Acrylamide)
temperature(°C)	Auto-ignition temperature(°C)	424 (Acrylamide)
Kinematic viscosity No information available	· ·	No information available
	Kinematic viscosity	No information available

10 Stability and reactivity

| Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	Hydrolyzes into acids and amine(ammonia) if catalyzed by acids or alkalis.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Acids, alkalis, oxidants, ammonia, isocyanate, phenol and cresol.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Acrylamide	124mg/kg(Rat)	400mg/kg(Rat)	No information available

| Carcinogenicity

Component	List of carcinogens by	Report on Carcinogens	OSHA Carcinogen List
	the IARC Monographs	by NTP	
Acrylamide	Category 2A(Remark 1)	Category R	Not Listed
I	Not Listed	Not Listed	Not Listed

Version: V2.0.0.1 Revision Date: -

Remark 1: Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data

Others

A	crylamide Crystals quality control in cosmetics
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met

12 Ecological information

| Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Acrylamide	LC ₅₀ :180mg/L (96h)(Fish)	EC ₅₀ : 98mg/L (48h)(Crustaceans)	No information available

| Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Acrylamide	NOEC: 5mg/L(Fish)	No information available	No information available

| Persistence and degradability

Persistence and degradability No information available

Bioaccumulative potential

Bioaccumulative potential No information available

| Mobility in soil

Mobility in soil No information available

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation.
	Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot

	and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

Version: V2.0.0.1 Revision Date: -

14 Transport information

Label and Mark

Transporting Label | Not applicable

IMDG-CODE

IMDG-CODE NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

IATA-DGR

IATA-DGR | NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

15 Regulatory information

International chemical inventory

Component	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Acrylamide	√	V	√	√	√	√	√	V	V	√	V	√	√
1	×	×	×	×	×	×	×	×	×	×	×	×	×

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)

[M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Acrylamide	×	×	×
1	×	×	×

Version: V2.0.0.1 Revision Date: -

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Acrylamide	√	√	√	√	√	√	√	√
1	×	×	×	×	×	×	×	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/10/14
Revision Date	
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization

PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	RespiratoryProtective Equipment
ED	Endocrine disruptor	HCS	Hazard Communication Standard

Version: V2.0.0.1 Revision Date: -

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.