Safety Data Sheet

Natrium of milk powder

Version: V2.0.0.1

Report No.: BWS0092-2016-MSDS-US

Creation Date: 2025/11/24

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1	Identification
	Tuerillicalion

| Product identifier

Product Name	Natrium of milk powder
Cat No.	BWS0092-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

Emergency phone number	010-58103678
Emergency bhone number	∥ ∪ IU-30 IU3070

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Skin corrosion/irritation	Category 1C
Serious eye damage/irritation	Category 1

Label elements

1	
Hazard pictograms	
Signal word	Danger

| Hazard statements

Substance/mixture

Mixture

latrium of milk powder	Version: V2.0.0.1 Revision Date:
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
Precautionary statements	
Prevention	
P260	Do not breathe dust/fume.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
◆ Response	
P321	Specific treatment (see information on this label and safety data sheet).
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	
P405	Store locked up.
◆ Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	
	Not applicable.
Hazard description	
 Physical and chemical haz 	ards
	No information available
♦ Health hazards	
Inhaled	Corrosive product can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individua
Skin Contact	The product can cause severe skin burns following direct contact with the skin.
Еуе	The product can produce severe chemical burns to the eye following direct contact. If timely and appropriate treatment is not available may cause permane blindness.
 Environmental hazards 	
	Please refer to 12th chapter of SDS.
3 Composition/information	tion on ingredients

Component	CAS No.	EC No.	Concentration (wt, %)
Milk powder	/	-	99.685
Sodium	7440-23-5	231-132-9	0.315

First-aid measures

Description of first aid measures

<u>'</u>	
General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

5 Fire-fighting measures

| Extinguishing media

·	
Suitable extinguishing media	Small fire: dry chemical, CO ₂ or water spray; Large fire: dry chemical, CO ₂ ,
	alcohol-resistant foam or water spray; Fire involving tanks, rail tank cars or
	highway tanks: Fight fire from maximum distance or use unmanned master
	stream devices or monitor nozzles. Cool containers with flooding quantities of
	water until well after fire is out. Do not get water inside containers.
Unsuitable extinguishing media	No information available.

Specific hazards arising from the substance or mixture

1	Fire may produce irritating, poisonous or corrosive gases.
2	Development of hazardous combustion gases or vapor possible in the event of fire.
3	May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

1	As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full
	protective gear.
2	Fight fire from a safe distance, with adequate cover.
3	Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire.
- 2 Do not touch or walk through spilled material.
- 3 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- 4 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 5 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 6 Use personal protective equipment, do not breathe dust/fume.

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- 1 Isolation of contaminated areas and restrictions on access.
- 2 It is recommended that emergency personnel wear dust masks and wear anti-corrosion clothing.
- 3 Do not touch broken containers and spills before putting on appropriate protective clothing.
- 4 Cover the spill with a plastic sheet to reduce scattering.
- 5 Cut off the source of the leak as much as possible.
- 6 Keep leaks in a ventilated place.
- 7 It is recommended that emergency personnel wear dust masks.
- 8 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container away from the leak.
- 9 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

7 Handling and storage

Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

Control parameters

Occupational exposure limit values

Occupational Exposure limit	No relevant regulations
values	

| Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.

Version: V2.0.0.1 Revision Date: -

4 Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement	
Eye protection	Must wear appropriate anti-corrosion goggles.
Hand protection	Must wear acid and alkali resistant chemical protective gloves.
Respiratory protection	Must wear appropriate personal respiratory protective equipment.
Skin and body protection	Must wear acid and alkali resistant chemical protective clothing.

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

Appearance (physical state,	Light yellow, solid
color, etc.)	
Odor	No information available
Odor threshold	No information available
рН	14 (Sodium)
Melting point/freezing point(°C)	97.4 (Sodium)
Initial boiling point and boiling	880 (Sodium)
range(°C)	
Flash point(Closed cup, °C)	Not applicable
Evaporation rate	Not applicable
Flammability	No information available
Upper/lower explosive	Upper limit: No information available; Lower limit: No information available
limits[%(v/v)]	
Vapor pressure	Not applicable
Vapor density(Air = 1)	Not applicable
Relative density(Water=1)	0.97 (Sodium)
Solubility	No information available
n-octanol/water partition	No information available
coefficient	
Auto-ignition temperature(°C)	120~125 (Sodium)
Decomposition temperature(°C)	No information available
Kinematic viscosity	Not applicable

10 Stability and reactivity

| Stability and reactivity

•	
Reactivity	Contact with incompatible substances can cause decomposition or other
	chemical reactions.

Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	No information available.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Water, carbon dioxide, halocarbon, halogen, interhalogen, metal halide, non-metal oxides, acids, mercury and hydrazine.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

Version: V2.0.0.1 Revision Date: -

11 Toxicological information

Acute toxicity

Acute toxicity No information available

| Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Milk powder	Not Listed	Not Listed	Not Listed
Sodium	Not Listed	Not Listed	Not Listed

Others

Natrium of milk powder		
Skin corrosion/irritation	Causes severe skin burns and eye damage(Category 1C)	
Serious eye damage/irritation	Causes serious eye damage(Category 1)	
Skin sensitization	Based on available data, the classification criteria are not met	
Respiratory sensitization	Based on available data, the classification criteria are not met	
Reproductive toxicity	Based on available data, the classification criteria are not met	
STOT-single exposure	Based on available data, the classification criteria are not met	
STOT-repeated exposure	Based on available data, the classification criteria are not met	
Aspiration hazard	Based on available data, the classification criteria are not met	
Germ cell mutagenicity	Based on available data, the classification criteria are not met	

12 Ecological information

Acute aquatic toxicity

Acute aquatic toxicity | No information available

| Chronic aquatic toxicity

Chronic aquatic toxicity No information available

| Persistence and degradability

Persistence and degradability No information available

Bioaccumulative potential

Bioaccumulative potential No information available

Mobility in soil

Mobility in soil No information available

13 Disposal considerations

| Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and
	regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot
	and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label



IMDG-CODE

UN number	1759
UN proper shipping name	CORROSIVE SOLID, N.O.S.
Transport hazard class	8
Transport subsidiary hazard	None
class	
Packing group	ш
Marine pollutant (Yes or no)	No

IATA-DGR

UN number	1759
UN proper shipping name	CORROSIVE SOLID, N.O.S.
Transport hazard class	8
Transport subsidiary hazard	None
class	
Packing group	ш

UN-ADR

UN number	1759
UN proper shipping name	CORROSIVE SOLID, N.O.S.
Transport hazard class	8
Transport subsidiary hazard	None
class	
Packing group	ш

Transport in bulk according to IMO instruments

◆Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

15 Regulatory information

International chemical inventory

Component	A	В	С	D	Е	F	G	Н	I	J	K	L	M
Milk powder	×	×	×	×	×	×	×	×	×	×	×	×	×
Sodium	√	√	√	√	√	√	√	√	×	√	√	√	√

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- (E) New Zealand Inventory of Chemicals(NZIoC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Milk powder	×	×	×
Sodium	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Milk powder	×	×	×	×	×	×	×	×
Sodium	×	×	√	√	√	√	V	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List

[H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/11/24
Revision Date	-
Reason for revision	-

Version: V2.0.0.1 Revision Date: -

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- $[7] \qquad \text{U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.} \\$
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

DC CTEL Chart term appeared limit OECD Organization for Foonemia Co. apprection and Dayslanman	nt
PC-STEL Short term exposure limit OECD Organization for Economic Co-operation and Development	
PC-TWA Time Weighted Average IMDG-CODE International Maritime Dangerous Goods CODE	
MAC Maximum Allowable Concentration IARC International Agency for Research on Cancer	
DNEL Derived No Effect Level ICAO International Civil Aviation Organization	
PNEC Predicted No Effect Concentration IATA International Air Transportation Association	
NOEC No Observed Effect Concentration ACGIH American Conference of Governmental Industrial Hygienis	sts
LC ₅₀ Lethal Concentration 50% NFPA National Fire Protection Association	
LD ₅₀ Lethal Dose 50% NTP National Toxicology Program	
EC ₅₀ Effective Concentration 50% PBT Persistent, Bioaccumulative, Toxic	
EC _X Effective Concentration X% vPvB very Persistent, very Bioaccumulative	
Pow Partition coefficient Octanol: Water CMR Carcinogens, mutagens or substances toxic to reproduction	วท
BCF Bioconcentration factor RPE Respiratory Protective Equipment	
ED Endocrine disruptor HCS Hazard Communication Standard	

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.