## **Safety Data Sheet**

# Arsenic quality control tea

Version: V2.0.0.1

Report No.: BWS0148-2016-MSDS-US

Creation Date: 2025/10/21

Revision Date: -



### \*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1	Identification
---	----------------

## | Product identifier

Product Name	Arsenic quality control tea
Cat No.	BWS0148-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

## Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

## Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

### | Emergency phone number

Emergency phone number	010-59103679
Emergency phone number	U IU-36 IU36 / 6

2 Hazard(s) identification

## Hazard classification according to 29 CFR 1910.1200

Acute Toxicity - Oral	Category 3
Acute Toxicity - Inhalation	Category 2

#### I abal alamants

Label elements	
Hazard pictograms	
Signal word	<b>Danger</b>

### | Hazard statements

Component

CAS No.

Arsenic quality control tea	Version: V2.0.0.1 Revision Date:
H301	Toxic if swallowed
H330	Fatal if inhaled
Precautionary statements	
Prevention	
P260	Do not breathe dust/fume.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or with adequate ventilation.
P284	In case of inadequate ventilation wear respiratory protection.
	in case of madequate formation wear respiratory protestion.
♦ Response	Specific treatment is urgent (see related instructions on the label).
P320	Specific treatment (see related instructions on the label).
P321	Rinse mouth.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
♦ Storage	
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
◆ Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
Other hazards	
	Not applicable.
Hazard description	
·	ordo
<ul> <li>Physical and chemical haz</li> </ul>	
	No information available
♦ Health hazards	
Inhaled	Inhalation of dusts or fumes, generated by the product during the course of
Ingestion	normal handling, may produce severely toxic effects; these may be fatal.  Toxic effects may result from the accidental ingestion of the product.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, ma
	produce systemic injury with harmful effects.
Eye	This product may cause temporary discomfort following direct contact with the
	eye.
<ul> <li>Environmental hazards</li> </ul>	
	Please refer to 12th chapter of SDS.
3 Composition/informa	tion on ingredients
Substance/mixture	<del></del>
JUDSIAIIUG/IIIIAIUI E	Mixture
	ININTUIG

_	•	•	-
•	•	7	•
_	,	-1	·

Concentration (wt, %)

EC No.

<b>Arsenic</b> 7440-38-2 231-148-6 0.01			
	Arsenic		0.01

## 4 First-aid measures

### Description of first aid measures

•	
General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

### Most important symptoms/effects, acute and delayed

1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

## Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

## 5 Fire-fighting measures

### | Extinguishing media

Suitable extinguishing media	Small fire: dry chemical, CO <sub>2</sub> or water spray; Large fire: water spray, fog or regular foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Do not get water inside containers.
Unsuitable extinguishing media	Large fire: avoid aiming straight or solid streams directly onto the product.

#### Specific hazards arising from the substance or mixture

- 1 May emit poisonous fumes on fire.
- 2 Development of hazardous combustion gases or vapor possible in the event of fire.
- 3 May expansion or decompose explosively when heated or involved in fire.

#### Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

## 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures

1	Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire.
2	Do not touch or walk through spilled material.
3	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
4	Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
5	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Version: V2.0.0.1 Revision Date: -

## **Environmental precautions**

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

1 Isolation of contaminated areas and restrictions on access.

Use personal protective equipment, do not breathe dust/fume.

- 2 It is recommended that emergency personnel wear dust masks and wear anti-virus suits.
- 3 Do not touch broken containers and spills before putting on appropriate protective clothing.
- 4 Cover the spill with a plastic sheet to reduce scattering.
- 5 Cut off the source of the leak as much as possible.
- 6 Keep leaks in a ventilated place.

7

- It is recommended that emergency personnel wear dust masks.
- 8 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container away from the leak.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

## 7 Handling and storage

### Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

#### Conditions for safe storage, including any incompatibilities

- Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.

## 8 Exposure controls/personal protection

## | Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Arsenic	Japan - JSOH(2024–202	-	0.003( individ ual excess	-	-

5)		lifetime risk of cancer 10^-3)		
Permissible exposure standards for workers in the workplace	-	0.01(as As)	-	0.03(as As)
Australia	-	0.05	-	-
Canada - Ontario	-	0.01	-	0.05
New Zealand	-	0.001	-	-
USA - ACGIH	-	0.01	-	-

## | Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

## | Personal protection equipment

General requirement			
Eye protection	Must wear appropriate safety goggles.		
Hand protection	Must wear appropriate chemical protective gloves.		
Respiratory protection	Must wear appropriate personal dust proof gas mask.		
Skin and body protection	Must wear appropriate chemical protective clothing and chemical resistant shoes.		

# 9 Physical and chemical properties and safety characteristics

## | Physical and chemical properties

Appearance (physical state,	Yellow-green to brown-green homogeneous powder
color, etc.)	
Odor	No information available
Odor threshold	No information available
рН	No information available
Melting point/freezing point(°C)	No information available
Initial boiling point and boiling	No information available
range(°C)	
Flash point(Closed cup,°C)	Not applicable
Evaporation rate	Not applicable
Flammability	No information available
Upper/lower explosive	Upper limit: No information available; Lower limit: No information available
limits[%(v/v)]	
Vapor pressure	1Pa ( 280°C,Arsenic )
Vapor density(Air = 1)	Not applicable
Relative density(Water=1)	5.6 ( 20 °C, Arsenic )
Solubility	10610 μg/L ( 20 °C(pH=5.9~6.2),Arsenic )
	•

n-octanol/water partition	No information available
coefficient	
Auto-ignition temperature(°C)	> 430 ( Arsenic )
Decomposition temperature(°C)	No information available
Kinematic viscosity	Not applicable

# 10 Stability and reactivity

## | Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	No information available.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Metal acetylide, halogen, interhalogen, halogen oxides, nitric acid, nitrous oxide, nitrates, nitrites, halogen oxyacid salts, chromates, permanganates, inorganic peroxides, metal oxides and peroxyformic acid.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# 11 Toxicological information

## Acute toxicity

Component LD <sub>50</sub> (oral)		LD <sub>50</sub> (dermal)	LC <sub>50</sub> (inhalation,4h)
Arsenic	763mg/kg(Rat)	No information available	No information available

## | Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Arsenic Category 1		Category K	Listed

## Others

Arsenic quality control tea				
Skin corrosion/irritation Based on available data, the classification criteria are not met				
Serious eye damage/irritation	Based on available data, the classification criteria are not met			
Skin sensitization	Based on available data, the classification criteria are not met			
Respiratory sensitization	Based on available data, the classification criteria are not met			
Reproductive toxicity	Based on available data, the classification criteria are not met			
STOT-repeated exposure	Based on available data, the classification criteria are not met			
Aspiration hazard	Based on available data, the classification criteria are not met			
Germ cell mutagenicity	Based on available data, the classification criteria are not met			

# 12 Ecological information

## Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
-----------	------	-------------	------------------------

			plants
Arsenic	LC <sub>50</sub> : 12.6mg/L	No information available	ErC <sub>50</sub> : 25.2mg/L
	(96h)(Fish)		(72h)(Algae)

## | Chronic aquatic toxicity

Chronic aquatic toxicity No information available

## Persistence and degradability

Persistence and degradability No information available

## Bioaccumulative potential

Bioaccumulative potential No information available

## | Mobility in soil

Mobility in soil No information available

## 13 Disposal considerations

## | Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and			
	regulation. Recommend the use of incineration disposal.			
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot			
	and ignition source of fire. Return to supplier for recycling if possible.			
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.			

## 14 Transport information

## Label and Mark

**Transporting Label** 



## IMDG-CODE

UN number	3288
UN proper shipping name	TOXIC SOLID, INORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	п
Marine pollutant ( Yes or no )	No

## IATA-DGR

UN number	3288
UN proper shipping name	TOXIC SOLID, INORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	

Packing group	П
	_

#### UN-ADR

UN number	3288
UN proper shipping name	TOXIC SOLID, INORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	п

### Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

Transport in bulk in accordance with the IGC Code

Not Available

#### Others

Precautions for transport

Transit should be anti-exposure, rain, high temperature. Strictly prohibited shipping or transportation with acids, alkalis, oxidants, food and food additives etc. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

## 15 Regulatory information

### International chemical inventory

Component	Α	В	С	D	Е	F	G	Н	I	J	K	L	M
Arsenic	√	√	√	√	√	<b>√</b>	√	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	√	<b>√</b>

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

#### List of Chemical Substances under International Conventions

Component	A	В	С
Arsenic ×		×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

#### US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Arsenic	√	×	√	√	√	√	√	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

#### Note:

- $\sqrt[4]{}$  Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

## 16 Other information

#### Information on revision

Creation Date	2025/10/21
Revision Date	-
Reason for revision	-

#### Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

#### Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC <sub>50</sub>	Lethal Concentration 50%	NFPA	National Fire Protection Association
$LD_{50}$	Lethal Dose 50%	NTP	National Toxicology Program
EC <sub>50</sub>	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
$EC_X$	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor	HCS	Hazard Communication Standard

## Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Version: V2.0.0.1 Revision Date: -