Safety Data Sheet

Copper quality control in feed

Version: V2.0.0.1

Report No.: BWS0212-2016-MSDS-US

Creation Date: 2025/10/11

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1 Identification

| Product identifier

Product Name	Copper quality control in feed
Cat No.	BWS0212-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc	
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City,	
	Henan Province, China	
Post code	465350	
Telephone number	010-58103678	
Fax number	010-84840368	
E-mail address	info@weiyel.com	

| Emergency phone number

Emergency ph	none number	010-58103678
--------------	-------------	--------------

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

According to OSHA HCS-2024, not classified as a hazardous chemical.

| Label elements

Hazard pictograms	Not applicable
Signal word	Not applicable

| Hazard statements

Hazard statements	Not applicable

| Precautionary statements

Prevention

Preven	tion	Not applicable
◆ Response		
Respo	onse	Not applicable
◆ Storage		
Stor	age	Not applicable
◆ Disposal		
Dispo	osal	Not applicable
Other hazards		

Other Hazarus

Not applicable.

| Hazard description

Physical and chemical hazards

No information available

Health hazards

Inhaled	Inhalation of the product may produce adverse health effects or irritation of the respiratory tract following discomfort.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.
Eye	This product may cause temporary discomfort following direct contact with the eye.

Environmental hazards

Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Copper	7440-50-8	231-159-6	0.00205

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.

Protecting of first-aiders Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination. Most important symptoms/effects, acute and delayed	Сор	per quality control in feed	Version: V2.0.0.1 Revision Date: -	
Indication of any immediate medical attention and special treatment needed Treat symptomatically. Symptoms may be delayed. Fire-fighting measures Extinguishing media Unsuitable extinguishing media Very extinguishing media Specific hazards arising from the substance or mixture Development of hazardous combustion gases or vapor possible in the event of fire. May expansion or decompose explosively when heated or involved in fire. Special protective equipment and precautions for fire-fighters As in any fire, wear self-contained breathing appearatus (MSHA/NIOSH approved or equivalent) and full protective gear. Fight fire from a safe distance, with adequate cover. Prevent fire extinguishing water from contaminating surface water or the ground water system. Accidental release measures Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Execute personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal precautions Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shoul and place it in a clean, dry, loosely closed container and move the containe away from the leak. Andhered or collected material should be promptly disposed of, in accordance with appropriate laws and		Protecting of first-aiders		
Indication of any immediate medical attention and special treatment needed 1 Treat symptomatically. 2 Symptoms may be delayed. 5 Fire-fighting measures Extinguishing media Use or interpolation to the type of extinguisher which may be used. Fectific hazards arising from the substance or mixture 1 Development of hazardous combustion gases or vapor possible in the event of fire. May expansion or decompose explosively when heated or involved in fire. Special protective equipment and precautions for fire-fighters 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. 2 Fight fire from a safe distance, with adequate cover. 3 Prevent fire extinguishing water from contaminating surface water or the ground water system. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures 1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. 3 Use personal protective equipment, do not breathe dust/furne. Environmental precautions 1 Prevent further leakage or spillage if safe to do so. 2 Discharge into the environment must be avoided. Methods and materials for containment and cleaning up 1 Cut off the source of the leak as much as possible. 2 Keep leaks in a ventilated place. 3 Isolation of contaminated areas and restric	Мо	st important symptoms/e	ffects, acute and delayed	
Treat symptomatically. Symptoms may be delayed. Fire-fighting measures Extinguishing media Unsuitable extinguishing media There is no restriction on the type of extinguisher which may be used. There is no restriction on the type of extinguisher which may be used. There is no restriction on the type of extinguisher which may be used. Specific hazards arising from the substance or mixture 1 Development of hazardous combustion gases or vapor possible in the event of fire. Special protective equipment and precautions for fire-fighters 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. 2 Fight fire from a safe distance, with adequate cover. 3 Prevent fire extinguishing water from contaminating surface water or the ground water system. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures 1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. 3 Use personal protective equipment, do not breathe dust/fume. Environmental precautions 1 Prevent further leakage or spillage if safe to do so. 2 Discharge into the environment must be avoided. Methods and materials for containment and cleaning up 1 Cut off the source of the leak as much as possible. 1 Keep leaks in a ventilated place. 3 Isolation of contaminated areas and restrictions on access. 4 It is recommended that emergency personnel wear dust masks. 5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. 6 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	1			
Fire-fighting measures Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the substance or mixture 1 Development of hazardous combustion gases or vapor possible in the event of fire. May expansion or decompose explosively when heated or involved in fire. Special protective equipment and precautions for fire-fighters 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. 2 Fight fire from a safe distance, with adequate cover. 3 Prevent fire extinguishing water from contaminating surface water or the ground water system. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures 1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. 3 Use personal protective equipment, do not breathe dust/fume. Environmental precautions 1 Prevent further leakage or spillage if safe to do so. 2 Discharge into the environment must be avoided. Methods and materials for containment and cleaning up 1 Cut off the source of the leak as much as possible. 2 Keep leaks in a ventilated place. 3 Isolation of contaminated areas and restrictions on access. 4 It is recommended that emergency personnel wear dust masks. 5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. 6 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	Ind	ication of any immediate	medical attention and special treatment needed	
Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media There is no restriction on the type of extinguisher which may be used. Specific hazards arising from the substance or mixture 1 Development of hazardous combustion gases or vapor possible in the event of fire. 2 May expansion or decompose explosively when heated or involved in fire. Special protective equipment and precautions for fire-fighters 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. 1 Fight fire from a safe distance, with adequate cover. 3 Prevent fire extinguishing water from contaminating surface water or the ground water system. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures 1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. 3 Use personal protective equipment, do not breathe dust/fume. Environmental precautions 1 Prevent further leakage or spillage if safe to do so. 2 Discharge into the environment must be avoided. Methods and materials for containment and cleaning up 1 Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. 3 Isolation of contaminated areas and restrictions on access. 4 It is recommended that emergency personnel wear dust masks. 5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. 6 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	1	Treat symptomatically.		
Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the substance or mixture 1 Development of hazardous combustion gases or vapor possible in the event of fire. 2 May expansion or decompose explosively when heated or involved in fire. Special protective equipment and precautions for fire-fighters 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. 2 Fight fire from a safe distance, with adequate cover. 3 Prevent fire extinguishing water from contaminating surface water or the ground water system. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures 1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. 3 Use personal protective equipment, do not breathe dust/fume. Environmental precautions 1 Prevent further leakage or spillage if safe to do so. 2 Discharge into the environment must be avoided. Methods and materials for containment and cleaning up 1 Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. 3 Isolation of contaminated areas and restrictions on access. 4 It is recommended that emergency personnel wear dust masks. 5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak.	2	Symptoms may be delayed.		
Use extinguishing media Use extinguishing media Use extinguishing media suitable for surrounding area. There is no restriction on the type of extinguisher which may be used.	5	Fire-fighting measure	es	
There is no restriction on the type of extinguisher which may be used. Specific hazards arising from the substance or mixture Development of hazardous combustion gases or vapor possible in the event of fire. May expansion or decompose explosively when heated or involved in fire. Special protective equipment and precautions for fire-fighters As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. Fight fire from a safe distance, with adequate cover. Prevent fire extinguishing water from contaminating surface water or the ground water system. Accidental release measures Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment, do not breathe dust/fume. Environmental precautions Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	Ext	inguishing media		
Specific hazards arising from the substance or mixture 1 Development of hazardous combustion gases or vapor possible in the event of fire. 2 May expansion or decompose explosively when heated or involved in fire. Special protective equipment and precautions for fire-fighters 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. 2 Fight fire from a safe distance, with adequate cover. 3 Prevent fire extinguishing water from contaminating surface water or the ground water system. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures 1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. 3 Use personal protective equipment, do not breathe dust/fume. Environmental precautions 1 Prevent further leakage or spillage if safe to do so. 2 Discharge into the environment must be avoided. Methods and materials for containment and cleaning up 1 Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. 3 Isolation of contaminated areas and restrictions on access. 4 It is recommended that emergency personnel wear dust masks. 5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. 6 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	Sui	table extinguishing media	Use extinguishing media suitable for surrounding area.	
Development of hazardous combustion gases or vapor possible in the event of fire. May expansion or decompose explosively when heated or involved in fire. Special protective equipment and precautions for fire-fighters As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. Fight fire from a safe distance, with adequate cover. Prevent fire extinguishing water from contaminating surface water or the ground water system. Accidental release measures Personal precautions, protective equipment and emergency procedures I Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment, do not breathe dust/fume. Environmental precautions Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and			There is no restriction on the type of extinguisher which may be used.	
May expansion or decompose explosively when heated or involved in fire. Special protective equipment and precautions for fire-fighters As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. Fight fire from a safe distance, with adequate cover. Prevent fire extinguishing water from contaminating surface water or the ground water system. Accidental release measures Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment,do not breathe dust/fume. Environmental precautions Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	S	pecific hazards arising fr	om the substance or mixture	
Special protective equipment and precautions for fire-fighters 1	1	Development of hazardous	combustion gases or vapor possible in the event of fire.	
As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. Fight fire from a safe distance, with adequate cover. Prevent fire extinguishing water from contaminating surface water or the ground water system. Fersonal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment, do not breathe dust/fume. Environmental precautions Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak.	2	May expansion or decompo	se explosively when heated or involved in fire.	
As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. Fight fire from a safe distance, with adequate cover. Prevent fire extinguishing water from contaminating surface water or the ground water system. Fersonal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment, do not breathe dust/fume. Environmental precautions Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak.	Sne	cial protective equipme	ot and precautions for fire-fighters	
Fight fire from a safe distance, with adequate cover. Prevent fire extinguishing water from contaminating surface water or the ground water system. Accidental release measures Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment, do not breathe dust/fume. Environmental precautions Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and		As in any fire, wear self-con	<u> </u>	
Accidental release measures Personal precautions, protective equipment and emergency procedures I Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment,do not breathe dust/fume. Environmental precautions Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. I Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	2	-	ce, with adequate cover.	
Personal precautions, protective equipment and emergency procedures 1	3	Prevent fire extinguishing w	ater from contaminating surface water or the ground water system.	
Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment, do not breathe dust/fume. Environmental precautions Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	6	Accidental release m	neasures	
Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment, do not breathe dust/fume. Environmental precautions Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	Per	sonal precautions, prote	ctive equipment and emergency procedures	
Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment, do not breathe dust/fume. Environmental precautions Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and		Ensure adequate ventilation		
Environmental precautions 1 Prevent further leakage or spillage if safe to do so. 2 Discharge into the environment must be avoided. Methods and materials for containment and cleaning up 1 Cut off the source of the leak as much as possible. 2 Keep leaks in a ventilated place. 3 Isolation of contaminated areas and restrictions on access. 4 It is recommended that emergency personnel wear dust masks. 5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. 6 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	2		areas. Keep people away from and upwind of spill/leak.	
Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	3	Use personal protective equ	uipment,do not breathe dust/fume.	
Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	Εn\	rironmental precautions		
 Methods and materials for containment and cleaning up 1 Cut off the source of the leak as much as possible. 2 Keep leaks in a ventilated place. 3 Isolation of contaminated areas and restrictions on access. 4 It is recommended that emergency personnel wear dust masks. 5 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. 6 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and 		<u>.</u>	spillage if safe to do so.	
Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	2			
 Keep leaks in a ventilated place. Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and 	Me	thods and materials for c	ontainment and cleaning up	
 Isolation of contaminated areas and restrictions on access. It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and 	1	Cut off the source of the lea	k as much as possible.	
 It is recommended that emergency personnel wear dust masks. Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and 	2	Keep leaks in a ventilated p	lace.	
 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the containe away from the leak. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and 	3	Isolation of contaminated ar	eas and restrictions on access.	
away from the leak. 6 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and	4	It is recommended that eme	rgency personnel wear dust masks.	
	5	· ·	shovel and place it in a clean, dry, loosely closed container and move the container	
	6	Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and		

7 Handling and storage

| Precautions for safe handling

1	Handling is performed in a well ventilated place.
2	Wear suitable protective equipment.
3	Avoid contact with skin and eyes

Version: V2.0.0.1 Revision Date: -

4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

| Control parameters

◆Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value	- Short term
		ppm	mg/m³	ppm	mg/m³
Copper	Permissible exposure standards for workers in the workplace	-	1(dust and mist)	-	2(dust and mist)
	Permissible exposure standards for workers in the workplace	-	0.2(fume)	-	0.6(fume)
	Australia	-	0.2(fume, respirable fraction)	-	-
	Canada - Ontario	-	0.2(fume, respirable fraction)	-	-
	New Zealand	-	0.01	-	-
	USA - ACGIH	-	1(dust and mist)	-	-

| Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement	No special requirements, please see the description below.	
Eye protection	In general situation, eye protection is not needed. In the production process, when	
	contacting with vapour or dust, tightly fitting safety goggles.	
Hand protection	In general situation, hand protection is not needed.	

Respiratory protection	In general situation, respiratory protection is not needed. If exposure limits are exceeded or if irritation or other symptoms are experienced, wear dust proof mask or gas defence mask.
Skin and body protection	In general situation, skin and body protection are not needed.

Physical and chemical properties and safety characteristics

| Physical and chemical properties

i nyoloai ana onomioai prop	
Appearance (physical state, color, etc.)	Light brownish yellow to yellow solid
Odor	No information available
Odor threshold	No information available
рН	No information available
Melting point/freezing point(°C)	1083 (Copper)
Initial boiling point and boiling range(°C)	2595 (Copper)
Flash point(Closed cup,°C)	Not applicable
Evaporation rate	Not applicable
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	7.5E-09Pa (20°C,Copper)
Vapor density(Air = 1)	Not applicable
Relative density(Water=1)	8.9 (Copper)
Solubility	< 1mg/L (30 °C,Copper)
n-octanol/water partition	-0.57 (calculated,Copper)
coefficient	
Auto-ignition temperature(°C)	No information available
Decomposition	No information available
temperature(°C)	
Kinematic viscosity	Not applicable

10 Stability and reactivity

| Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous	No information available.
reactions	
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Halogen, interhalogen, strong oxidant, water and acids.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

11 Toxicological information

Acute toxicity

Acute toxicity	No information available

Carcinogenicity

Component	List of carcinogens by	Report on Carcinogens	OSHA Carcinogen List
	the IARC Monographs	by NTP	
Copper	Not Listed	Not Listed	Not Listed

Others

Copper quality control in feed				
Skin corrosion/irritation	Based on available data, the classification criteria are not met			
Serious eye damage/irritation	Based on available data, the classification criteria are not met			
Skin sensitization	Based on available data, the classification criteria are not met			
Respiratory sensitization	Based on available data, the classification criteria are not met			
Reproductive toxicity	Based on available data, the classification criteria are not met			
STOT-repeated exposure	Based on available data, the classification criteria are not met			
Aspiration hazard	Based on available data, the classification criteria are not met			
Germ cell mutagenicity	Based on available data, the classification criteria are not met			

12 Ecological information

Acute aquatic toxicity

Fish	Crustaceans	Algae or other aquatic plants
LC ₅₀ : 0.665mg/L	EC ₅₀ : 0.02mg/L	ErC ₅₀ : 7.9mg/L (96h)(Algae)
_	LC ₅₀ : 0.665mg/L (96h)(Fish)	LC ₅₀ : 0.665mg/L

Chronic aquatic toxicity

Chronic aquatic toxicity No information available

| Persistence and degradability

Persistence and degradability No information available

| Bioaccumulative potential

Bioaccumulative potential No information available

| Mobility in soil

Mobility in soil No information available

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label | Not applicable

IMDG-CODE

IMDG-CODE NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

IATA-DGR

IATA-DGR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

Version: V2.0.0.1 Revision Date: -

15 Regulatory information

International chemical inventory

Component	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Copper	V	√	√	√	√	√	√						

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZIoC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- 【G】 Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	A	В	С
Copper	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Copper	×	×	√	√	√	V	√	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/10/11
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor	HCS	Hazard Communication Standard

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Version: V2.0.0.1 Revision Date: -