### **Safety Data Sheet**

# Lead,cadmium,arsenic and mercury quality

### control in feed

Version: V2.0.0.1

Report No.: BWS0239-2016-MSDS-US

Creation Date: 2025/10/24

Revision Date: -

\*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)



# 1 Identification

#### | Product identifier

•	
Product Name	Lead,cadmium,arsenic and mercury quality control in feed
Cat No.	BWS0239-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

### Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

### Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

### | Emergency phone number

Emergency p	hone number	010-58103678
-------------	-------------	--------------

### 2 Hazard(s) identification

### Hazard classification according to 29 CFR 1910.1200

According to OSHA HCS-2024, not classified as a hazardous chemical.

### Label elements

Hazard pictograms	Not applicable
Signal word	Not applicable

#### | Hazard statements

Hazard statements	Not applicable

### | Precautionary statements

Prevention

Prevention | Not applicable

Response

Response Not applicable

Storage

Storage Not applicable

Disposal

Disposal Not applicable

### Other hazards

Not applicable.

### | Hazard description

Physical and chemical hazards

No information available

#### Health hazards

Inhaled	Inhalation of the product may produce adverse health effects or irritation of the
	respiratory tract following discomfort.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may
	produce systemic injury with harmful effects.
Eye	This product may cause temporary discomfort following direct contact with the eye.

Environmental hazards

Please refer to 12th chapter of SDS.

# 3 Composition/information on ingredients

### Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
feed	-	-	99.98492
Lead	7439-92-1	231-100-4	0.00365
Cadmium	7440-43-9	231-152-8	0.00353
Arsenic	7440-38-2	231-148-6	0.00389
Mercury	7439-97-6	231-106-7	0.00401

## 4 First-aid measures

### Description of first aid measures

<u>•                                      </u>	
General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the
	doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a
	physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of

Version: V2.0.0.1 Revision Date: -

Lea	d,cadmium,arsenic and mercur	y quality control in feed Version: V2.0.0.1 Revision Date:				
		soap and water for at least 15 minutes and consult a physician if feel uncomfortable.				
	Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.				
	Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth t mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.				
	Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.				
Mc	ost important symptoms/e	ffects, acute and delayed				
1	Substance accumulation, in long-term occupational expo	the human body, may occur and may cause some concern following repeated or osure.				
Inc	lication of any immediate	medical attention and special treatment needed				
1	Treat symptomatically.					
2	Symptoms may be delayed.					
5	Fire-fighting measure	es				
Ex	tinguishing media					
Su	itable extinguishing media	Use extinguishing media suitable for surrounding area.				
	Unsuitable extinguishing media	There is no restriction on the type of extinguisher which may be used.				
S	specific hazards arising fr	om the substance or mixture				
1	Development of hazardous combustion gases or vapor possible in the event of fire.					
2	May expansion or decompose explosively when heated or involved in fire.					
Sp	ecial protective equipme	nt and precautions for fire-fighters				
1	As in any fire, wear self-con protective gear.	tained breathing apparatus (MSHA/NIOSH approved or equivalent) and full				
2	Fight fire from a safe distant	ce, with adequate cover.				
		Descrit for action ishing a set of form and action to offer a set of the second action and actions				

- Prevent fire extinguishing water from contaminating surface water or the ground water system.
- 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- Use personal protective equipment, do not breathe dust/fume.

### **Environmental precautions**

- Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

- Cut off the source of the leak as much as possible.
- 2 Keep leaks in a ventilated place.
- 3 Isolation of contaminated areas and restrictions on access.

It is recommended that emergency personnel wear dust masks.
 Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container away from the leak.
 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

Version: V2.0.0.1 Revision Date: -

7 Handling and storage

### Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

### Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.
- 8 Exposure controls/personal protection

### | Control parameters

◆ Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Lead	Japan - JSOH(2024–202 5)	-	0.03(as Pb)	-	-
	Permissible exposure standards for workers in the workplace	-	0.05	-	0.15
	Australia	-	0.05	-	-
	Canada - Ontario	-	0.05	-	-
	European Union	-	0.15	-	-
	New Zealand	-	0.05	-	-
Cadmium	Japan - JSOH(2024–202 5)	-	0.05	-	-
	Permissible exposure standards for workers in the workplace	-	0.05(as Cd)	-	0.15(as Cd)
	Australia	-	0.01	-	-
	Canada - Ontario	-	0.01(inhalable fraction)	-	-
	European Union	-	0.001	-	-

	New Zealand	-	0.004	-	-
Arsenic	Japan - JSOH(2024–202 5)	-	0.003( individ ual excess lifetime risk of cancer 10^3)	-	-
	Permissible exposure standards for workers in the workplace	-	0.01(as As)	-	0.03(as As)
	Australia	-	0.05	-	-
	Canada - Ontario	-	0.01	-	0.05
	New Zealand	-	0.001	-	-
	USA - ACGIH	-	0.01	-	-
Mercury	Japan - JSOH(2024–202 5)	-	0.025(vapor)	-	-
	Permissible exposure standards for workers in the workplace	-	0.05	-	0.15
	Australia	0.003	0.025	-	-
	Canada - Ontario	-	0.025	-	-
	European Union	-	0.02	-	-
	New Zealand	-	0.025	-	-

### | Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

### | Personal protection equipment

General requirement	No special requirements, please see the description below.
Eye protection	In general situation, eye protection is not needed. In the production process, when contacting with vapour or dust, tightly fitting safety goggles.
Hand protection	In general situation, hand protection is not needed.
Respiratory protection	In general situation, respiratory protection is not needed. If exposure limits are exceeded or if irritation or other symptoms are experienced, wear dust proof mask or gas defence mask.
Skin and body protection	In general situation, skin and body protection are not needed.

# 9 Physical and chemical properties and safety characteristics

### | Physical and chemical properties

Appearance (physical state,	Yellow to dark brown, powder
color, etc.)	
Odor	No information available
Odor threshold	No information available

Version: V2.0.0.1 Revision Date: -

рН	No information available
Melting point/freezing point(°C)	No information available
Initial boiling point and boiling range(°C)	No information available
Flash point(Closed cup,°C)	Not applicable
Evaporation rate	Not applicable
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	Not applicable
Vapor density(Air = 1)	Not applicable
Relative density(Water=1)	No information available
Solubility	No information available
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Kinematic viscosity	Not applicable

# 10 Stability and reactivity

### | Stability and reactivity

Total interior	
Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	No information available.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Halogen, interhalogen, strong oxidant, water and acids. Metal acetylide, halogen, interhalogen, halogen oxides, nitric acid, nitrous oxide, nitrates, nitrites, halogen oxyacid salts, chromates, permanganates, inorganic peroxides, metal oxides and peroxyformic acid.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

# 11 Toxicological information

### Acute toxicity

Component	LD <sub>50</sub> (oral)	LD <sub>50</sub> (dermal)	LC <sub>50</sub> (inhalation,4h)			
Cadmium	2330mg/kg(Rat)	No information available	No information available			
Arsenic	763mg/kg(Rat)	No information available	No information available			

### | Carcinogenicity

Component	List of carcinogens by	Report on Carcinogens	OSHA Carcinogen List
	the IARC Monographs	by NTP	

feed	Not Listed	Not Listed	Not Listed		
Lead	Category 2B	Category R	Not Listed		
Cadmium	Category 1	Category K	Listed		
Arsenic	Category 1	Category K	Listed		
Mercury	Category 3	Not Listed	Not Listed		

### Others

Lead,cadmium,arsenic and mercury quality control in feed							
Skin corrosion/irritation	Based on available data, the classification criteria are not met						
Serious eye damage/irritation	Based on available data, the classification criteria are not met						
Skin sensitization	Based on available data, the classification criteria are not met						
Respiratory sensitization	Based on available data, the classification criteria are not met						
Reproductive toxicity	Based on available data, the classification criteria are not met						
STOT-single exposure	Based on available data, the classification criteria are not met						
STOT-repeated exposure	Based on available data, the classification criteria are not met						
Aspiration hazard	Based on available data, the classification criteria are not met						
Germ cell mutagenicity	Based on available data, the classification criteria are not met						

# 12 Ecological information

### | Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Cadmium	LC <sub>50</sub> : 7.8mg/L (96h)(Fish)	EC <sub>50</sub> : 0.58mg/L (48h)(Crustaceans)	No information available
Lead	LC <sub>50</sub> : 2.8mg/L (96h)(Fish)	No information available	No information available
Arsenic	LC <sub>50</sub> : 12.6mg/L (96h)(Fish)	No information available	ErC <sub>50</sub> : 25.2mg/L (72h)(Algae)
Mercury	LC <sub>50</sub> : 0.16mg/L (96h)(Fish)	No information available	No information available

### | Chronic aquatic toxicity

Chronic aquatic toxicity No information available

### Persistence and degradability

Persistence and degradability No information available

### Bioaccumulative potential

Bioaccumulative potential No information available

### Mobility in soil

Mobility in soil No information available

# 13 Disposal considerations

### Disposal considerations

Waste chemicals | Before disposal should refer to the relevant national and local laws and regulation.

Recommend the use of incineration disposal.						
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.					
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.					

# 14 Transport information

#### Label and Mark

Transporting Label | Not applicable

### IMDG-CODE

IMDG-CODE NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

### IATA-DGR

IATA-DGR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

### UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

### Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

Transport in bulk in accordance with the IGC Code

Not Available

#### Others

Precautions for transport

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

# 15 Regulatory information

### International chemical inventory

Component	Α	В	С	D	E	F	G	Н	I	J	K	L	М
feed	×	×	×	×	×	×	×	×	×	×	×	×	×
Lead	√	<b>√</b>	×	<b>√</b>	<b>√</b>	<b>√</b>	1						
Cadmium	√	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	√	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>V</b>
Arsenic	√	<b>√</b>	<b>V</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>V</b>						
Mercury	√	<b>√</b>	<b>V</b>	<b>√</b>	<b>√</b>	<b>√</b>	1						

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)

- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- 【G】 Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

#### List of Chemical Substances under International Conventions

Component	Α	В	С
feed	×	×	×
Lead	×	×	×
Cadmium	×	×	×
Arsenic	×	×	×
Mercury	×	×	V

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

### US chemical inventory

Component	Α	В	С	D	E	F	G	Н
feed	×	×	×	×	×	×	×	×
Lead	<b>√</b>	×	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	×
Cadmium	√	×	√	√	√	√	√	×
Arsenic		×			$\sqrt{}$	$\sqrt{}$		×
Mercury	√	×	√	√	√	√	√	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

#### Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

### 16 Other information

### Information on revision

Creation Date	2025/10/24
Revision Date	-
Reason for revision	-

### Reference

[1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.

Version: V2.0.0.1 Revision Date: -

- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.

- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- $[7] \qquad \text{U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.} \\$
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

#### Abbreviations and acronyms

CAS Chemical Abstracts Service UN The United Nations	
PC-STEL Short term exposure limit OECD Organization for Economic Co-operation and Develop	pment
PC-TWA Time Weighted Average IMDG- International Maritime Dangerous Goods CODE	
CODE CODE	
MAC Maximum Allowable Concentration IARC International Agency for Research on Cancer	
DNEL Derived No Effect Level ICAO International Civil Aviation Organization	
PNEC Predicted No Effect Concentration IATA International Air Transportation Association	
NOEC No Observed Effect Concentration ACGIH American Conference of Governmental Industrial Hyg	gienists
LC <sub>50</sub> Lethal Concentration 50% NFPA National Fire Protection Association	
LD <sub>50</sub> Lethal Dose 50% NTP National Toxicology Program	
EC <sub>50</sub> Effective Concentration 50% PBT Persistent, Bioaccumulative, Toxic	
EC <sub>X</sub> Effective Concentration X% vPvB very Persistent, very Bioaccumulative	
Pow Partition coefficient Octanol: Water CMR Carcinogens, mutagens or substances toxic to reproc	luction
BCF Bioconcentration factor RPE Respiratory Protective Equipment	
ED Endocrine disruptor HCS Hazard Communication Standard	

### Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.