Safety Data Sheet

Lead Acetate Solution

Version: V2.0.0.1

Report No.: BWZ0019-2016-MSDS-US

Creation Date: 2025/11/05

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

| 1 | Identification |
|---|----------------|
|---|----------------|

| Product identifier

| Product Name | Lead Acetate Solution |
|-------------------|-----------------------|
| Cat No. | BWZ0019-2016 |
| CAS No. | Not applicable |
| EC No. | Not applicable |
| Molecular Formula | Not applicable |

Recommended use of the product and restrictions on use

| Relevant identified uses | Please consult manufacturer. |
|--------------------------|------------------------------|
| Uses advised against | Please consult manufacturer. |

Details of the supplier of the Safety Data Sheet

| Name of the company | Weiyel Inc |
|------------------------|--|
| Address of the company | Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China |
| Post code | 465350 |
| Telephone number | 010-58103678 |
| Fax number | 010-84840368 |
| E-mail address | info@weiyel.com |

| Emergency phone number

| Emergency | phone number | 010-58103678 |
|-----------|--------------|--------------|
|-----------|--------------|--------------|

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

| Reproductive Toxicity | Category 1A |
|----------------------------------|-------------|
| Specific target organ toxicity - | Category 2 |
| repeated exposure | |

Label elements

| Laborotomonto | |
|-------------------|---------------|
| Hazard pictograms | |
| Signal word | Danger |

| Hazard statements

| H360 | May damage fertility, Suspected of damaging the unborn child |
|------|---|
| H373 | May cause damage to organs through prolonged or repeated exposure |

| Precautionary statements

Prevention

| P201 | Obtain special instructions before use. |
|------|---|
| P202 | Do not handle until all safety precautions have been read and understood. |
| P260 | Do not breathe gas/mist/vapour/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |

Response

| Response | Not applicable |
|----------|----------------|
|----------|----------------|

Storage

| P405 Store locked up |
|----------------------|
|----------------------|

Disposal

| P501 | Dispose of contents/container in accordance with local/regional/national/ |
|------|---|
| | international regulations. |

Other hazards

Not applicable.

No information available

| Hazard description

Physical and chemical hazards

| Health hazards | |
|----------------------------------|--|
| Inhaled | Inhalation of the product may produce adverse health effects or irritation of the respiratory tract following discomfort. |
| Ingestion | Accidental ingestion of the product may be harmful to the health of the individual. |
| Skin Contact | Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. |
| Eye | This product may cause temporary discomfort following direct contact with the |
| | eye. |

◆ Environmental hazards

| Please refer to 12th chapter of SDS. |
|--------------------------------------|
|--------------------------------------|

3 Composition/information on ingredients

| Substance/mixture

Mixture

| Component | CAS No. | EC No. | Concentration (wt, %) |
|------------------|-----------|-----------|-----------------------|
| Water | 7732-18-5 | 231-791-2 | 91.199 |
| Acetic acid | 64-19-7 | 200-580-7 | 0.091 |
| Lead di(acetate) | 301-04-2 | 206-104-4 | 8.71 |

Lead Acetate Solution Version: V2.0.0.1 Revision Date:

First-aid measures

Description of first aid measures

| General advice | Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance. |
|----------------------------|---|
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable. |
| Skin contact | Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable. |
| Ingestion | Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. |
| Inhalation | Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately. |
| Protecting of first-aiders | Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination. |

Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.
- 2 Symptoms may be delayed.

Fire-fighting measures

| Extinguishing media

| Suitable extinguishing media | Use extinguishing media suitable for surrounding area. |
|--------------------------------|--|
| Unsuitable extinguishing media | There is no restriction on the type of extinguisher which may be used. |

Specific hazards arising from the substance or mixture

- 1 Development of hazardous combustion gases or vapor possible in the event of fire.
- 2 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Use personal protective equipment, do not breathe gas/mist/vapour/spray.
- 2 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 3 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

| 1 | Prevent further leakage or spillage if safe to do so. |
|---|---|
| 2 | Discharge into the environment must be avoided. |

Methods and materials for containment and cleaning up

| | and the territorial for containment and cleaning up |
|---|--|
| 1 | Cut off the source of the leak as much as possible. |
| 2 | Keep leaks in a ventilated place. |
| 3 | Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding. |
| 4 | Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. |
| 5 | Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container |

7 Handling and storage

Precautions for safe handling

| 1 | Handling is performed in a well ventilated place. |
|---|---|
| 2 | Wear suitable protective equipment. |
| 3 | Avoid contact with skin and eyes. |
| 4 | Keep away from heat/sparks/open flames/ hot surfaces. |

Conditions for safe storage, including any incompatibilities

| 1 | Keep containers tightly closed. |
|---|--|
| 2 | Keep containers in a dry, cool and well-ventilated place. |
| 3 | Keep away from heat/sparks/open flames/hot surfaces. |
| 4 | Store away from incompatible materials and foodstuff containers. |

8 Exposure controls/personal protection

| Control parameters

Occupational exposure limit values

| Component | Country/Region | Limit value | - Eight hours | Limit value - Short term | |
|------------------|---|-------------|---------------|--------------------------|-------|
| | | ppm | mg/m³ | ppm | mg/m³ |
| Acetic acid | Japan - JSOH(2024–202 5) | 10 | 25 | - | - |
| | Permissible exposure standards for workers in the workplace | 10 | 25 | 15 | 37.5 |
| | Australia | 10 | 25 | 15 | 37 |
| | Canada - Ontario | 10 | - | 15 | - |
| | European Union | 10 | 25 | 20 | 50 |
| | New Zealand | 10 | 25 | 15 | 37 |
| Lead di(acetate) | Japan - JSOH(2024–202 5) | - | 0.03(as Pb) | - | - |
| | Finland | - | 0.1 | - | - |

| Norway | - | 0.05 | - | - |
|--------|---|------|---|---|
| | | | | |

| Engineering controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

| General requirement | |
|--------------------------|--|
| Eye protection | Must wear appropriate safety goggles. |
| Hand protection | Must wear appropriate chemical protective gloves. |
| Respiratory protection | Must wear appropriate personal respiratory protective equipment. |
| Skin and body protection | Must wear appropriate chemical protective clothing and chemical resistant shoes. |

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

| Appearance (physical state, | Clear, colorless liquid |
|---|--|
| color, etc.) | |
| Odor | No information available |
| Odor threshold | No information available |
| рН | 5.5~6.5 (5% solution,Lead di(acetate)) |
| Melting point/freezing point(°C) | 280 (Lead di(acetate)) |
| Initial boiling point and boiling | >35 |
| range(°C) | |
| Flash point(Closed cup,°C) | No information available |
| Evaporation rate | No information available |
| Flammability | No information available |
| Upper/lower explosive limits[%(v/v)] | Upper limit: No information available; Lower limit: No information available |
| Vapor pressure | No information available |
| Vapor density(Air = 1) | No information available |
| Relative density(Water=1) | 3.3 (Lead di(acetate)) |
| Solubility | 440g/L (20°C,Lead di(acetate)) |
| n-octanol/water partition | No information available |
| coefficient | |
| Auto-ignition temperature(°C) | No information available |
| Decomposition temperature(°C) | No information available |
| Kinematic viscosity | No information available |

10 Stability and reactivity

| Stability and reactivity

| Reactivity | Contact with incompatible substances can cause decomposition or other chemical reactions. |
|------------------------------------|--|
| Chemical stability | Stable under proper operation and storage conditions. |
| Possibility of hazardous reactions | In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen. Flammable, its gas or powder, if in contact with air, may form explosive mixtures. |
| Conditions to avoid | Incompatible materials, heat, flame and spark. |
| Incompatible materials | Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide. Metal alkoxides, furfuryl alcohol, acetaldehyde, nitric acid, nitrate, nitrite, oxyacid salt halogen and inorganic peroxide. |
| Hazardous decomposition | Under normal conditions of storage and use, hazardous decomposition products |
| products | should not be produced. |

11 Toxicological information

Acute toxicity

| Component | LD ₅₀ (oral) | LD ₅₀ (dermal) | LC ₅₀ (inhalation,4h) |
|------------------|-------------------------|---------------------------|----------------------------------|
| Acetic acid | 3310mg/kg(Rat) | 1130mg/kg(Rabbit) | No information available |
| Lead di(acetate) | 4670mg/kg(Rat) | No information available | No information available |

Carcinogenicity

| Component | List of carcinogens by the IARC Monographs | Report on Carcinogens by NTP | OSHA Carcinogen List |
|------------------|--|---------------------------------|----------------------|
| Water | Not Listed | Not Listed | Not Listed |
| Acetic acid | Not Listed | Not Listed | Not Listed |
| Lead di(acetate) | Category 3(Remark 1) | Category R | Not Listed |

Remark 1: Organic lead compounds are metabolized at least in part, to ionic lead both in humans and animals. To the extent that ionic lead, generated from organic lead, is present in the body, it will be expected to exert the toxicities associated with inorganic lead

Others

| | Lead Acetate Solution |
|-------------------------------|---|
| Skin corrosion/irritation | Based on available data, the classification criteria are not met |
| Serious eye damage/irritation | Based on available data, the classification criteria are not met |
| Skin sensitization | Based on available data, the classification criteria are not met |
| Respiratory sensitization | Based on available data, the classification criteria are not met |
| Reproductive toxicity | May damage fertility, Suspected of damaging the unborn child(Category 1A) |
| STOT-single exposure | Based on available data, the classification criteria are not met |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure(Category 2) |
| Aspiration hazard | Based on available data, the classification criteria are not met |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met |

12 Ecological information

| Acute aquatic toxicity

| Component | Fish | Crustaceans | Algae or other aquatic |
|------------------|--|---|--------------------------|
| | | | plants |
| Acetic acid | LC ₅₀ : 300.82mg/L (96h)(Fish) | EC ₅₀ : 65mg/L (48h)(Crustaceans) | No information available |
| Lead di(acetate) | LC ₅₀ : 28mg/L (96h)(Fish) | EC ₅₀ : 3.61mg/L (48h)(Crustaceans) | No information available |

| Chronic aquatic toxicity

| Component | Fish | Crustaceans | Algae or other aquatic plants |
|-------------|-------------------------------|--------------------------|-------------------------------|
| Acetic acid | NOEC: 34.3 ~57.2mg/L(Fish) | No information available | No information available |

| Persistence and degradability

| Component | Persistence (water/soil) | Persistence (air) |
|-------------|--------------------------|-------------------|
| Acetic acid | Low | Low |

| Bioaccumulative potential

| Component | Bioaccumulative potential | Comments |
|-------------|---------------------------|---------------|
| Acetic acid | Low | Log Kow=-0.17 |

Mobility in soil

| Component | log Koc | Remark |
|-------------|---------|--------|
| Acetic acid | 0.06 | 20 ℃ |

13 Disposal considerations

| Disposal considerations

| Waste chemicals | Before disposal should refer to the relevant national and local laws and | |
|--------------------------|---|--|
| | regulation. Recommend the use of incineration disposal. | |
| Contaminated packaging | Containers may still present chemical hazard when empty. Keep away from hot | |
| | and ignition source of fire. Return to supplier for recycling if possible. | |
| Disposal recommendations | Refer to section waste chemicals and contaminated packaging. | |

14 Transport information

| Label and Mark

| Transporting Label | Not applicable |
|--------------------|----------------|
|--------------------|----------------|

IMDG-CODE

| IMDG-CODE | NOT REGULATED FOR TRANSPORT OF DANGEROUS (| GOODS |
|-----------|--|-------|
|-----------|--|-------|

| IATA-DGR

| IATA-DGR | NOT REGULATED | FOR TRANSPORT | OF DANGEROUS | GOODS |
|----------|---------------|---------------|--------------|-------|
|----------|---------------|---------------|--------------|-------|

UN-ADR

| UN-ADR | NOT REGULATED | FOR TRANSPORT | OF DANGEROUS | GOODS |
|--------|---------------|---------------|--------------|-------|
|--------|---------------|---------------|--------------|-------|

Lead Acetate Solution Version: V2.0.0.1 Revision Date:

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

15 Regulatory information

International chemical inventory

| Component | Α | В | С | D | E | F | G | Н | I | J | K | L | M |
|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Water | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| Acetic acid | 1 | V | √ | V | √ | √ | √ |
| Lead di(acetate) | √ | × | √ | √ |

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZIoC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

| Component | Α | В | С |
|------------------|---|---|---|
| Water | × | × | × |
| Acetic acid | × | × | × |
| Lead di(acetate) | × | × | × |

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

| Component | Α | В | С | D | E | F | G | Н |
|------------------|---|---|----------|----------|----------|---|----------|----------|
| Water | × | × | × | × | × | × | × | × |
| Acetic acid | × | × | √ | √ | √ | √ | V | × |
| Lead di(acetate) | × | × | √ | √ | √ | √ | V | √ |

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

| Creation Date | 2025/11/05 |
|---------------------|------------|
| Revision Date | - |
| Reason for revision | - |

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- $[5] \qquad \hbox{NLM: Chem IDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.}$
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

| CAS | Chemical Abstracts Service | UN | The United Nations |
|-----------|--------------------------------------|---------------|---|
| PC-STE | L Short term exposure limit | OECD | Organization for Economic Co-operation and Development |
| PC-TWA | A Time Weighted Average | IMDG- CODE | International Maritime Dangerous Goods CODE |
| MAC | Maximum Allowable Concentration | IARC | International Agency for Research on Cancer |
| DNEL | Derived No Effect Level | ICAO | International Civil Aviation Organization |
| PNEC | Predicted No Effect Concentration | IATA | International Air Transportation Association |
| NOEC | No Observed Effect Concentration | ACGIH | American Conference of Governmental Industrial Hygienists |
| LC_{50} | Lethal Concentration 50% | NFPA | National Fire Protection Association |
| LD_{50} | Lethal Dose 50% | NTP | National Toxicology Program |
| EC_{50} | Effective Concentration 50% | PBT | Persistent, Bioaccumulative, Toxic |
| EC_X | Effective Concentration X% | vPvB | very Persistent, very Bioaccumulative |
| Pow | Partition coefficient Octanol: Water | CMR | Carcinogens, mutagens or substances toxic to reproduction |
| BCF | Bioconcentration factor | RPE | Respiratory Protective Equipment |
| ED | Endocrine disruptor | HCS | Hazard Communication Standard |
| | | | |

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present

Lead Acetate Solution Version: V2.0.0.1 Revision Date: -

state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.