Safety Data Sheet

Calcium-ammonia solution

Version: V2.0.0.1

Report No.: BWZ0075-2016-MSDS-US

Creation Date: 2025/11/04

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1	Identification
---	----------------

| Product identifier

Product Name	Calcium-ammonia solution
Cat No.	BWZ0075-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang
	City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

Emergency phone number	010-58103678
Emergency bhone number	∥ ∪ IU-30 IU3070

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Skin Corrosion/Irritation	Category 2
Serious eye damage/irritation	Category 2

Label elements

Hazard pictograms	
Signal word	Warning

| Hazard statements

H315 Causes skin irritation	
H319	Causes serious eye irritation

| Precautionary statements

Prevention

P264	Wash hands and other parts of the body (if related) thoroughly after handling.	
P280 Wear protective gloves/protective clothing/eye protection/face protection/hear protection.		

◆ Response

P321	Specific treatment (see related instructions on the label).
P302+P352	IF ON SKIN: Wash with plenty of water.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.

Storage

Storage	Not applicable
---------	----------------

Disposal

Disposal	Not applicable

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

l No	information	available

Health hazards

Inhaled	Inhalation of the product may produce adverse health effects or irritation of the respiratory tract following discomfort.		
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.		
Skin Contact	The product can cause skin irritation following direct contact with the skin.		
Eye	This product may cause serious eye irritation. Severe inflammation may be expected with pain following direct contact with the eye.		

Environmental hazards

Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Calcium chloride	10043-52-4	233-140-8	0.392
Water	7732-18-5	231-791-2	98.565
Ammonia, aqueous solution	1336-21-6	215-647-6	1.043

First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use extinguishing media suitable for surrounding area.
Unsuitable extinguishing media	There is no restriction on the type of extinguisher which may be used.

Specific hazards arising from the substance or mixture

- 1 Development of hazardous combustion gases or vapor possible in the event of fire.
- 2 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Use personal protective equipment, do not breathe gas/mist/vapour/spray.
- 2 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 3 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

1 Prevent further leakage or spillage if safe to do so.	
2 Discharge into the environment must be avoided.	

Methods and materials for containment and cleaning up

INIG	Methods and materials for containment and cleaning up				
1	Cut off the source of the leak as much as possible.				
Keep leaks in a ventilated place.Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill b bunding.					
		4	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.		
5	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in				

7 Handling and storage

container.

| Precautions for safe handling

1	Handling is performed in a well ventilated place.	
2	Wear suitable protective equipment.	
3	Avoid contact with skin and eyes.	
4	Keep away from heat/sparks/open flames/ hot surfaces.	

Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.	
2 Keep containers in a dry, cool and well-ventilated place.		
3 Keep away from heat/sparks/open flames/hot surfaces.		
4	Store away from incompatible materials and foodstuff containers.	

8 Exposure controls/personal protection

| Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Calcium chloride	Canada - Ontario	-	5	-	-
Ammonia, aqueous solution	Finland	20	14	50	36

| Engineering controls

1	Ensure adequate ventilation, especially in confined areas.	
2	2 Ensure that eyewash stations and safety showers are close to the workstation location.	
3 Use explosion-proof electrical/ventilating/lighting/equipment.		
4	Set up emergency exit and necessary risk-elimination area.	

Personal protection equipment

General requirement









Version: V2.0.0.1 Revision Date: -

Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear appropriate chemical protective gloves.
Respiratory protection	Must wear appropriate personal respiratory protective equipment.
Skin and body protection	Must wear appropriate chemical protective clothing and chemical resistant shoes.

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

Appearance (physical state,	Clear, colorless liquid
color, etc.)	
Odor	No information available
Odor threshold	No information available
рН	8~10 (20°C, 100g/L, Calculated,Calcium chloride)
Melting point/freezing point(°C)	772 (Calcium chloride)
Initial boiling point and boiling	1670 (Calcium chloride)
range(°C)	
Flash point(Closed cup,°C)	No information available
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	No information available
Vapor density(Air = 1)	No information available
Relative density(Water=1)	2.2 (25°C,Calcium chloride)
Solubility	745 g/L (20°C,Calcium chloride)
n-octanol/water partition	No information available
coefficient	
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Kinematic viscosity	No information available

10 Stability and reactivity

| Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	In contact with organic peroxides cause a fire immediately. In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Organic peroxides. Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Calcium chloride	1000mg/kg(Rat)	No information available	No information available
Ammonia, aqueous solution	350mg/kg(Rat)	No information available	No information available

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Calcium chloride	Not Listed	Not Listed	Not Listed
Water	Not Listed	Not Listed	Not Listed
Ammonia, aqueous solution	Not Listed	Not Listed	Not Listed

Others

Calcium-ammonia solution		
Skin corrosion/irritation	Causes skin irritation(Category 2)	
Serious eye damage/irritation	Causes serious eye irritation(Category 2)	
Skin sensitization	Based on available data, the classification criteria are not met	
Respiratory sensitization	Based on available data, the classification criteria are not met	
Reproductive toxicity	Based on available data, the classification criteria are not met	
STOT-single exposure	Based on available data, the classification criteria are not met	
STOT-repeated exposure	Based on available data, the classification criteria are not met	
Aspiration hazard	Based on available data, the classification criteria are not met	
Germ cell mutagenicity	Based on available data, the classification criteria are not met	

12 Ecological information

Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Calcium chloride	LC ₅₀ : 4630mg/L	EC ₅₀ : 1400mg/L	ErC ₅₀ : > 4000mg/L
	(96h)(Fish)	(48h)(Crustaceans)	(72h)(Algae)

| Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Calcium chloride	NOEC: 230mg/L(Fish)	No information available	No information available

| Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
Ammonia, aqueous	Low	Low
solution		

| Bioaccumulative potential

Component Bioaccumulative potential	Comments
-------------------------------------	----------

Ammonia, aqueous	Low	Log Kow=0.229
solution		

Mobility in soil

Component	log Koc	Remark
Ammonia, aqueous	1.155	
solution		

Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and	
	regulation. Recommend the use of incineration disposal.	
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot	
	and ignition source of fire. Return to supplier for recycling if possible.	
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.	

14 Transport information

Label and Mark

Transporting Label Not applicable

IMDG-CODE

IMDG-CODE NOT REGULATED FOR TRANSPORT OF DANGEROUS GOOI	IMDG-CODE
---	-----------

IATA-DGR

IATA-DGR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport	Transport vehicles should be equipped with the appropriate variety and quantity
	of fire equipment and emergency equipment leakage during transport. Before
	transport, should be preceded by checking whether container integrity, sealing.
	The transport unit must be placarded and marked in accordance with relevant
	transporting requirements.

15 Regulatory information

International chemical inventory

Component	A	В	С	D	Е	F	G	Н		J	K	L	M
Calcium chloride	√	√	√	√	√	√	√	√	√	×	√	√	√
Water	√												
Ammonia, aqueous solution	V	√	1	1	√								

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Calcium chloride	×	×	×
Water	×	×	×
Ammonia, aqueous solution	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Calcium chloride	×	×	×	×	×	×	×	×
Water	×	×	×	×	×	×	×	×
Ammonia, aqueous solution	×	×	1	V	V	V	V	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/11/04
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

PC-STEL Short term exposure limit OECD Organization for Economic Co-operation and Development IMDG- PC-TWA Time Weighted Average International Maritime Dangerous Goods CODE	nt
PC-TWA Time Weighted Average International Maritime Dangerous Goods CODE	
CODE International Variage CODE	
MAC Maximum Allowable Concentration IARC International Agency for Research on Cancer	
3 · · · · · · · · · · · · · · · · · · ·	
PNEC Predicted No Effect Concentration IATA International Air Transportation Association	
NOEC No Observed Effect Concentration ACGIH American Conference of Governmental Industrial Hygienist	sts
LC ₅₀ Lethal Concentration 50% NFPA National Fire Protection Association	
LD ₅₀ Lethal Dose 50% NTP National Toxicology Program	
EC ₅₀ Effective Concentration 50% PBT Persistent, Bioaccumulative, Toxic	
EC _X Effective Concentration X% vPvB very Persistent, very Bioaccumulative	
Pow Partition coefficient Octanol: Water CMR Carcinogens, mutagens or substances toxic to reproduction	'n
BCF Bioconcentration factor RPE Respiratory Protective Equipment	
ED Endocrine disruptor HCS Hazard Communication Standard	

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.