Safety Data Sheet

Silver nitrate standard solution

Version: V2.0.0.1

Report No.: BWZ6166-2016-MSDS-US

Creation Date: 2025/09/26

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1	Identification
---	----------------

| Product identifier

•	
Product Name	Silver nitrate standard solution
Cat No.	BWZ6166-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City,
	Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

_		
Emergency	phone number	□ 010-58103678

Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

According to OSHA HCS-2024, not classified as a hazardous chemical.

| Label elements

Hazard pictograms	Not applicable
Signal word	Not applicable

Hazard statements

ideal a statements	
Hazard statements	Not applicable

| Precautionary statements

Prevention

Prevention	Not applicable
◆ Response	
Response	Not applicable
◆ Storage	
Storage	Not applicable
◆ Disposal	
Disposal	Not applicable
Other hazards	

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

No information available

Health hazards

Inhaled	Inhalation of the product may produce adverse health effects or irritation of the respiratory tract following discomfort.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.
Eye	This product may cause temporary discomfort following direct contact with the eye.

Environmental hazards

Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Water	7732-18-5	231-791-2	99.5
Silver nitrate	7761-88-8	231-853-9	0.5

4 First-aid measures

Description of first aid measures

•	
General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing,

container.

	give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.
Most important symptoms/e	effects, acute and delayed
Substance accumulation, in long-term occupational exp	n the human body, may occur and may cause some concern following repeated o
Indication of any immediate	e medical attention and special treatment needed
1 Treat symptomatically.	
2 Symptoms may be delayed	1.
Fire fieldies assessed	
Fire-fighting measur	·es
Extinguishing media	
Suitable extinguishing media	Small fire: dry chemical, CO ₂ , water spray or regular foam; Large fire: water
	spray, fog or regular foam; Fire involving tanks: cool containers with flooding
Unsuitable extinguishing	quantities of water until well after fire is out. Large fire: Do not scatter spilled material with high-pressure water streams.
media	Large line. De net coatter opined material with high procedure water etreame.
Specific hazards arising f	rom the substance or mixture
1 Development of hazardous	combustion gases or vapor possible in the event of fire.
2 May expansion or decompo	ose explosively when heated or involved in fire.
Special protective equipme	ent and precautions for fire-fighters
	ntained breathing apparatus (MSHA/NIOSH approved or equivalent) and full
protective gear.	3.11
2 Fight fire from a safe distar	nce, with adequate cover.
3 Prevent fire extinguishing v	water from contaminating surface water or the ground water system.
6 Accidental release n	neasures
Personal precautions, prote	ective equipment and emergency procedures
1 Use personal protective eq	uipment,do not breathe gas/mist/vapour/spray.
	n. Remove all sources of ignition. Take precautionary measures against static
discharges. 3 Evacuate personnel to safe	e areas. Keep people away from and upwind of spill/leak.
Environmental precautions	
Prevent further leakage or	
2 Discharge into the environn	· ·
	containment and cleaning up
1 Cut off the source of the lea	<u> </u>
2 Keep leaks in a ventilated	· · · · · · · · · · · · · · · · · · ·
	dry sand or inert absorbent. In case of large amount of spillage, contain a spill by
	tion. Use spark-proof tools and explosion-proof equipment.
5 Contain spillage, and then	collect with an electrically protected vacuum cleaner or by wet-brushing and place

Version: V2.0.0.1 Revision Date: -

7 Handling and storage

Precautions for safe handling

1	Handling	is performed	in a well	ventilated	place.

- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

| Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Silver nitrate	USA - ACGIH	-	0.01(as Ag)	-	-
	Finland	-	0.01	-	0.03

| Engineering controls

1	Ensure	adequate	ventilation,	especially	in	confined	areas
		aucquaic	vorithation,	Copcolally	111	COLINITICA	aicas.

- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement	No special requirements, please see the description below.
Eye protection	In general situation, eye protection is not needed. In the production process, when contacting with vapour or dust, tightly fitting safety goggles.
Hand protection	In general situation, hand protection is not needed.
Respiratory protection	In general situation, respiratory protection is not needed. If exposure limits are exceeded or if irritation or other symptoms are experienced, wear dust proof mask or gas defence mask.
Skin and body protection	In general situation, skin and body protection are not needed.

Physical and chemical properties and safety characteristics

Physical and chemical properties

Appearance (physical state,	colorless liquid
color, etc.)	
Odor	No information available
Odor threshold	No information available

Version: V2.0.0.1 Revision Date: -

-	
рН	5.4~6.4 (100g/L , 20°C,Silver nitrate)
Melting point/freezing point(°C)	212 (Silver nitrate)
Initial boiling point and boiling range(°C)	444 (Decompose, Silver nitrate)
Flash point(Closed cup,°C)	No information available
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	No information available
Vapor density(Air = 1)	No information available
Relative density(Water=1)	4.35 (20 °C,Silver nitrate)
Solubility	Very soluble in water (Silver nitrate)
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	444 (Silver nitrate)
Kinematic viscosity	No information available

10 Stability and reactivity

| Stability and reactivity

· · · · · · · · · · · · · · · · · · ·	
Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen. Mixture with active metal powders may explode intensely if heated.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide. Active metal powder, non-metal elemental powder, sulfide, metal amino compound, metal acetylene compound, phenols, metal sulfamate, metal cyanide, thiocyanate, phosphide, hypophosphite, carboxylic acid, carboxylic anhydride, Carboxylic acid esters, ethanol, reducing agents and performic acid.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Silver nitrate	1173mg/kg(Rat)	No information available	No information available

| Carcinogenicity

Component List of carcin	gens by Report on Carcinogens OSHA Carcin	ogen List
--------------------------	---	-----------

	the IARC Monographs	by NTP	
Water	Not Listed	Not Listed	Not Listed
Silver nitrate	Not Listed	Category R	Not Listed

Others

Silver nitrate standard solution				
Skin corrosion/irritation	Based on available data, the classification criteria are not met			
Serious eye damage/irritation	Based on available data, the classification criteria are not met			
Skin sensitization	Based on available data, the classification criteria are not met			
Respiratory sensitization	Based on available data, the classification criteria are not met			
Reproductive toxicity	Based on available data, the classification criteria are not met			
STOT-repeated exposure	Based on available data, the classification criteria are not met			
Aspiration hazard	Based on available data, the classification criteria are not met			
Germ cell mutagenicity	Based on available data, the classification criteria are not met			

12 Ecological information

| Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
			plants
Silver nitrate	LC ₅₀ : 0.0109mg/L	EC ₅₀ : 0.0029mg/L	No information available
	(96h)(Fish)	(48h)(Crustaceans)	

| Chronic aquatic toxicity

Chronic aquatic toxicity No information available

| Persistence and degradability

Persistence and degradability No information available

| Bioaccumulative potential

Bioaccumulative potential No information available

| Mobility in soil

Mobility in soil No information available

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation.
	Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot
	and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

Transport information

Label and Mark



IMDG-CODE

•	-
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class	9
Transport subsidiary hazard	None
class	
Packing group	ш
Marine pollutant (Yes or no)	No

Version: V2.0.0.1 Revision Date: -

IATA-DGR

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class	9
Transport subsidiary hazard	None
class	
Packing group	ш

UN-ADR

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class	9
Transport subsidiary hazard	None
class	
Packing group	ш

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport	Transport vehicles should be equipped with the appropriate variety and quantity of
	fire equipment and emergency equipment leakage during transport. Before
	transport, should be preceded by checking whether container integrity, sealing.
	The transport unit must be placarded and marked in accordance with relevant
	transporting requirements.

15 Regulatory information

International chemical inventory

Silver nitrate standard solution

Component	Α	В	С	D	Е	F	G	Н	I	J	K	L	M
Water	√	√	√	√	√	√	√	√	√	√	√	√	√
Silver nitrate	√	√	√	√	√	V	√						

Version: V2.0.0.1 Revision Date: -

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- 【G】 Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Water	×	×	×
Silver nitrate	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Water	×	×	×	×	×	×	×	×
Silver nitrate	×	×	√	√	√	√	√	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/09/26
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.

- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

| Abbreviations and acronyms

PC-STEL Short term exposure limit OECD Organization for Economic Co-operation and Development PC-TWA Time Weighted Average IMDG- CODE International Maritime Dangerous Goods CODE	CAS
PC-TWA Time Weighted Average International Maritime Dangerous Goods CODE	PC-STEL
CODE CODE	PC-TWA
MAC Maximum Allowable Concentration IARC International Agency for Research on Cancer	MAC
DNEL Derived No Effect Level ICAO International Civil Aviation Organization	DNEL
PNEC Predicted No Effect Concentration IATA International Air Transportation Association	PNEC
NOEC No Observed Effect Concentration ACGIH American Conference of Governmental Industrial Hygienists	NOEC
LC ₅₀ Lethal Concentration 50% NFPA National Fire Protection Association	LC ₅₀
LD ₅₀ Lethal Dose 50% NTP National Toxicology Program	LD ₅₀
EC ₅₀ Effective Concentration 50% PBT Persistent, Bioaccumulative, Toxic	EC ₅₀
EC _X Effective Concentration X% vPvB very Persistent, very Bioaccumulative	EC_X
Pow Partition coefficient Octanol: Water CMR Carcinogens, mutagens or substances toxic to reproduction	Pow
BCF Bioconcentration factor RPE Respiratory Protective Equipment	BCF
ED Endocrine disruptor HCS Hazard Communication Standard	ED

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.