Safety Data Sheet

Ammonium acetate buffer solution

Version: V2.0.0.1

Report No.: BWZ6230-2016-MSDS-US

Creation Date: 2025/10/19

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

| 1 | Identification |
|---|----------------|
|---|----------------|

| Product identifier

| Product Name | Ammonium acetate buffer solution |
|-------------------|----------------------------------|
| Cat No. | BWZ6230-2016 |
| CAS No. | Not applicable |
| EC No. | Not applicable |
| Molecular Formula | Not applicable |

Recommended use of the product and restrictions on use

| Relevant identified uses | Please consult manufacturer. |
|--------------------------|------------------------------|
| Uses advised against | Please consult manufacturer. |

Details of the supplier of the Safety Data Sheet

| Name of the company | Weiyel Inc |
|------------------------|--|
| Address of the company | Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China |
| Post code | 465350 |
| Telephone number | 010-58103678 |
| Fax number | 010-84840368 |
| E-mail address | info@weiyel.com |

| Emergency phone number

| Emergency p | hone number | 010-58103678 |
|-------------|-------------|--------------|
|-------------|-------------|--------------|

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

| Flammable liquids | Category 3 |
|-------------------------------|-------------|
| Skin corrosion/irritation | Category 1A |
| Serious eye damage/irritation | Category 1 |

Label elements

| | Labercientis | |
|--------------------|-------------------|---------------|
| Hazard pictograms | Hazard pictograms | |
| Signal word Danger | Signal word | Danger |

Health hazards

| Hazard statements H226 | Flammable liquid and vapour |
|--|--|
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| | - Causas concac cyc damage |
| Precautionary statements | |
| Prevention | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground and bond container and receiving equipment. |
| P241 | Use explosion-proof [electrical/ventilating/lighting] equipment. |
| P242 | Use non-sparking tools. |
| P243 | Take action to prevent static discharges. |
| P260 | Do not breathe gas/mist/vapour/spray. |
| P264 | Wash hands and other parts of the body (if related) thoroughly after handling. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| ♦ Response | |
| P321 | Specific treatment (see related instructions on the label). |
| P363 | Wash contaminated clothing before reuse. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P370+P378 | Small fire: dry chemical, CO ₂ or water spray; Large fire: dry chemical, CO ₂ , alcohol-resistant foam or water spray; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Do not get water inside containers. |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower]. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Storage | |
| P405 | Store locked up. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| ◆ Disposal | |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Other hazards | |
| | Not applicable. |
| Hazard description | |
| | |
| Physical and chemical haza | ards |

2 / 10

Version: V2.0.0.1 Revision Date: -

| Inhaled | Sore throat. Cough. Burning sensation. Headache. Dizziness. Shortness of breath. Laboured breathing. |
|-------------------------|--|
| Ingestion | Sore throat. Burning sensation. Abdominal pain. Vomiting. Shock or collapse. |
| Skin Contact | Pain. Redness. Skin burns. Blisters. |
| Eye | Redness. Pain. Severe burns. Loss of vision. |
| ◆ Environmental hazards | |
| | Please refer to 12th chapter of SDS. |

3 Composition/information on ingredients

Substance/mixture

Mixture

| Component | CAS No. | EC No. | Concentration (wt, %) |
|------------------|-----------|-----------|-----------------------|
| Water | 7732-18-5 | 231-791-2 | 20 |
| Ammonium acetate | 631-61-8 | 211-162-9 | 20 |
| Acetic acid | 64-19-7 | 200-580-7 | 60 |

First-aid measures

Description of first aid measures

| • | | |
|----------------------------|--|--|
| General advice | Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance. | |
| Eye contact | Rinse with plenty of water (remove contact lenses if easily possible). Refer immediately for medical attention. | |
| Skin contact | Remove contaminated clothes. Rinse skin with plenty of water or shower for at least 15 minutes. Refer immediately for medical attention. | |
| Ingestion | Rinse mouth. Do NOT induce vomiting. If within a few minutes after ingestion, one small glass of water may be given to drinkRefer immediately for medical attention. | |
| Inhalation | Fresh air, rest. Half-upright position. Refer immediately for medical attention. | |
| Protecting of first-aiders | Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination. | |

Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Fire-fighting measures

Extinguishing media

| Suitable extinguishing media | Small fire: dry chemical, CO ₂ or water spray; Large fire: dry chemical, CO ₂ , |
|------------------------------|---|
| | alcohol-resistant foam or water spray; Fire involving tanks, rail tank cars or |
| | highway tanks: Fight fire from maximum distance or use unmanned master |
| | stream devices or monitor nozzles. Cool containers with flooding quantities of |
| | water until well after fire is out. Do not get water inside containers. |

| Amm | onium acetate buffer solution | Version: V2.0.0.1 Revision Date: | | | | |
|-------|---|---|--|--|--|--|
| Jnsui | table extinguishing media | No information available. | | | | |
| Sp | pecific hazards arising fro | m the substance or mixture | | | | |
| 1 | Fire may produce irritating, poisonous or corrosive gases. | | | | | |
| 2 | Development of hazardous combustion gases or vapor possible in the event of fire. | | | | | |
| 3 | May expansion or decompose explosively when heated or involved in fire. | | | | | |
| Sno | cial protoctivo oquipmon | t and precautions for fire-fighters | | | | |
| 1 | | ained breathing apparatus (MSHA/NIOSH approved or equivalent) and full | | | | |
| ۱ ا | protective gear. | ariled breathing apparatus (WSTA/WOSTT approved of equivalent) and full | | | | |
| 2 | Fight fire from a safe distance | e, with adequate cover. | | | | |
| 3 | Prevent fire extinguishing wa | ter from contaminating surface water or the ground water system. | | | | |
| 6 | Accidental release m | easures | | | | |
| Per | sonal precautions, protec | tive equipment and emergency procedures | | | | |
| 1 | Fully encapsulating, vapor p | otective clothing should be worn for spills and leaks with no fire. | | | | |
| 2 | Do not touch or walk through | spilled material. | | | | |
| 3 | Do not touch damaged conta | iners or spilled material unless wearing appropriate protective clothing. | | | | |
| 4 | Use personal protective equi | pment,do not breathe gas/mist/vapour/spray. | | | | |
| 5 | Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. | | | | | |
| 6 | | areas. Keep people away from and upwind of spill/leak. | | | | |
| Fny | ironmental precautions | | | | | |
| 1 | Prevent further leakage or s | billage if safe to do so. | | | | |
| 2 | Discharge into the environment | | | | | |
| Mat | hada and matariala far as | ntainment and algening up | | | | |
| 1 | Do not touch or cross spills. | ntainment and cleaning up | | | | |
| 2 | <u> </u> | gency personnel wear a self-contained breathing apparatus with positive pressur | | | | |
| | and wear anti-corrosion clot | | | | | |
| 3 | | ecial collector with a corrosion-resistant pump. | | | | |
| 4 | Do not touch broken contain | ers and spills before putting on appropriate protective clothing. | | | | |
| 5 | Cut off the source of the leak | as much as possible. | | | | |
| 6 | Keep leaks in a ventilated pl | ace. | | | | |
| 7 | · · · · · · · · · · · · · · · · · · · | sand or inert absorbent. In case of large amount of spillage, contain a spill by | | | | |
| 8 | bunding. Remove all sources of ignition | n. Use spark-proof tools and explosion-proof equipment. | | | | |
| 9 | | bllect with an electrically protected vacuum cleaner or by wet-brushing and place | | | | |
| | container. | most with an electrically protested vacatin electric of by wet brashing and place | | | | |
| 7 | Handling and storage | : | | | | |
| Pre | cautions for safe handling | J | | | | |
| 1 | Handling is performed in a w | ell ventilated place. | | | | |
| 2 | Wear suitable protective equ | pment. | | | | |
| 3 | Avoid contact with skin and | ves. | | | | |

4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.
- 8 Exposure controls/personal protection

Control parameters

Occupational exposure limit values

| Component | Country/Region | Limit value | - Eight hours | Limit value - Short term | |
|-------------|---|-------------|---------------|--------------------------|-------|
| | | ppm | mg/m³ | ppm | mg/m³ |
| Acetic acid | Japan - JSOH(2024–202 5) | 10 | 25 | - | - |
| | Permissible exposure standards for workers in the workplace | 10 | 25 | 15 | 37.5 |
| | Australia | 10 | 25 | 15 | 37 |
| | Canada - Ontario | 10 | - | 15 | - |
| | European Union | 10 | 25 | 20 | 50 |
| | New Zealand | 10 | 25 | 15 | 37 |

| Engineering controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

| General requirement | | | |
|--------------------------|---|--|--|
| Eye protection | Must wear appropriate anti-corrosion goggles. | | |
| Hand protection | Must wear acid and alkali resistant chemical protective gloves. | | |
| Respiratory protection | Must wear appropriate personal respiratory protective equipment. | | |
| Skin and body protection | Must wear anti static chemical protective clothing and anti static shoes. | | |

9 Physical and chemical properties and safety characteristics

Physical and chemical properties

| Appearance (physical state, | colorless liquid |
|-----------------------------|------------------|
| color, etc.) | |

Version: V2.0.0.1 Revision Date: -

| Odor | No information available |
|---|---|
| Odor threshold | No information available |
| рН | 2.9 (Acetic acid) |
| Melting point/freezing point(°C) | 16.7 (Acetic acid) |
| Initial boiling point and boiling range(°C) | 118 (Acetic acid) |
| Flash point(Closed cup,°C) | 39 (Acetic acid) |
| Evaporation rate | No information available |
| Flammability | No information available |
| Upper/lower explosive limits[%(v/v)] | Upper limit: 17 (Acetic acid); Lower limit: 6.0 (Acetic acid) |
| Vapor pressure | 1.5kPa (20°C ,Acetic acid) |
| Vapor density(Air = 1) | 2.1 (Acetic acid) |
| Relative density(Water=1) | 1.05 (Acetic acid) |
| Solubility | 602900mg/L (25 °C,Acetic acid) |
| n-octanol/water partition coefficient | -0.17 (Acetic acid) |
| Auto-ignition temperature(°C) | 485 (Acetic acid) |
| Decomposition temperature(°C) | No information available |
| Kinematic viscosity | No information available |

10 Stability and reactivity

Stability and reactivity

| Reactivity | Contact with incompatible substances can cause decomposition or other chemical reactions. |
|------------------------------------|--|
| Chemical stability | Stable under proper operation and storage conditions. |
| Possibility of hazardous reactions | In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen. Flammable, its gas or powder, if in contact with air, may form explosive mixtures. |
| Conditions to avoid | Incompatible materials, heat, flame and spark. |
| Incompatible materials | Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide. Metal alkoxides, furfuryl alcohol, acetaldehyde, nitric acid, nitrate, nitrite, oxyacid salt halogen and inorganic peroxide. |
| Hazardous decomposition | Under normal conditions of storage and use, hazardous decomposition products |
| products | should not be produced. |

Toxicological information

Acute toxicity

| Component | LD ₅₀ (oral) | LD ₅₀ (dermal) | LC ₅₀ (inhalation,4h) |
|-------------|-------------------------|---------------------------|----------------------------------|
| Acetic acid | 3310mg/kg(Rat) | 1130mg/kg(Rabbit) | No information available |

Carcinogenicity

| Component | List of carcinogens by | Report on Carcinogens | OSHA Carcinogen List |
|-----------|------------------------|-----------------------|----------------------|
| | the IARC Monographs | by NTP | |

| Water | Not Listed | Not Listed | Not Listed |
|------------------|------------|------------|------------|
| Ammonium acetate | Not Listed | Not Listed | Not Listed |
| Acetic acid | Not Listed | Not Listed | Not Listed |

Others

| Ammonium acetate buffer solution | | | | |
|--|--|--|--|--|
| Skin corrosion/irritation Causes severe skin burns and eye damage(Category 1A) | | | | |
| Serious eye damage/irritation Causes serious eye damage(Category 1) | | | | |
| Skin sensitization | Based on available data, the classification criteria are not met | | | |
| Respiratory sensitization | Based on available data, the classification criteria are not met | | | |
| Reproductive toxicity | Based on available data, the classification criteria are not met | | | |
| STOT-repeated exposure | Based on available data, the classification criteria are not met | | | |
| Aspiration hazard | Based on available data, the classification criteria are not met | | | |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met | | | |

12 Ecological information

| Acute aquatic toxicity

| Component | Fish | Crustaceans | Algae or other aquatic |
|------------------|---------------------------------------|---|--------------------------|
| | | | plants |
| Ammonium acetate | LC ₅₀ :308mg/L (96h)(Fish) | EC ₅₀ : 108.81mg/L (48h)(Crustaceans) | No information available |
| Acetic acid | LC ₅₀ : 300.82mg/L | EC ₅₀ : 65mg/L | No information available |
| | (96h)(Fish) | (48h)(Crustaceans) | |

| Chronic aquatic toxicity

| Component | Fish | Crustaceans | Algae or other aquatic |
|------------------|-------------------------------|--------------------------|--------------------------|
| | | | plants |
| Ammonium acetate | NOEC: 154mg/L(Fish) | No information available | No information available |
| Acetic acid | NOEC: 34.3 ~57.2mg/L(Fish) | No information available | No information available |

| Persistence and degradability

| Component | Persistence (water/soil) | Persistence (air) |
|------------------|--------------------------|-------------------|
| Ammonium acetate | Low | Low |
| Acetic acid | Low | Low |

| Bioaccumulative potential

| Component | Bioaccumulative potential | Comments |
|------------------|---------------------------|---------------|
| Ammonium acetate | Low | Log Kow=0.229 |
| Acetic acid | Low | Log Kow=-0.17 |

Mobility in soil

| Remark | log Koc | Component |
|--------|---------|-----------|
|--------|---------|-----------|

| Ammonium acetate | 0.179 | |
|------------------|-------|------|
| Acetic acid | 0.06 | 20 ℃ |

13 Disposal considerations

| Disposal considerations

| Waste chemicals | Before disposal should refer to the relevant national and local laws and |
|--------------------------|--|
| | regulation. Recommend the use of incineration disposal. |
| Contaminated packaging | Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible. |
| Disposal recommendations | Refer to section waste chemicals and contaminated packaging. |

14 Transport information

Label and Mark

Transporting Label



IMDG-CODE

| UN number | 2790 |
|--------------------------------|--|
| UN proper shipping name | ACETIC ACID SOLUTION more than 10% and less than 50% acid, by mass |
| Transport hazard class | 8 |
| Transport subsidiary hazard | None |
| class | |
| Packing group | ш |
| Marine pollutant (Yes or no) | No |
| | |

IATA-DGR

| UN number | 2790 |
|-----------------------------|---|
| UN proper shipping name | ACETIC ACID SOLUTION, more than 10% but less than 50% acid, by mass |
| Transport hazard class | 8 |
| Transport subsidiary hazard | None |
| class | |
| Packing group | ш |

UN-ADR

| UN number | 2790 |
|-----------------------------|---|
| UN proper shipping name | ACETIC ACID SOLUTION, more than 10% and less than 50% acid, by mass |
| Transport hazard class | 8 |
| Transport subsidiary hazard | None |
| class | |
| Packing group | ш |

Transport in bulk according to IMO instruments

◆Transport in bulk according to Annex II of MARPOL and the IBC code

| Nlot | ۸ ، ۵۰: | lahla |
|--------|----------------|-------|
| INICIT | $\Delta V = 1$ | Iania |

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

15 Regulatory information

International chemical inventory

| Component | Α | В | С | D | E | F | G | Н | I | J | K | L | M |
|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Water | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| Ammonium acetate | √ | √ | √ | √ | √ | √ | √ | √ | × | √ | √ | √ | √ |
| Acetic acid | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZIoC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

| Component | Α | В | С |
|------------------|---|---|---|
| Water | × | × | × |
| Ammonium acetate | × | × | × |
| Acetic acid | × | × | × |

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

| Component | Α | В | С | D | E | F | G | Н |
|------------------|---|---|----------|----------|----------|----------|---|---|
| Water | × | × | × | × | × | × | × | × |
| Ammonium acetate | × | × | √ | √ | √ | √ | √ | × |
| Acetic acid | × | × | √ | √ | √ | √ | √ | × |

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

| Creation Date | 2025/10/19 |
|---------------------|------------|
| Revision Date | - |
| Reason for revision | - |

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

| CAS Chemical Abstracts Service UN The United Nations | |
|---|-----------|
| PC-STEL Short term exposure limit OECD Organization for Economic Co-operation and Deve | opment |
| PC-TWA Time Weighted Average IMDG-CODE International Maritime Dangerous Goods CODE | |
| MAC Maximum Allowable Concentration IARC International Agency for Research on Cancer | |
| DNEL Derived No Effect Level ICAO International Civil Aviation Organization | |
| PNEC Predicted No Effect Concentration IATA International Air Transportation Association | |
| NOEC No Observed Effect Concentration ACGIH American Conference of Governmental Industrial H | ygienists |
| LC ₅₀ Lethal Concentration 50% NFPA National Fire Protection Association | |
| LD ₅₀ Lethal Dose 50% NTP National Toxicology Program | |
| EC ₅₀ Effective Concentration 50% PBT Persistent, Bioaccumulative, Toxic | |
| EC _X Effective Concentration X% vPvB very Persistent, very Bioaccumulative | |
| Pow Partition coefficient Octanol: Water CMR Carcinogens, mutagens or substances toxic to repre | oduction |
| BCF Bioconcentration factor RPE Respiratory Protective Equipment | |
| ED Endocrine disruptor HCS Hazard Communication Standard | |

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Version: V2.0.0.1 Revision Date: -