Safety Data Sheet

DTPA extraction agent

Version: V2.0.0.1

Report No.: BWZ6397-2016-MSDS-US

Creation Date: 2025/10/17

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

| 1 Ide | ntification |
|-------|-------------|
|-------|-------------|

| Product identifier

| Product Name | DTPA extraction agent |
|-------------------|-----------------------|
| Cat No. | BWZ6397-2016 |
| CAS No. | Not applicable |
| EC No. | Not applicable |
| Molecular Formula | Not applicable |

Recommended use of the product and restrictions on use

| Relevant identified uses | Please consult manufacturer. |
|--------------------------|------------------------------|
| Uses advised against | Please consult manufacturer. |

Details of the supplier of the Safety Data Sheet

| Name of the company | Weiyel Inc |
|------------------------|--|
| Address of the company | Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China |
| Post code | 465350 |
| Telephone number | 010-58103678 |
| Fax number | 010-84840368 |
| E-mail address | info@weiyel.com |

| Emergency phone number

| Emergency phone number | 010-58103678 |
|------------------------|----------------------------|
| Emergency bhone humber | UTU - 30 TU3070 |

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

| Sensitization - skin | Category 1 |
|-----------------------|-------------|
| Reproductive Toxicity | Category 1B |

Label elements

| Hazard pictograms | ₹ |
|-------------------|---------------|
| Signal word | Danger |

| Hazard statements

| H317 | May cause an allergic skin reaction |
|------|-------------------------------------|
| H360 | May damage the unborn child |

| Precautionary statements

Prevention

| P201 | Obtain special instructions before use. |
|------|---|
| P202 | Do not handle until all safety precautions have been read and understood. |
| P261 | Avoid breathing gas/mist/vapour/spray. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |

Response

| P321 | Specific treatment (see related instructions on the label). |
|-----------|---|
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |

Storage

| P405 | Store | locked up. | |
|------|-------|------------|--|
|------|-------|------------|--|

Disposal

| P501 | Dispose of contents/container in accordance with local/regional/national/ |
|------|---|
| | international regulations. |

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

| NIa | information | ovoiloblo |
|--------|-------------|-----------|
| 171(1) | momanon | avaname |

Health hazards

| Inhaled | Inhalation of the product may produce adverse health effects or irritation of the respiratory tract following discomfort. |
|--------------|---|
| Ingestion | Accidental ingestion of the product may be harmful to the health of the individual. |
| Skin Contact | The product may cause an allergic skin reaction following direct contact with the skin. |
| Eye | This product may cause temporary discomfort following direct contact with the eye. |

Environmental hazards

| Please | refer | to 12th | chapter | of SDS. |
|---------|-------|----------|---------|---------|
| 1 10000 | ICICI | 10 12111 | CHADLE | UI ODO. |

3 Composition/information on ingredients

Substance/mixture

Mixture

| Component | CAS No. | EC No. | Concentration (wt, %) | |
|------------------------------|---------|-----------|-----------------------|--|
| N-carboxymethyliminobis(| 67-43-6 | 200-652-8 | 0.198 | |
| ethylenenitrilo)tetra(acetic | | | | |
| acid) | | | | |

| Triethanolamin | 102-71-6 | 203-049-8 | 1.499 |
|------------------|------------|-----------|--------|
| Calcium chloride | 10043-52-4 | 233-140-8 | 0.111 |
| Water | 7732-18-5 | 231-791-2 | 98.192 |

First-aid measures

Description of first aid measures

| <u> </u> | |
|----------------------------|---|
| General advice | Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance. |
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable. |
| Skin contact | Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable. |
| Ingestion | Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. |
| Inhalation | Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately. |
| Protecting of first-aiders | Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination. |

Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Fire-fighting measures

Extinguishing media

| Suitable extinguishing media | Use extinguishing media suitable for surrounding area. |
|--------------------------------|--|
| Unsuitable extinguishing media | There is no restriction on the type of extinguisher which may be used. |

Specific hazards arising from the substance or mixture

- 1 Development of hazardous combustion gases or vapor possible in the event of fire.
- 2 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

1 Use personal protective equipment, do not breathe gas/mist/vapour/spray.

DTPA extraction agent Version: V2.0.0.1 Revision Date:

| 2 | Ensure adequate ventilation. | Remove | all sources | of ignition. | Take precautionary | measures | against static |
|---|------------------------------|--------|-------------|--------------|--------------------|----------|----------------|
| | discharges. | | | | | | |

3 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- 1 Cut off the source of the leak as much as possible.
- 2 Keep leaks in a ventilated place.
- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 4 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
- Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.

7 Handling and storage

Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

Control parameters

Occupational exposure limit values

| Component | Country/Region | Limit value - Eight hours | | rs Limit value - Short term | |
|------------------|------------------|---------------------------|----------------------|-----------------------------|-----------------------|
| | | ppm | mg/m³ | ppm | mg/m³ |
| Triethanolamin | Australia | - | 5 | - | - |
| | Canada - Ontario | 0.5 | 3.1 | - | - |
| | New Zealand | - | 5 | - | - |
| | USA - ACGIH | - | 5 | - | - |
| | Austria | 0.8 | 5(inhalable aerosol) | 0.16 | 10(inhalable aerosol) |
| | Belgium | - | 5 | - | - |
| Calcium chloride | Canada - Ontario | - | 5 | - | - |

| Engineering controls

| 1 | Ensure adequate ventilation, especially in confined areas. |
|---|--|
| 2 | Ensure that eyewash stations and safety showers are close to the workstation location. |
| 3 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| 4 | Set up emergency exit and necessary risk-elimination area. |

| Personal protection equipment

| General requirement | |
|--------------------------|--|
| Eye protection | Must wear appropriate safety goggles. |
| Hand protection | Must wear appropriate chemical protective gloves. |
| Respiratory protection | Must wear appropriate personal respiratory protective equipment. |
| Skin and body protection | Must wear appropriate chemical protective clothing and chemical resistant shoes. |

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

| ' ' | |
|---|--|
| Appearance (physical state, | clear or yellow liquid |
| color, etc.) | |
| Odor | No information available |
| Odor threshold | No information available |
| рН | 10.5 (1% solution, Triethanolamin) |
| Melting point/freezing point(°C) | 21.6 (Triethanolamin) |
| Initial boiling point and boiling | 335.4 (Triethanolamin) |
| range(°C) | |
| Flash point(Closed cup,°C) | 179 (Triethanolamin) |
| Evaporation rate | No information available |
| Flammability | No information available |
| Upper/lower explosive limits[%(v/v)] | Upper limit: 7.2 (Triethanolamin); Lower limit: 3.6 (Triethanolamin) |
| Vapor pressure | <1Pa (25°C,Triethanolamin) |
| Vapor density(Air = 1) | 5.1 (Triethanolamin) |
| Relative density(Water=1) | 1.1 (Triethanolamin) |
| Solubility | Miscible with water (Triethanolamin) |
| n-octanol/water partition | -2.3 (Triethanolamin) |
| coefficient | |
| Auto-ignition temperature(°C) | 324 (Triethanolamin) |
| Decomposition temperature(°C) | No information available |
| Kinematic viscosity | No information available |
| | |

10 Stability and reactivity

| Stability and reactivity

| <u> </u> | |
|--------------------|---|
| Reactivity | Contact with incompatible substances can cause decomposition or other |
| | chemical reactions. |
| Chemical stability | Stable under proper operation and storage conditions. |

| Possibility of hazardous | In contact with organic peroxides cause a fire immediately. In contact with active | |
|--------------------------|--|--|
| reactions | metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen. | |
| Conditions to avoid | Incompatible materials, heat, flame and spark. | |
| Incompatible materials | Organic peroxides. Alkali, sodium, calcium, and other active metal, halogen, | |
| | metal oxide, nonmetal oxide, acyl halide and metal phosphide. | |
| Hazardous decomposition | Under normal conditions of storage and use, hazardous decomposition products | |
| products | should not be produced. | |

11 Toxicological information

Acute toxicity

| Component | LD ₅₀ (oral) | LD ₅₀ (dermal) | LC ₅₀ (inhalation,4h) |
|------------------|-------------------------|---------------------------|----------------------------------|
| Calcium chloride | 1000mg/kg(Rat) | No information available | No information available |
| Triethanolamin | 5530mg/kg(Rat) | > 22500mg/kg(Rabbit) | No information available |

| Carcinogenicity

| Component | List of carcinogens by the IARC Monographs | Report on Carcinogens by NTP | OSHA Carcinogen List |
|--|--|------------------------------|------------------------|
| N-carboxymethyliminobis (ethylenenitrilo)tetra(aceti | Not Listed | Not Listed | Not Listed |
| c acid) Triethanolamin | Category 3 | Not Listed | Not Listed |
| Calcium chloride Water | Not Listed Not Listed | Not Listed Not Listed | Not Listed Not Listed |

Others

| DTPA extraction agent | | |
|-------------------------------|--|--|
| Skin corrosion/irritation | Based on available data, the classification criteria are not met | |
| Serious eye damage/irritation | Based on available data, the classification criteria are not met | |
| Skin sensitization | May cause an allergic skin reaction(Category 1) | |
| Respiratory sensitization | Based on available data, the classification criteria are not met | |
| Reproductive toxicity | May damage the unborn child(Category 1B) | |
| STOT-repeated exposure | Based on available data, the classification criteria are not met | |
| Aspiration hazard | Based on available data, the classification criteria are not met | |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met | |

12 Ecological information

| Acute aquatic toxicity

| Component | Fish | Crustaceans | Algae or other aquatic plants |
|------------------------------|---------------------------------------|-----------------------------|--------------------------------|
| Calcium chloride | LC ₅₀ : 4630mg/L | EC ₅₀ : 1400mg/L | ErC ₅₀ : > 4000mg/L |
| | (96h)(Fish) | (48h)(Crustaceans) | (72h)(Algae) |
| Triethanolamin | LC ₅₀ : 11800mg/L | EC ₅₀ : 610mg/L | No information available |
| | (96h)(Fish) | (48h)(Crustaceans) | |
| N-carboxymethyliminobis | LC ₅₀ :674mg/L (96h)(Fish) | No information available | No information available |
| (ethylenenitrilo)tetra(aceti | | | |

| c acid) | | |
|---------|--|--|
| , | | |

| Chronic aquatic toxicity

| Component | Fish | Crustaceans | Algae or other aquatic plants |
|------------------|---------------------|--------------------------|-------------------------------|
| Calcium chloride | NOEC: 230mg/L(Fish) | No information available | No information available |

| Persistence and degradability

| Component | Persistence (water/soil) | Persistence (air) |
|------------------------------|--------------------------|-------------------|
| N-carboxymethyliminobis | Low | Low |
| (ethylenenitrilo)tetra(aceti | | |
| c acid) | | |
| Triethanolamin | Low | Low |

| Bioaccumulative potential

| Component | Bioaccumulative potential | Comments |
|------------------------------|---------------------------|-----------------|
| N-carboxymethyliminobis | Low | Log Kow=-4.9058 |
| (ethylenenitrilo)tetra(aceti | | |
| c acid) | | |
| Triethanolamin | Low | BCF=4 |

| Mobility in soil

| Component | log Koc | Remark |
|--|---------|--------|
| N-carboxymethyliminobis (ethylenenitrilo)tetra(aceti c acid) | 4.395 | |
| Triethanolamin | 1.000 | |

13 Disposal considerations

| Disposal considerations

| Waste chemicals | Before disposal should refer to the relevant national and local laws and | |
|--------------------------|---|--|
| | regulation. Recommend the use of incineration disposal. | |
| Contaminated packaging | Containers may still present chemical hazard when empty. Keep away from hot | |
| | and ignition source of fire. Return to supplier for recycling if possible. | |
| Disposal recommendations | Refer to section waste chemicals and contaminated packaging. | |

14 Transport information

Label and Mark

| Transporting Label | Not applicable |
|--------------------|----------------|
|--------------------|----------------|

| IMDG-CODE

| <u>• </u> | | |
|--|--|--|
| IMDG-CODE | NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS | |

IATA-DGR

| IATA-DCD NO | T DECLII ATED | FOR TRANSPORT | OE DANGEDOI IS | COODS |
|-------------|---------------|---------------|----------------|-------|

DTPA extraction agent Version: V2.0.0.1 Revision Date:

UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to IMO instruments

◆Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

15 Regulatory information

International chemical inventory

| Component | Α | В | С | D | E | F | G | Н | I | J | K | L | M |
|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| N-carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid) | V | √ | √ | V | V | V | V | V | √ | V | V | V | V |
| Triethanolamin | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| Calcium chloride | √ | × | √ | √ | √ |
| Water | √ | √ | √ | √ | √ |

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZIoC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

| Component | Α | В | С |
|--|---|---|---|
| N-carboxymethyliminobis (ethylenenitrilo)tetra(aceti c acid) | × | × | × |
| Triethanolamin | × | × | × |
| Calcium chloride | × | × | × |

DTPA extraction agent Version: V2.0.0.1 Revision Date: -

| Matax | | | |
|-------|---|---|---|
| water | × | × | × |
| | | | |

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

| Component | Α | В | С | D | Е | F | G | Н |
|--|---|---|---|----------|----------|---|---|---|
| N-carboxymethyliminobi s(ethylenenitrilo)tetra(ac etic acid) | × | × | × | × | × | × | × | × |
| Triethanolamin | × | × | × | √ | √ | √ | × | × |
| Calcium chloride | × | × | × | × | × | × | × | × |
| Water | × | × | × | × | × | × | × | × |

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

| Creation Date | 2025/10/17 |
|---------------------|------------|
| Revision Date | - |
| Reason for revision | - |

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- $[7] \qquad \text{U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.} \\$
- $[8] \qquad \text{Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/}.$

Abbreviations and acronyms

| CAS | Chemical Abstracts Service | UN | The United Nations |
|------------------|-----------------------------------|---------------|---|
| PC-STEL | Short term exposure limit | OECD | Organization for Economic Co-operation and Development |
| PC-TWA | Time Weighted Average | IMDG- CODE | International Maritime Dangerous Goods CODE |
| MAC | Maximum Allowable Concentration | IARC | International Agency for Research on Cancer |
| DNEL | Derived No Effect Level | ICAO | International Civil Aviation Organization |
| PNEC | Predicted No Effect Concentration | IATA | International Air Transportation Association |
| NOEC | No Observed Effect Concentration | ACGIH | American Conference of Governmental Industrial Hygienists |
| LC ₅₀ | Lethal Concentration 50% | NFPA | National Fire Protection Association |
| | | | |

| LD ₅₀ | Lethal Dose 50% | NTP | National Toxicology Program |
|------------------|--------------------------------------|------|---|
| EC ₅₀ | Effective Concentration 50% | PBT | Persistent, Bioaccumulative, Toxic |
| EC_X | Effective Concentration X% | vPvB | very Persistent, very Bioaccumulative |
| P_{OW} | Partition coefficient Octanol: Water | CMR | Carcinogens, mutagens or substances toxic to reproduction |
| BCF | Bioconcentration factor | RPE | RespiratoryProtective Equipment |
| ED | Endocrine disruptor | HCS | Hazard Communication Standard |

Version: V2.0.0.1 Revision Date: -

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.