Safety Data Sheet

8 Mix ions in water

Version: V2.0.0.1

Report No.: BWZ6690-2016-MSDS-US

Creation Date: 2025/10/18

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1	Identification
---	----------------

| Product identifier

Product Name	8 Mix ions in water
Cat No.	BWZ6690-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang
	City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

Emergency phone number

Emergency phone number 010-58103678

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Reproductive toxicity | Category 2

Label elements

Hazard pictograms



Signal word

Warning

Hazard statements

H361 Suspected of damaging fertility or the unborn child

8 Mix ions in water Version: V2.0.0.1 Revision Date: -

| Precautionary statements

Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

Response	Not applicable
1100001100	i tot applicable

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

	No information available
Health hazards	
Inhaled	Inhalation of the product may produce adverse health effects or irritation of the respiratory tract following discomfort.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.
Eye	This product may cause temporary discomfort following direct contact with the eye.
◆ Environmental hazards	

Please refer to 12th chapter of SDS.

Composition/information on ingredients

Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)	
Water	7732-18-5	231-791-2	98.8888	
Potassium sulfate	7778-80-5	231-915-5	0.3629	
Sodium fluoride	Sodium fluoride 7681-49-4		0.022	
Sodium chloride 7647-14-5		231-598-3	0.3296	
Potassium nitrate	7757-79-1	231-818-8	0.3609	
Sodium chlorate 7775-09-9		231-887-4	0.0128	
Sodium chlorite	Sodium chlorite 7758-19-2		0.0137	

Sodium bromate	7789-38-0	232-160-4	0.0083
Sodium nitrite	7632-00-0	231-555-9	0.001

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use extinguishing media suitable for surrounding area.		
Unsuitable extinguishing media	There is no restriction on the type of extinguisher which may be used.		

Specific hazards arising from the substance or mixture

- 1 Development of hazardous combustion gases or vapor possible in the event of fire.
- 2 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Use personal protective equipment, do not breathe gas/mist/vapour/spray.
- Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

8 Mix ions in water Version: V2.0.0.1 Revision Date: -

3 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

| Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- 1 Cut off the source of the leak as much as possible.
- 2 Keep leaks in a ventilated place.
- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 4 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
- 5 Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.

7 Handling and storage

Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Sodium fluoride	Permissible exposure standards for workers in the workplace	-	2.5 (as F)	-	5 (as F)
	USA - ACGIH	-	2.5(as F)	-	-
	France	-	2	-	-
	South Korea	-	2.5	-	-

Engineering controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.

4 Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement	
Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear appropriate chemical protective gloves.
Respiratory protection	Must wear appropriate personal respiratory protective equipment.
Skin and body protection	Must wear appropriate chemical protective clothing and chemical resistant shoes.

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

1	
Appearance (physical state, color, etc.)	colorless liquid
Odor	No information available
Odor threshold	No information available
рН	5.5~8.5 (20°C, 50g/L,Potassium sulfate)
Melting point/freezing point(°C)	1067 (Potassium sulfate)
Initial boiling point and boiling range(°C)	1689 (Potassium sulfate)
Flash point(Closed cup,°C)	No information available
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	No information available
Vapor density(Air = 1)	No information available
Relative density(Water=1)	2.66 (Potassium sulfate)
Solubility	120 g/L (25°C,Potassium sulfate)
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Kinematic viscosity	No information available

10 Stability and reactivity

| Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen. Mixture with active metal powders may explode intensely if heated. Mixture with metal powders may explode if heated, impact or friction.
Conditions to avoid	Incompatible materials, heat, flame and spark.

8 Mix ions in water Version : V2.0.0.1 Revision Date : -

Incompatible materials

Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide. Active metal powder, non-metal elemental powder, sulfide, metal amino compound, metal acetylene compound, phenols, metal sulfamate, metal cyanide, thiocyanate, phosphide, hypophosphite, carboxylic acid, carboxylic anhydride, Carboxylic acid esters, ethanol, reducing agents and performic acid. Metal powder, metal amino compounds, ammonia, ammonium salts, amine, amide, carboxylic acids, phenols, alcohols, carboxylic acid esters, nitriles, sulfuric acid, concentrated nitric acid and phosphoric acid. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous decomposition products

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Sodium fluoride	180mg/kg(Rat)	No information available	No information available
Sodium chloride	3000mg/kg(Rat)	> 10000mg/kg(Rabbit)	No information available
Sodium nitrite	180mg/kg(Rat)	No information available	5.5mg/L(Rat)
Sodium chlorate	1200mg/kg(Rat)	> 10000mg/kg(Rabbit)	No information available
Potassium sulfate	6600mg/kg(Rat)	No information available	No information available
Sodium chlorite	165mg/kg(Rat)	134mg/kg(Rabbit)	0.23mg/L(Rat)
Potassium nitrate	3750mg/kg(Rat)	No information available	No information available

| Carcinogenicity

Component	List of carcinogens by	Report on Carcinogens	OSHA Carcinogen List
	the IARC Monographs	by NTP	
Water	Not Listed	Not Listed	Not Listed
Potassium sulfate	Not Listed	Not Listed	Not Listed
Sodium fluoride	Not Listed	Not Listed	Not Listed
Sodium chloride	Not Listed	Not Listed	Not Listed
Potassium nitrate	Not Listed	Not Listed	Not Listed
Sodium chlorate	Not Listed	Not Listed	Not Listed
Sodium chlorite	Category 3	Not Listed	Not Listed
Sodium bromate	Not Listed	Not Listed	Not Listed
Sodium nitrite	Not Listed	Not Listed	Not Listed

Others

8 Mix ions in water		
Skin corrosion/irritation	Based on available data, the classification criteria are not met	
Serious eye damage/irritation	Based on available data, the classification criteria are not met	
Skin sensitization	Based on available data, the classification criteria are not met	
Respiratory sensitization	Based on available data, the classification criteria are not met	
Reproductive toxicity	Suspected of damaging fertility or the unborn child(Category 2)	
STOT-repeated exposure	Based on available data, the classification criteria are not met	

Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met

12 Ecological information

| Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Sodium fluoride	LC ₅₀ : 51mg/L (96h)(Fish)	EC ₅₀ : 98mg/L (48h)(Crustaceans)	ErC ₅₀ : 900mg/L (96h)(Algae)
Sodium chloride	LC ₅₀ : 5840mg/L (96h)(Fish)	EC ₅₀ : 2120mg/L (48h)(Crustaceans)	No information available
Sodium nitrite	LC ₅₀ : 0.675mg/L (96h)(Fish)	No information available	No information available
Sodium chlorate	LC ₅₀ : 1000mg/L (96h)(Fish)	No information available	No information available
Potassium sulfate	LC ₅₀ :680mg/L (96h)(Fish)	No information available	No information available
Sodium bromate	No information available	EC ₅₀ : > 100mg/L (48h)(Crustaceans)	ErC ₅₀ : > 100mg/L (72h)(Algae)
Sodium chlorite	LC ₅₀ :105mg/L (96h)(Fish)	EC ₅₀ : < 1mg/L (48h)(Crustaceans)	ErC ₅₀ : 1.32mg/L (96h)(Algae)
Potassium nitrate	LC ₅₀ : > 100mg/L (96h)(Fish)	EC ₅₀ : 490mg/L (48h)(Crustaceans)	No information available

| Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
			plants
Sodium fluoride	No information available	No information available	NOEC : ≥ 210mg/L(Algae)
Potassium nitrate	NOEC : 58mg/L(Fish)	No information available	No information available

| Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
Sodium fluoride	Low	Low
Sodium chloride	Low	Low

| Bioaccumulative potential

Component	Bioaccumulative potential	Comments
Sodium fluoride	Low	BCF=6.4
Sodium chloride	Low	Log Kow=0.5392

| Mobility in soil

Component	log Koc	Remark
Sodium fluoride	1.155	
Sodium chloride	1.155	

8 Mix ions in water Version : V2.0.0.1 Revision Date : -

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and
	regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot
	and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label | Not applicable

IMDG-CODE

IMDG-CODE NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

IATA-DGR

IATA-DGR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

15 Regulatory information

International chemical inventory

Component	Α	В	С	D	Е	F	G	Н	I	J	K	L	M
Water	√	√	√	√	√	√	V	√	√	√	√	√	√
Potassium sulfate	√	√	√										
Sodium fluoride	√	√	√	√	√	√	V	√	√	√	√	√	√
Sodium chloride	√	√	√	√	√	√	√	√	√	√	√	√	√
Potassium nitrate	√	√	√	√	√	√	√	√	√	√	√	√	√

Sodium chlorate	√	√	√	√	\ \	√	√	√	√	×	√	√	√
Sodium chlorite	√	√	√	√	√	√	√	√	√	√	√	√	√
Sodium bromate	√												
Sodium nitrite	1	√	√	√	√	√							

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZIoC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- **[G]** Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Water	×	×	×
Potassium sulfate	×	×	×
Sodium fluoride	×	×	×
Sodium chloride	×	×	×
Potassium nitrate	×	×	×
Sodium chlorate	×	×	×
Sodium chlorite	×	×	×
Sodium bromate	×	×	×
Sodium nitrite	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

| US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Water	×	×	×	×	×	×	×	×
Potassium sulfate	×	×	×	×	×	×	×	×
Sodium fluoride	×	×	√	√	√	√	√	×
Sodium chloride	×	×	×	×	×	×	×	×
Potassium nitrate	×	×	×	√	√	√	√	×
Sodium chlorate	×	×	×	√	√	√	√	×
Sodium chlorite	×	×	×	√	√	√	√	×
Sodium bromate	×	×	×	×	√	×	√	×

Sodium nitrite	×	×	√	√	√	 	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/10/18
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- $[7] \qquad \text{U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.} \\$
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations					
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development					
PC-TWA	Time Weighted Average	IMDG-	International Maritime Dangerous Goods CODE					
I C-IWA	Tille Weighted Average	CODE	international Mantime Dangerous Goods GODE					
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer					
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization					
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association					
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists					
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association					
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program					
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic					
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative					
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction					
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment					
ED	Endocrine disruptor	HCS	Hazard Communication Standard					

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume

8 Mix ions in water Version : V2.0.0.1 Revision Date : -

responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.