# **Safety Data Sheet**

# Permanganate index of chlorinated water (specimen) (perchlorination)

Version: V2.0.0.1

Report No.: BWZ7467-2016-MSDS-US

Creation Date: 2025/10/15

Revision Date: -

\*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)



# 1 Identification

#### | Product identifier

·	
Product Name	Permanganate index of chlorinated water (specimen) (perchlorination)
Cat No.	BWZ7467-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

# Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

# Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

## | Emergency phone number

<b>Emergency</b>	phone number	010-58103678
------------------	--------------	--------------

# 2 Hazard(s) identification

## Hazard classification according to 29 CFR 1910.1200

According to OSHA HCS-2024, not classified as a hazardous chemical.

#### Label elements

Hazard pictograms	Not applicable
Signal word	Not applicable

#### | Hazard statements

otato no no		
Hazard statements	Not applicable	

## | Precautionary statements

Prevention

Prevention

\_\_\_\_\_

Not applicable

Response

Response Not applicable

Storage

Storage Not applicable

Disposal

Disposal Not applicable

## Other hazards

Not applicable.

# Hazard description

Physical and chemical hazards

No information available

## Health hazards

Inhaled	Inhalation of the product may produce adverse health effects or irritation of the respiratory tract following discomfort.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.
Eye	This product may cause temporary discomfort following direct contact with the eye.
Environmental hazards	

Please refer to 12th chapter of SDS.

# 3 Composition/information on ingredients

# Substance/mixture

Mixture

Component	CAS No.	EC No.	Concentration (wt, %)
Disodium oxalate	62-76-0	200-550-3	0.063
Sodium chloride	7647-14-5	231-598-3	0.329
Water	7732-18-5	231-791-2	99.608

# First-aid measures

# Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.

Version: V2.0.0.1 Revision Date: -

Cut off the source of the leak as much as possible.

Keep leaks in a ventilated place.

2

3

bunding.

(perchlorination)	Version: V2.0.0.1 Revision Date: -	
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.	
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.	
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.	
Most important symptoms/eff	fects, acute and delayed	
Substance accumulation, in to long-term occupational exposition.	the human body, may occur and may cause some concern following repeated or sure.	
Indication of any immediate i	medical attention and special treatment needed	
1 Treat symptomatically.		
2 Symptoms may be delayed.		
Fire-fighting measure	<u>PS</u>	
Extinguishing media		
Suitable extinguishing media	Use extinguishing media suitable for surrounding area.	
Unsuitable extinguishing media	There is no restriction on the type of extinguisher which may be used.	
Specific hazards arising fro	om the substance or mixture	
1 Development of hazardous c	combustion gases or vapor possible in the event of fire.	
2 May expansion or decompos	e explosively when heated or involved in fire.	
Special protective equipmen	t and precautions for fire-fighters	
As in any fire, wear self-contage protective gear.	ained breathing apparatus (MSHA/NIOSH approved or equivalent) and full	
-	Fight fire from a safe distance, with adequate cover.	
3 Prevent fire extinguishing wa	ter from contaminating surface water or the ground water system.	
6 Accidental release me	easures	
Personal precautions, protec	ctive equipment and emergency procedures	
1 Use personal protective equi	pment,do not breathe gas/mist/vapour/spray.	
discharges.	Remove all sources of ignition. Take precautionary measures against static	
3 Evacuate personnel to safe a	areas. Keep people away from and upwind of spill/leak.	
Environmental precautions		
Prevent further leakage or sp	pillage if safe to do so.	
2 Discharge into the environme	ent must be avoided.	
Methods and materials for co	ontainment and cleaning up	

Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by

- 4 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
- Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.

Version: V2.0.0.1 Revision Date: -

# 7 Handling and storage

## Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

# Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

# 8 Exposure controls/personal protection

# **Control parameters**

Occupational exposure limit values

Occupational Exposure limit	No
values	

No relevant regulations

#### Engineering controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

## | Personal protection equipment

General requirement	No special requirements, please see the description below.
Eye protection	In general situation, eye protection is not needed. In the production process, when contacting with vapour or dust, tightly fitting safety goggles.
Hand protection	In general situation, hand protection is not needed.
Respiratory protection	In general situation, respiratory protection is not needed. If exposure limits are exceeded or if irritation or other symptoms are experienced, wear dust proof mask or gas defence mask.
Skin and body protection	In general situation, skin and body protection are not needed.

# Physical and chemical properties and safety characteristics

#### Physical and chemical properties

Appearance (physical state,	clear or yellow liquid
color, etc.)	
Odor	No information available
Odor threshold	No information available

рН	4.5~7.0 ( 20°C, 100g/L,Sodium chloride )
Melting point/freezing	801 ( Sodium chloride )
point(°C)	
Initial boiling point and boiling	1413 ( Sodium chloride )
range(°C)	
Flash point(Closed cup,°C)	No information available
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive	Upper limit : No information available ; Lower limit : No information available
limits[%(v/v)]	
Vapor pressure	No information available
Vapor density(Air = 1)	No information available
Relative density(Water=1)	2.163 ( 20 °C,Sodium chloride )
Solubility	317g/L ( 20 °C,Sodium chloride )
n-octanol/water partition	No information available
coefficient	
Auto-ignition temperature(°C)	No information available
Decomposition	No information available
temperature(°C)	
Kinematic viscosity	No information available

Version: V2.0.0.1 Revision Date: -

# 10 Stability and reactivity

# | Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions  Conditions to avoid	In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen.  Incompatible materials, heat, flame and spark.
Incompatible materials	Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

# 11 Toxicological information

# | Acute toxicity

Component	LD <sub>50</sub> (oral)	LD <sub>50</sub> (dermal)	LC <sub>50</sub> (inhalation,4h)
Sodium chloride	3000mg/kg(Rat)	> 10000mg/kg(Rabbit)	No information available
Disodium oxalate	11160mg/kg(Rat)	No information available	No information available

# Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Disodium oxalate	Not Listed	Not Listed	Not Listed

Sodium chloride	Not Listed	Not Listed	Not Listed	
Water	Not Listed	Not Listed	Not Listed	

Version: V2.0.0.1 Revision Date: -

# Others

•		
Permanganate index of chlorinated water (specimen) (perchlorination)		
Skin corrosion/irritation	Based on available data, the classification criteria are not met	
Serious eye damage/irritation	Based on available data, the classification criteria are not met	
Skin sensitization	Based on available data, the classification criteria are not met	
Respiratory sensitization	Based on available data, the classification criteria are not met	
Reproductive toxicity	Based on available data, the classification criteria are not met	
STOT-repeated exposure	Based on available data, the classification criteria are not met	
Aspiration hazard	Based on available data, the classification criteria are not met	
Germ cell mutagenicity	Based on available data, the classification criteria are not met	
	•	

# 12 Ecological information

# Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
			plants
Sodium chloride	LC <sub>50</sub> : 5840mg/L	EC <sub>50</sub> : 2120mg/L	No information available
	(96h)(Fish)	(48h)(Crustaceans)	
Disodium oxalate	LC <sub>50</sub> :630mg/L (96h)(Fish)	EC <sub>50</sub> : 162.2mg/L	ErC <sub>50</sub> : > 19.83 - <
		(48h)(Crustaceans)	21.35mg/L (72h)(Algae)

# | Chronic aquatic toxicity

Chronic aquatic toxicity No information available

# | Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
Disodium oxalate	Low	Low
Sodium chloride	Low	Low

# | Bioaccumulative potential

Component	Bioaccumulative potential	Comments
Disodium oxalate	Low	Log Kow=-1.7365
Sodium chloride	Low	Log Kow=0.5392

# | Mobility in soil

Component	log Koc	Remark
Disodium oxalate	0.278	
Sodium chloride	1.155	

# 13 Disposal considerations

## Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation.  Recommend the use of incineration disposal.
Contaminated packaging	·
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

Version: V2.0.0.1 Revision Date: -

# 14 Transport information

#### Label and Mark

Transporting Label | Not applicable

#### IMDG-CODE

IMDG-CODE NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### IATA-DGR

IATA-DGR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

## Transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

#### Others

**Precautions for transport** 

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

# 15 Regulatory information

#### International chemical inventory

Component	A	В	С	D	E	F	G	Н	I	J	K	L	M
Disodium oxalate	√	√	<b>√</b>										
Sodium chloride	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	√	<b>√</b>	√	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Water	√	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	√	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)

(perchlorination) Version: V2.0.0.1 Revision Date:

- [E] New Zealand Inventory of Chemicals(NZloC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- 【G】 Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

#### List of Chemical Substances under International Conventions

Component	Α	В	С
Disodium oxalate	×	×	×
Sodium chloride	×	×	×
Water	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

# US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Disodium oxalate	×	×	×	×	×	×	×	×
Sodium chloride	×	×	×	×	×	×	×	×
Water	×	×	×	×	×	×	×	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

## Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

# 16 Other information

#### Information on revision

Creation Date	2025/10/15
Revision Date	-
Reason for revision	-

## Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.

- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

# Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC <sub>50</sub>	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD <sub>50</sub>	Lethal Dose 50%	NTP	National Toxicology Program
EC <sub>50</sub>	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
$EC_X$	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor	HCS	Hazard Communication Standard

## Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Version: V2.0.0.1 Revision Date: -