Safety Data Sheet

Refractive index calibration solution

Version: V2.0.0.1

Report No.: BWZ7495-2016-MSDS-US

Creation Date: 2025/10/13

Revision Date: -



*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1	Identification
	Tuerillicalion

| Product identifier

-	
Product Name	Refractive index calibration solution
Cat No.	BWZ7495-2016
CAS No.	98-95-3
EC No.	202-716-0
Molecular Formula	C6H5NO2

Recommended use of the product and restrictions on use


Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang
	City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

Emergency phone number	010-58103678



Hazard classification according to 29 CFR 1910.1200

Flammable Liquids	Category 4
Acute Toxicity - Oral	Category 4
Acute Toxicity - Dermal	Category 3
Acute Toxicity - Inhalation	Category 3
Carcinogenicity	Category 2
Reproductive Toxicity	Category 1B
Specific target organ toxicity -	Category 1
repeated exposure	

| Label elements

Signal word

ord Danger

Hazard statements

H227	Combustible liquid
H302	Harmful if swallowed
H311	Toxic in contact with skin
H331	Toxic if inhaled
H351	Suspected of causing cancer
H360	May damage fertility
H372	Causes damage to organs through prolonged or repeated exposure(blood)

| Precautionary statements

Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not breathe gas/mist/vapour/spray.
Wash hands and other parts of the body (if related) thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or with adequate ventilation.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P321	Specific treatment (see related instructions on the label).
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	Small fire: dry chemical, CO_2 or water spray; Large fire: dry chemical, CO_2 , alcohol-resistant foam or water spray; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Do not get water inside containers.

Storage

P403	Store in a well-ventilated place.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
• D'	

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

Combustible liquids in case of flame and high fever.

Version: V2.0.0.1 Revision Date: -

Health hazards

Inhaled	Headache. Blue lips or finger nails. Blue skin. Dizziness. Nausea. Weakness.		
	Confusion. Convulsions. Unconsciousness.		
Ingestion	(Further see Inhalation).		
Skin Contact MAY BE ABSORBED! (Further see Inhalation).			
Eye This product may cause temporary discomfort following direct contact			
	eye.		

Environmental hazards

Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Substance/mixture

Substance

Component	CAS No.	EC No.	Concentration (wt, %)
Nitrobenzene	98-95-3	202-716-0	99.6

4 First-aid measures

Description of first aid measures

-	
General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
Skin contact	
	Refer for medical attention.
Ingestion	Rinse mouth. Give a slurry of activated charcoal in water to drink. Rest. Refer for medical attention.
Inhalation	Fresh air, rest. Artificial respiration if indicated. Refer for medical attention.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take
	precautions to protect themselves and prevent spread of contamination.

Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Fire-fighting measures

Extinguishing media

=xttii.guioi.ii.g iiio uiu	
Suitable extinguishing media	Small fire: dry chemical, CO ₂ or water spray; Large fire: dry chemical, CO ₂ , alcohol-resistant foam or water spray; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Do not get water inside containers.
Unsuitable extinguishing media	No information available.

Version: V2.0.0.1 Revision Date: -

Specific hazards arising from the substance or mixture

- May emit poisonous fumes on fire.
 Development of hazardous combustion gases or vapor possible in the event of fire.
- 3 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire.

 Do not touch or walk through spilled material.

 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

 Use personal protective equipment,do not breathe gas/mist/vapour/spray.
- Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 6 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

1

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- Cover with anti-solvent foam to reduce evaporation.
 It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus and wear anti-virus suits.
 Spray water disperses the vapor and dilutes the liquid spill.
 - 5 Do not touch broken containers and spills before putting on appropriate protective clothing.
 - 6 Cut off the source of the leak as much as possible.
 - 7 Keep leaks in a ventilated place.

Do not touch or cross spills.

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 9 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
- Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.

7 Handling and storage

Precautions for safe handling

1	Handling	is performed	in a well	ventilated	place.
---	----------	--------------	-----------	------------	--------

- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.

8 Exposure controls/personal protection

Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Nitrobenzene	Japan - JSOH(2024–202 5)	1	5	-	-
	Permissible exposure standards for workers in the workplace	1	5	2	10
	Australia	1	5	-	-
	Canada - Ontario	1	-	-	-
	European Union	0.2	1	-	-
	New Zealand	0.1	0.5	-	-

| Engineering controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement		
Eye protection	Must wear appropriate safety goggles.	
Hand protection	Must wear anti static chemical protective gloves.	
Respiratory protection	Must wear appropriate personal dust proof gas mask.	
Skin and body protection	Must wear anti static chemical protective clothing and anti static shoes.	

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

Appearance (physical state, color, etc.) Odor No information available Odor threshold No information available pH 8.1 (20°C, 1g/L, Calculated) Melting point/freezing point(°C) 5 Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) 88 Evaporation rate No information available Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 20Pa (20°C) Vapor density(Air = 1) 4.2 Relative density(Water=1) 1.2 Solubility 1.9 g/L (20 °C(pH=6.5)) n-octanol/water partition coefficient Auto-ignition temperature(°C) > 350 Decomposition temperature(°C) > 350	i	
Odor threshold pH 8.1 (20°C, 1g/L, Calculated) Melting point/freezing point(°C) Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) Evaporation rate No information available No information available Upper/lower explosive limits[%(v/v)] Vapor pressure Vapor density(Air = 1) Relative density(Water=1) Solubility 1.9 g/L (20 °C(pH=6.5)) 1.86 Auto-ignition temperature(°C) Melting point/freezing point(°C) 8.1 (20°C, 1g/L, Calculated) 8.2 (211 1.3 (20°C) 8.8 (211 1.4 (20°C) Voint pressure Voint pre		colorless liquid
melting point/freezing point(°C) 5 Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) 88 Evaporation rate No information available Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 20Pa (20°C) Vapor density(Air = 1) 4.2 Relative density(Water=1) 1.2 Solubility 1.9 g/L (20 °C(pH=6.5)) n-octanol/water partition coefficient Auto-ignition temperature(°C) 480	Odor	No information available
Melting point/freezing point(°C) Initial boiling point and boiling range(°C) Flash point(Closed cup, °C) Evaporation rate No information available Flammability No information available Upper/lower explosive	Odor threshold	No information available
Initial boiling point and boiling range(°C) Flash point(Closed cup,°C) 88 Evaporation rate No information available Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure 20Pa (20°C) Vapor density(Air = 1) 4.2 Relative density(Water=1) 1.2 Solubility 1.9 g/L (20 °C(pH=6.5)) n-octanol/water partition coefficient Auto-ignition temperature(°C) 480	рН	8.1 (20°C, 1g/L, Calculated)
range(°C) Flash point(Closed cup, °C) 88 Evaporation rate No information available Flammability No information available Upper/lower explosive limit: 40; Lower limit: 1.8 Vapor pressure 20Pa (20°C) Vapor density(Air = 1) 4.2 Relative density(Water=1) 1.2 Solubility 1.9 g/L (20 °C(pH=6.5)) n-octanol/water partition coefficient Auto-ignition temperature(°C) 480	Melting point/freezing point(°C)	5
Flash point(Closed cup, °C) Evaporation rate No information available Flammability Upper/lower explosive limits[%(v/v)] Vapor pressure 20Pa (20°C) Vapor density(Air = 1) Relative density(Water=1) Solubility 1.9 g/L (20 °C(pH=6.5)) n-octanol/water partition coefficient Auto-ignition temperature(°C) No information available No information available Vapor limit : 40 ; Lower limit : 1.8 1.86	Initial boiling point and boiling	211
Evaporation rate Flammability No information available Upper/lower explosive limits[%(v/v)] Vapor pressure Vapor density(Air = 1) Relative density(Water=1) Solubility 1.9 g/L (20 °C(pH=6.5)) 1.86 Auto-ignition temperature(°C) No information available No information available Vapor density (Upper limit : 40 ; Lower limit : 1.8 Upper limit : 40 ; Lower limit : 1.8 1.8	range(°C)	
Flammability No information available Upper/lower explosive limit: 40; Lower limit: 1.8 Vapor pressure 20Pa (20°C) Vapor density(Air = 1) 4.2 Relative density(Water=1) 1.2 Solubility 1.9 g/L (20 °C(pH=6.5)) n-octanol/water partition coefficient Auto-ignition temperature(°C) 480	Flash point(Closed cup,°C)	88
Upper limit : 40 ; Lower limit : 1.8 Upper limit : 40 ; Lower limit : 1.8 Vapor pressure 20Pa (20°C) Vapor density(Air = 1) 4.2 Relative density(Water=1) 1.2 Solubility 1.9 g/L (20 °C(pH=6.5)) n-octanol/water partition coefficient 1.86 Auto-ignition temperature(°C) 480	Evaporation rate	No information available
limits[%(v/v)] Vapor pressure 20Pa (20°C) Vapor density(Air = 1) Relative density(Water=1) Solubility 1.9 g/L (20 °C(pH=6.5)) n-octanol/water partition coefficient Auto-ignition temperature(°C) 480	Flammability	No information available
Vapor pressure 20Pa (20°C) Vapor density(Air = 1) 4.2 Relative density(Water=1) 1.2 Solubility 1.9 g/L (20 °C(pH=6.5)) n-octanol/water partition coefficient Auto-ignition temperature(°C) 480		Upper limit: 40; Lower limit: 1.8
Relative density(Water=1) Solubility 1.9 g/L (20 °C(pH=6.5)) n-octanol/water partition coefficient Auto-ignition temperature(°C) 480		20Pa (20°C)
Solubility 1.9 g/L (20 °C(pH=6.5)) n-octanol/water partition coefficient Auto-ignition temperature(°C) 1.9 g/L (20 °C(pH=6.5)) 1.86 480	Vapor density(Air = 1)	4.2
n-octanol/water partition coefficient Auto-ignition temperature(°C) 480	Relative density(Water=1)	1.2
Coefficient Auto-ignition temperature(°C) 480	Solubility	1.9 g/L (20 °C(pH=6.5))
	·	1.86
Decomposition temperature(°C) > 350	Auto-ignition temperature(°C)	480
	Decomposition temperature(°C)	> 350
Kinematic viscosity No information available	Kinematic viscosity	No information available

10 Stability and reactivity

| Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions Conditions to avoid	In contact with ammonia, strong inorganic alkalis, active metals, alkali carbonates, metal oxides or metal alkaoxides may result in an explosion. Incompatible materials, heat, flame and spark.
Incompatible materials	Ammonia, strong inorganic alkalis, active metal, alkali metal carbonates, metal oxides, metal alkaoxides, and nitric acid.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

11 Toxicological information

| Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Nitrobenzene	349mg/kg(Rat)	760mg/kg(Rabbit)	556ppmV(Rat)

| Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP	OSHA Carcinogen List
Nitrobenzene	Category 2B	Category R	Not Listed

Version: V2.0.0.1 Revision Date: -

Others

Nitrobenzene(Component)		
Skin corrosion/irritation	Based on available data, the classification criteria are not met	
Serious eye damage/irritation	Based on available data, the classification criteria are not met	
Skin sensitization	Based on available data, the classification criteria are not met	
Respiratory sensitization	Based on available data, the classification criteria are not met	
Reproductive toxicity	May damage fertility(Category 1B)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure(blood)(Category 1)	
Aspiration hazard	Based on available data, the classification criteria are not met	
Germ cell mutagenicity	Based on available data, the classification criteria are not met	

12 Ecological information

Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic
			plants
Nitrobenzene	LC ₅₀ : 92mg/L (96h)(Fish)	EC ₅₀ : 35mg/L	ErC ₅₀ : 23.8mg/L
		(48h)(Crustaceans)	(96h)(Algae)

| Chronic aquatic toxicity

Chronic aquatic toxicity No information available

| Persistence and degradability

Persistence and degradability No information available

Bioaccumulative potential

Bioaccumulative potential No information available

| Mobility in soil

Component	log Koc	Remark
Nitrobenzene	2.07	

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot
	and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label



IMDG-CODE

UN number	2810
UN proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	ш
Marine pollutant (Yes or no)	No

IATA-DGR

UN number	2810
UN proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	ш

UN-ADR

UN number	2810
UN proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S.
Transport hazard class	6.1
Transport subsidiary hazard	None
class	
Packing group	ш

Transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport	Transit should be anti-exposure, rain, high temperature. Strictly prohibited shipping or transportation with acids, alkalis, oxidants, food and food additives etc. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

15 Regulatory information

International chemical inventory

Component	Α	В	С	D	Е	F	G	Н	I	J	K	L	М
Nitrobenzene	√	√	√	√	√	√							

Version: V2.0.0.1 Revision Date: -

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZIoC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	Α	В	С
Nitrobenzene	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	Е	F	G	Н
Nitrobenzene	√	√	√	√	V	√	√	√

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/10/13
Revision Date	
Reason for revision	-

Reference

[1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.

- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.

Version: V2.0.0.1 Revision Date: -

- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor	HCS	Hazard Communication Standard

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.