Safety Data Sheet

Perchloric acid solution standard

substance

Version: V2.0.0.1

Report No.: BWZ8267-2016-MSDS-US

Creation Date: 2025/11/22

Revision Date: -

*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)



1 Identification

| Product identifier

Product Name	Perchloric acid solution standard substance
Cat No.	BWZ8267-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

| Emergency phone number

Emergency phone number	010-58103678
------------------------	--------------

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

Skin corrosion/irritation	Category 1A
Serious eye damage/irritation	Category 1

Label elements

Hazard nictograma	bereients	
Hazard pictograms	Hazard pictograms	
Signal word Danger	Signal word	Danger

Hazard statements			
H314	Causes severe skin burns and eye damage		
H318 Causes serious eye damage			
Precautionary statements			
◆ Prevention			
P260	Do not breathe gas/mist/vapour/spray.		
P264	Wash hands and other parts of the body (if related) thoroughly after handling.		
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing		
	protection.		
◆ Response			
P321	Specific treatment (see information on this label and safety data sheet).		
P363	Wash contaminated clothing before reuse.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse		
	affected areas with water [or shower].		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
A Chamana	lenses, if present and easy to do. Continue rinsing.		
◆ Storage			
P405	Store locked up.		
Disposal			
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards			
	Not applicable.		
Hazard description			
•			
 Physical and chemical haz 			
	No information available		
Health hazards			
Inhaled	Corrosive product can cause irritation of the respiratory tract, with coughing,		
	choking and mucous membrane damage.		
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual		
Skin Contact	The product can cause severe skin burns following direct contact with the skin.		
Eye	The product can produce severe chemical burns to the eye following direct contact. If timely and appropriate treatment is not available may cause permaner blindness.		
 Environmental hazards 			
	Please refer to 12th chapter of SDS.		
3 Composition/informa	·		
Substance/mixture			
	Mixture		
	I mixture		

Component	CAS No.	EC No.	Concentration (wt, %)
Water	7732-18-5	231-791-2	90
Perchloric acid	7601-90-3	231-512-4	10

Version: V2.0.0.1 Revision Date: -

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

| Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.
- 5 Fire-fighting measures

| Extinguishing media

<u> </u>	
Suitable extinguishing media	Small fire: CO ₂ , dry chemical, dry sand, alcohol-resistant foam; Large fire: water spray, fog or alcohol-resistant foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Do not get water inside containers.
Unsuitable extinguishing media	Large fire: avoid aiming straight or solid streams directly onto the product.

Specific hazards arising from the substance or mixture

1	Will not burn but increases intensity of fire.
2	Contact with combustibles such as wood, paper, oil or finely divided metal may produce spontaneous combustion or violent decomposition.
3	Has a fire-promoting effect due to release of oxygen.
4	The material may provide sufficient oxygen to make the fire fierce and self sustaining.
5	Smothering action may not be effective for established fire.
6	Fire may produce irritating, poisonous or corrosive gases.
7	Development of hazardous combustion gases or vapor possible in the event of fire.

8 May expansion or decompose explosively when heated or involved in fire.

Version: V2.0.0.1 Revision Date: -

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.
- 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Keep combustibles (wood, paper, oil, etc.) away from spilled material.
 - 2 Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire.
- 3 Do not touch or walk through spilled material.
- 4 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- 5 Use personal protective equipment, do not breathe gas/mist/vapour/spray.
- Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 7 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- 1 It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus and wear anti-static clothing.
- 2 In case of small amount of spillage, use clean non sparking tools to collect absorption materials.
- In case of large amount of spillage, construct cofferdam or dig a hole to collect the spillage. Use foam cover to reduce evaporation. Water spray mist can reduce evaporation, but can not reduce the flammability of the leakage in the restricted space.
- 4 Collect absorbent material using a clean, non-sparking tool.
- 5 Cover with anti-solvent foam to reduce evaporation.
- 6 Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.
- 7 Water spray reduces evaporation but does not reduce the flammability of spills in confined spaces.
- 8 Do not touch or cross spills.
- 9 It is recommended that emergency personnel wear a self-contained breathing apparatus with positive pressure and wear anti-corrosion clothing.
- 10 Transfer to a tank truck or special collector with a corrosion-resistant pump.
- 11 Do not touch broken containers and spills before putting on appropriate protective clothing.
- 12 Cut off the source of the leak as much as possible.
- 13 Keep leaks in a ventilated place.
- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 15 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
- Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.

- 17 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
- 7 Handling and storage

Precautions for safe handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.
- 8 Exposure controls/personal protection

Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Perchloric acid	Poland	-	1	-	3

| Engineering controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

Personal protection equipment

General requirement						
Eye protection	Must wear appropriate anti-corrosion goggles.					
Hand protection	Must wear acid and alkali resistant chemical protective gloves.					
Respiratory protection	Must wear appropriate personal respiratory protective equipment.					
Skin and body protection	Must wear acid and alkali resistant chemical protective clothing.					

Physical and chemical properties and safety characteristics

Physical and chemical properties

Appearance (physical state,	colorless liquid			
color, etc.)				
Odor	No information available			
Odor threshold	No information available			

рН	No information available
Melting point/freezing point(°C)	-112 (72% solution,Perchloric acid)
Initial boiling point and boiling range(°C)	19 (decompose, 72% solution, Perchloric acid)
Flash point(Closed cup,°C)	No information available
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit : No information available ; Lower limit : No information available
Vapor pressure	40hPa (20°C,Perchloric acid)
Vapor density(Air = 1)	3.5 (72% solution, Perchloric acid)
Relative density(Water=1)	1.768 (20 °C,Perchloric acid)
Solubility	Miscible with water (72% solution, Perchloric acid)
n-octanol/water partition coefficient	-4.62 (Perchloric acid)
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Kinematic viscosity	No information available

Version: V2.0.0.1 Revision Date: -

10 Stability and reactivity

| Stability and reactivity

Classification Caroninary	
Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen. In contact with non-metallic elementals or organics causes a fire or explosion.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide. Non-metallic elementals, organics and fiber material.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)		
Perchloric acid	1100mg/kg(Rat)	No information available	No information available		

Carcinogenicity

Component	List of carcinogens by	Report on Carcinogens	OSHA Carcinogen List		
	the IARC Monographs	by NTP			
Water	Not Listed	Not Listed	Not Listed		
Perchloric acid	Not Listed	Not Listed	Not Listed		

Others

Perchloric acid solution standard substance						
Skin corrosion/irritation	Causes severe skin burns and eye damage(Category 1A)					
Serious eye damage/irritation	Causes serious eye damage(Category 1)					
Skin sensitization	Based on available data, the classification criteria are not met					
Respiratory sensitization	Based on available data, the classification criteria are not met					
Reproductive toxicity	Based on available data, the classification criteria are not met					
STOT-single exposure	Based on available data, the classification criteria are not met					
STOT-repeated exposure	Based on available data, the classification criteria are not met					
Aspiration hazard	Based on available data, the classification criteria are not met					
Germ cell mutagenicity	Based on available data, the classification criteria are not met					

Version: V2.0.0.1 Revision Date: -

12 Ecological information

Acute aquatic toxicity

Acute aquatic toxicity | No information available

| Chronic aquatic toxicity

Chronic aquatic toxicity | No information available

| Persistence and degradability

Persistence and degradability No information available

| Bioaccumulative potential

Bioaccumulative potential No information available

| Mobility in soil

Component	log Koc	Remark
Perchloric acid	1.64	20 ℃

13 Disposal considerations

Disposal considerations

· ·					
Waste chemicals	Before disposal should refer to the relevant national and local laws and				
	regulation. Recommend the use of incineration disposal.				
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot				
	and ignition source of fire. Return to supplier for recycling if possible.				
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.				

14 Transport information

Label and Mark

Transporting Label



| IMDG-CODE

UN number	1802				
UN proper shipping name	PERCHLORIC ACID with not more than 50% acid, by mass				
Transport hazard class	8				
Transport subsidiary hazard	5.1				
Packing group	П				
Marine pollutant (Yes or no)	No				
IATA-DGR					
UN number	1802				
UN proper shipping name	PERCHLORIC ACID with not more than 50% acid, by mass				
Transport hazard class	8				
Transport subsidiary hazard class	5.1				
Packing group	П				
UN-ADR					
UN number	1802				
UN proper shipping name	PERCHLORIC ACID with not more than 50% acid, by mass				
Transport hazard class	8				
Transport subsidiary hazard class	5.1				
Packing group	П				
Transport in bulk according to	o IMO instruments				
◆Transport in bulk according t	o Annex II of MARPOL and the IBC code				
	Not Available				
◆ Transport in bulk in accordar	nce with MARPOL Annex V and the IMSBC Code				
	Not Available				
◆Transport in bulk in accordar	nce with the IGC Code				
	Not Available				
Others					
Precautions for transport	Strictly prohibited shipping or transportation with acids, flammable goods, organic matter, reducing agents, spontaneous combustion, flammable goods which are wet. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with				

15 Regulatory information

| International chemical inventory

Component	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Water	√	√	√	√	√	√	√						

relevant transporting requirements.

Version: V2.0.0.1 Revision Date: -

- [A] China Inventory of Existing Chemical Substances(IECSC)
- [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
- [C] United States Toxic Substances Control Act Inventory(TSCA)
- [D] Canadian Domestic Substances List(DSL)
- [E] New Zealand Inventory of Chemicals(NZIoC)
- [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
- [G] Korea Existing Chemicals Inventory(KECL)
- [H] Australian. Inventory of Industrial Chemical (AIICS)
- [1] Japan Inventory of Existing & New Chemical Substances(ENCS)
- [J] Thailand Existing Chemicals Inventory(TECI)
- [K] Mexico National Inventory of Chemical Substances (INSQ)
- [L] Russia Inventory of Existing Substances (DRAFT)
- [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	A	В	С
Water	×	×	×
Perchloric acid	×	×	×

- [A] The Montreal Protocol on Substances that Deplete the Ozone Layer
- [B] Stockholm Convention on Persistent Organic Pollutants (POPs)
- [C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

US chemical inventory

Component	Α	В	С	D	Е	F	G	Н
Water	×	×	×	×	×	×	×	×
Perchloric acid	×	×	×	√	V	√	V	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D] US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- [H] US California Proposition 65 List

Note:

- " $\sqrt{}$ " Indicates that the substance included in the regulations.
- "x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/11/22
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.

- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine dis ruptor	HCS	Hazard Communication Standard

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.